

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at Christus Spohn Memorial Hospital, Corpus Christi 7

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>7</u>	<u>reports reflected</u>									
3 White/Caucasian	6 female	16	0	30	0	44	0	58	0	72	0	86	0
1 Black or African American	1 male	17	0	31	0	45	0	59	0	73	0	87	0
3 Hispanic or Latino	7 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	1	47	0	61	0	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	0	90	0
7 reports reflected		21	1	35	1	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
7 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	1	82	0	96	0
7 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	1	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													
3 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
7 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	5	1	1	0	n/a	0	7
2-4 weeks after ECT:	0	6	1	0	0	0	0	7
<u>Level of symptom severity present</u>								
before ECT	0	0	0	5	2	n/a	0	7
2-4 weeks after ECT:	0	6	1	0	0	0	0	7

Avg Total Treatments administered during this reporting period

0.00	0	maintenance treatments administered	
0.00	0	average maintenance treatments per month	
12.00	84	series treatments planned (in brackets on reporting form)	<u>Status of series treatments</u>
4.57	32	series treatments administered (circled on reporting form)	2 ongoing series treatments reported
0.00	0	complete series of treatments administered	0 concluded series treatments reported
4.57	32	total number of ECT treatments administered	5 stopped series treatments reported

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco 11

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>11</u>	<u>reports</u>	<u>reflected</u>								
11 White/Caucasian	7 female	16	0	30	0	44	1	58	1	72	0	86	0
0 Black or African American	4 male	17	0	31	1	45	0	59	0	73	0	87	1
0 Hispanic or Latino	11 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	0	90	0
11 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
11 voluntary patient consenting		24	0	38	0	52	1	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
11 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
7 private 3rd party (insurer, HMO, etc)													
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
11 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

<u>PHYSICIANS ASSESSMENT</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	10	1	0	0	0	n/a	0	11
2-4 weeks after ECT:	11	0	0	0	0	0	0	11
<u>Level of symptom severity present</u>								
before ECT	1	1	0	9	0	n/a	0	11
2-4 weeks after ECT:	4	3	3	1	0	0	0	11

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
4.36	48	maintenance treatments administered	
1.45	16	average maintenance treatments per month	
7.64	84	series treatments planned (in brackets on reporting form)	1 ongoing series treatments reported
3.09	34	series treatments administered (circled on reporting form)	3 concluded series treatments reported
1.73	19	complete series of treatments administered	2 stopped series treatments reported
7.45	82	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at IntraCare North Hospital, Houston 30

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>30</u>	<u>reports</u>	<u>reflected</u>							
24 White/Caucasian	21 female	16	0	30	1	44	1	58	1	72	0	86
3 Black or African American	9 male	17	0	31	0	45	0	59	0	73	0	87
3 Hispanic or Latino	30 reports reflected	18	0	32	0	46	0	60	0	74	0	88
0 Asian		19	0	33	0	47	0	61	2	75	0	89
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	2	34	1	48	0	62	0	76	0	90
30 reports reflected		21	1	35	0	49	0	63	0	77	0	91
		22	0	36	1	50	0	64	0	78	1	92
		23	0	37	0	51	2	65	1	79	0	93
<u>Hospital admission status</u>		24	1	38	1	52	1	66	0	80	1	94
30 voluntary patient consenting		25	1	39	1	53	1	67	0	81	0	95
0 involuntary patient consenting		26	0	40	1	54	1	68	0	82	0	96
0 guardian consenting for patient		27	2	41	0	55	1	69	0	83	0	97
30 reports reflected		28	0	42	0	56	2	70	0	84	0	98
		29	0	43	2	57	0	71	0	85	0	99
<u>Primary source of payment for ECT</u>												
21 private 3rd party (insurer, HMO, etc)												
8 public 3rd party (county, state, Medicaid, etc.)												
1 own/family funds												
0 other												
30 reports reflected												

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	3 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	20	9	1	0	0	n/a	0	30
2-4 weeks after ECT:	14	13	3	0	0	0	0	30
<u>Level of symptom severity present</u>								
before ECT	0	0	0	6	24	n/a	0	30
2-4 weeks after ECT:	3	8	12	6	1	0	0	30

Avg Total Treatments administered during this reporting period

0.40	12	maintenance treatments administered	
0.13	4	average maintenance treatments per month	<u>Status of series treatments</u>
10.07	302	series treatments planned (in brackets on reporting form)	12 ongoing series treatments reported
5.83	175	series treatments administered (circled on reporting form)	7 concluded series treatments reported
2.23	67	complete series of treatments administered	7 stopped series treatments reported
6.23	187	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso

3

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>3</u>	<u>reports reflected</u>
2 White/Caucasian	2 female	16	0	30 0 44 0 58 0 72 0 86 0
0 Black or African American	1 male	17	0	31 0 45 0 59 0 73 0 87 0
1 Hispanic or Latino	3 reports reflected	18	0	32 0 46 0 60 0 74 0 88 0
0 Asian		19	0	33 0 47 1 61 0 75 0 89 0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34 0 48 0 62 0 76 0 90 0
3 reports reflected		21	0	35 0 49 0 63 0 77 0 91 0
		22	0	36 0 50 0 64 0 78 0 92 0
<u>Hospital admission status</u>		23	0	37 0 51 0 65 0 79 0 93 0
3 voluntary patient consenting		24	0	38 0 52 0 66 0 80 0 94 0
0 involuntary patient consenting		25	0	39 0 53 0 67 0 81 0 95 0
0 guardian consenting for patient		26	0	40 1 54 0 68 0 82 0 96 0
3 reports reflected		27	0	41 0 55 0 69 0 83 0 97 0
		28	0	42 0 56 0 70 0 84 0 98 0
<u>Primary source of payment for ECT</u>		29	0	43 0 57 0 71 0 85 1 99 0
2 private 3rd party (insurer, HMO, etc)				
1 public 3rd party (county, state, Medicaid, etc.)				
0 own/family funds				
0 other				
3 reports reflected				

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	0	2	1	0	0	0	0	3
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	0	2	1	0	0	0	0	3

Avg Total Treatments administered during this reporting period

0.00	0	maintenance treatments administered
0.00	0	average maintenance treatments per month
10.67	32	series treatments planned (in brackets on reporting form)
2.67	8	series treatments administered (circled on reporting form)
0.00	0	complete series of treatments administered
2.67	8	total number of ECT treatments administered

Status of series treatments

0	ongoing series treatments reported
0	concluded series treatments reported
0	stopped series treatments reported

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown **5**

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>5</u>	<u>reports reflected</u>
4 White/Caucasian	5 female	16	0	30 0 44 1 58 0 72 0 86 0
0 Black or African American	0 male	17	0	31 0 45 0 59 0 73 1 87 0
1 Hispanic or Latino	5 reports reflected	18	0	32 0 46 0 60 0 74 0 88 0
0 Asian		19	0	33 0 47 2 61 0 75 0 89 0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34 0 48 0 62 0 76 0 90 0
5 reports reflected		21	0	35 0 49 0 63 0 77 0 91 0
		22	0	36 0 50 0 64 0 78 0 92 0
<u>Hospital admission status</u>		23	0	37 0 51 0 65 0 79 0 93 0
5 voluntary patient consenting		24	0	38 0 52 0 66 0 80 0 94 0
0 involuntary patient consenting		25	0	39 0 53 0 67 0 81 0 95 0
0 guardian consenting for patient		26	0	40 0 54 0 68 0 82 1 96 0
5 reports reflected		27	0	41 0 55 0 69 0 83 0 97 0
		28	0	42 0 56 0 70 0 84 0 98 0
<u>Primary source of payment for ECT</u>		29	0	43 0 57 0 71 0 85 0 99 0
1 private 3rd party (insurer, HMO, etc)				
4 public 3rd party (county, state, Medicaid, etc.)				
0 own/family funds				
0 other				
5 reports reflected				

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	5	0	0	0	n/a	0	5
2-4 weeks after ECT:	0	5	0	0	0	0	0	5
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	5	n/a	0	5
2-4 weeks after ECT:	0	0	5	0	0	0	0	5

Avg Total Treatments administered during this reporting period

0.00	0	maintenance treatments administered
0.00	0	average maintenance treatments per month
7.80	39	series treatments planned (in brackets on reporting form)
7.80	39	series treatments administered (circled on reporting form)
6.20	31	complete series of treatments administered
7.80	39	total number of ECT treatments administered

Status of series treatments

0 ongoing series treatments reported
3 concluded series treatments reported
1 stopped series treatments reported

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0 multiple monitoring treatments administered
0 EEG burst suppression--anesthetic treatment for refractory depression
0 narcotherapy using deep anesthesia
0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at St. Joseph Medical Center, Houston 8

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>8</u>	<u>reports reflected</u>									
8 White/Caucasian	6 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black or African American	2 male	17	0	31	0	45	0	59	0	73	2	87	0
0 Hispanic or Latino	8 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	1	62	0	76	0	90	0
8 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	2	93	0
8 voluntary patient consenting		24	0	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
8 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													
7 public 3rd party (county, state, Medicaid, etc.)													

Any of the following that occurred within fourteen (14) days of ECT

0 own/family funds	0 apnea	0 reported memory loss
0 other	0 fracture	0 death
8 reports reflected	0 cardiac arrest	0 autopsy obtained*

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	7	0	n/a	0	8
2-4 weeks after ECT:	8	0	0	0	0	0	0	8
<u>Level of symptom severity present</u>								
before ECT	0	0	1	7	0	n/a	0	8
2-4 weeks after ECT:	8	0	0	0	0	0	0	8

Avg Total Treatments administered during this reporting period

1.13	9	maintenance treatments administered
0.38	3	average maintenance treatments per month
5.00	40	series treatments planned (in brackets on reporting form)
4.13	33	series treatments administered (circled on reporting form)
3.13	25	complete series of treatments administered
5.25	42	total number of ECT treatments administered

Status of series treatments

1	ongoing series treatments reported
4	concluded series treatments reported
1	stopped series treatments reported

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY09 Quarterly ECT Facility Summary
For Treatments Given June 1, 2009 to August 31, 2009**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 10

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>10</u>	<u>reports</u>	<u>reflected</u>								
0 White/Caucasian	6 female	16	0	30	0	44	0	58	1	72	0	86	0
1 Black or African American	4 male	17	0	31	0	45	0	59	0	73	0	87	0
2 Hispanic or Latino	10 reports reflected	18	0	32	1	46	0	60	1	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	1	89	0
7 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	1	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
6 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
4 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
10 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													
10 public 3rd party (county, state, Medicaid, etc.)		<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
0 own/family funds					0 apnea	0 reported memory loss							
0 other					0 fracture	0 death							
10 reports reflected					0 cardiac arrest	0 autopsy obtained*							

<u>PHYSICIANS ASSESSMENT</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	9	1	0	0	n/a	0	10
2-4 weeks after ECT:	0	9	1	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	0	0	4	6	0	n/a	0	10
2-4 weeks after ECT:	0	2	5	3	0	0	0	10

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.70	17	maintenance treatments administered	
0.57	5.67	average maintenance treatments per month	
3.90	39	series treatments planned (in brackets on reporting form)	1 ongoing series treatments reported
2.90	29	series treatments administered (circled on reporting form)	2 concluded series treatments reported
1.30	13	complete series of treatments administered	1 stopped series treatments reported
4.60	46	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

