

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Christus Spohn Hospital Memorial, Corpus Christi 2

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	0 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	2 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
2 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
2 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	1	96	0
2 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													2 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
2 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	2	0	0	0	n/a	0	2
2-4 weeks after ECT:	0	0	2	0	0	0	0	2
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	2	n/a	0	2
2-4 weeks after ECT:	0	2	0	0	0	0	0	2

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
8	16	series treatments planned
8	16	series treatments administered
8	16	total number of ECT treatments administered

Status of series treatments

0 ongoing
2 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
12 White	9 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	12 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	1	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	2	62	0	76	0	90	0
12 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	1	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
12 voluntary patient consenting		24	0	38	1	52	2	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
12 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													12 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
12 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	10	0	0	0	n/a	0	12
2-4 weeks after ECT:	0	10	2	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	0	0	0	6	6	n/a	0	12
2-4 weeks after ECT:	0	10	2	0	0	0	0	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.8	21	maintenance treatments administered	
0.6	7	average maintenance treatments per month	
5	60	series treatments planned	1 ongoing
3.8	46	series treatments administered	6 concluded
5.6	67	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco **13**

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
11 White	6 female	16	0	30	0	44	0	58	0	72	0	86	2
0 Black	7 male	17	0	31	0	45	0	59	0	73	0	87	0
2 Latin	13 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	1	62	0	76	1	90	0
13 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
13 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	1	71	0	85	1	99	0
5 private 3rd party (insurer, HMO, etc)													13 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	10	3	0	0	0	n/a	0	13
2-4 weeks after ECT:	11	2	0	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	0	0	3	5	5	n/a	0	13
2-4 weeks after ECT:	4	4	4	1	0	0	0	13

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
4.2	55	maintenance treatments administered	
1.4	18.3	average maintenance treatments per month	
4.6	60	series treatments planned	1 ongoing
1.5	19	series treatments administered	3 concluded
5.7	74	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at **Green Oaks Behavioral Network, Dallas** 30

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
29 White	15 female	16	0	30	0	44	0	58	1	72	0	86	0
1 Black	15 male	17	0	31	2	45	1	59	1	73	1	87	0
0 Latin	30 reports reflected	18	0	32	0	46	0	60	0	74	2	88	0
0 Asian		19	0	33	0	47	1	61	3	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	0	90	0
30 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	1	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	1	37	0	51	0	65	0	79	0	93	0
30 voluntary patient consenting		24	0	38	1	52	1	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	3	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	3	68	0	82	0	96	0
30 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	1	71	0	85	0	99	0
18 private 3rd party (insurer, HMO, etc)													
12 public 3rd party (county, state, Medicaid, etc.)													30 reports reflected
0 own/family funds													
0 other													
30 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				0 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	17	13	0	0	n/a	0	30
2-4 weeks after ECT:	4	10	3	0	0	13	0	30
<u>Level of symptom severity present</u>								
before ECT	0	0	0	30	0	n/a	0	30
2-4 weeks after ECT:	4	12	1	0	0	13	0	30

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
0.9	27	maintenance treatments administered	
0.3	9	average maintenance treatments per month	<u>Status of series treatments</u>
7.9	237	series treatments planned	6 ongoing
6.2	187	series treatments administered	14 concluded
7.3	220	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso 6

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
5 White	5 female	16	0	30	0	44	0	58	2	72	1	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	6 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
6 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	2	79	0	93	0
6 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
6 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
2 private 3rd party (insurer, HMO, etc)													6 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
6 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	3	2	n/a	0	6
2-4 weeks after ECT:	2	4	0	0	0	0	0	6
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	3	n/a	0	6
2-4 weeks after ECT:	0	6	0	0	0	0	0	6

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
6.2	37	series treatments planned
4	24	series treatments administered
4	24	total number of ECT treatments administered

Status of series treatments

0 ongoing
6 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at Laurel Ridge Hospital, San Antonio **20**

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
17 White	15 female	16	0	30	0	44	1	58	1	72	0	86	0
0 Black	5 male	17	0	31	1	45	0	59	0	73	0	87	0
3 Latin	20 reports reflected	18	0	32	0	46	0	60	1	74	0	88	0
0 Asian		19	1	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
20 reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
20 voluntary patient consenting		24	0	38	0	52	1	66	0	80	1	94	0
0 involuntary patient consenting		25	1	39	1	53	1	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	2	54	1	68	0	82	0	96	0
20 reports reflected		27	0	41	1	55	0	69	1	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
13 private 3rd party (insurer, HMO, etc)													20 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
20 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	5 reported memory loss
0 fracture	1 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	9	6	4	1	0	n/a	0	20
2-4 weeks after ECT:	4	6	3	0	0	5	2	20
<u>Level of symptom severity present</u>								
before ECT	3	1	3	13	0	n/a	0	20
2-4 weeks after ECT:	1	5	4	1	0	6	3	20

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.9	17	maintenance treatments administered	
0.3	5.67	average maintenance treatments per month	
1.5	29	series treatments planned	6 ongoing
6.8	135	series treatments administered	4 concluded
7.7	153	total number of ECT treatments administered	9 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas 10

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
8 White	6 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	10 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
1 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
10 reports reflected		21	0	35	1	49	0	63	0	77	1	91	0
		22	1	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
10 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	1
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
10 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
<u>Primary source of payment for ECT</u>		28	0	42	0	56	0	70	1	84	1	98	0
0 private 3rd party (insurer, HMO, etc)		29	0	43	0	57	0	71	0	85	0	99	0
9 public 3rd party (county, state, Medicaid, etc.)													10 reports reflected
1 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
0 other						0 apnea		6 reported memory loss					
10 reports reflected						0 fracture		0 death					
						0 cardiac arrest		0 autopsy obtained*					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	4	5	0	1	0	n/a	0	10
2-4 weeks after ECT:	3	5	2	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	0	1	0	8	1	n/a	0	10
2-4 weeks after ECT:	3	4	2	1	0	0	0	10

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.4	4	maintenance treatments administered	
0.1	1.33	average maintenance treatments per month	
4.6	46	series treatments planned	1 ongoing
3.8	38	series treatments administered	5 concluded
4.5	45	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 16

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
15 White	10 female	16	0	30	0	44	2	58	0	72	0	86	0
1 Black	6 male	17	0	31	0	45	1	59	0	73	1	87	0
0 Latin	16 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	1	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
16 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
16 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	1	68	0	82	0	96	0
16 reports reflected		27	0	41	0	55	2	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	2	71	0	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													16 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
16 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	14 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	14	2	0	0	n/a	0	16
2-4 weeks after ECT:	0	12	4	0	0	0	0	16
<u>Level of symptom severity present</u>								
before ECT	0	0	2	14	0	n/a	0	16
2-4 weeks after ECT:	0	15	0	1	0	0	0	16

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.8	12	maintenance treatments administered	
0.3	4	average maintenance treatments per month	
6.7	107	series treatments planned	2 ongoing
5.2	83	series treatments administered	7 concluded
5.9	95	total number of ECT treatments administered	4 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown 4

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	2 female	16	0	30	1	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	4 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
4 reports reflected		21	2	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
4 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
4 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
3 private 3rd party (insurer, HMO, etc)													4 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
4 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	4	0	0	0	n/a	0	4
2-4 weeks after ECT:	0	4	0	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	4	n/a	0	4
2-4 weeks after ECT:	0	0	3	1	0	0	0	4

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
2.5	10	maintenance treatments administered	
0.8	3.33	average maintenance treatments per month	
8.8	35	series treatments planned	0 ongoing
6	24	series treatments administered	3 concluded
8.5	34	total number of ECT treatments administered	1 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin 44

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
41 White	33 female	16	0	30	0	44	4	58	2	72	0	86	0
1 Black	11 male	17	0	31	0	45	5	59	1	73	0	87	0
2 Latin	44 reports reflected	18	0	32	1	46	2	60	1	74	0	88	0
0 Asian		19	0	33	1	47	0	61	0	75	0	89	0
0 Other		20	0	34	2	48	2	62	0	76	0	90	0
44 reports reflected		21	0	35	1	49	0	63	1	77	0	91	0
		22	0	36	1	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
44 voluntary patient consenting		24	0	38	2	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	2	39	3	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	0	54	0	68	1	82	0	96	0
44 reports reflected		27	0	41	0	55	2	69	1	83	0	97	0
		28	0	42	1	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	0	85	0	99	0
29 private 3rd party (insurer, HMO, etc)													44 reports reflected
13 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
1 other													
44 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	9	25	8	2	0	n/a	0	44
2-4 weeks after ECT:	4	20	20	0	0	0	0	44
<u>Level of symptom severity present</u>								
before ECT	0	14	8	20	2	n/a	0	44
2-4 weeks after ECT:	0	21	22	1	0	0	0	44

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.4	60	maintenance treatments administered	
0.5	20	average maintenance treatments per month	
3.7	162	series treatments planned	12 ongoing
3.7	162	series treatments administered	6 concluded
5.0	222	total number of ECT treatments administered	9 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
7 White	9 female	16	0 30 0	44	0	58	0	72	0 86 0
5 Black	3 male	17	0 31 1	45	0	59	0	73	0 87 0
0 Latin	12 reports reflected	18	0 32 0	46	0	60	0	74	0 88 0
0 Asian		19	0 33 0	47	1	61	0	75	0 89 0
0 Other		20	0 34 0	48	0	62	0	76	0 90 0
12 reports reflected		21	0 35 0	49	0	63	0	77	2 91 0
		22	1 36 0	50	0	64	0	78	0 92 0
<u>Hospital admission status</u>		23	0 37 0	51	0	65	0	79	0 93 0
12 voluntary patient consenting		24	0 38 0	52	0	66	0	80	0 94 0
0 involuntary patient consenting		25	1 39 0	53	0	67	0	81	0 95 0
0 guardian consenting for patient		26	0 40 1	54	0	68	0	82	0 96 0
12 reports reflected		27	0 41 0	55	0	69	0	83	0 97 0
<u>Primary source of payment for ECT</u>		28	0 42 0	56	1	70	1	84	0 98 0
2 private 3rd party (insurer, HMO, etc)		29	1 43 0	57	0	71	2	85	0 99 0
10 public 3rd party (county, state, Medicaid, etc.)									12 reports reflected
0 own/family funds									
0 other									
12 reports reflected									

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	5	7	0	n/a	0	12
2-4 weeks after ECT:	10	2	0	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	0	0	4	8	0	n/a	0	12
2-4 weeks after ECT:	11	1	0	0	0	0	0	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.4	5	maintenance treatments administered	
0.1	1.67	average maintenance treatments per month	
8.2	98	series treatments planned	2 ongoing
7.1	85	series treatments administered	7 concluded
7.5	90	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>																	
7 White	6 female	16	0	30	0	44	1	58	0	72	1	86	0						
3 Black	6 male	17	0	31	0	45	0	59	0	73	0	87	0						
2 Latin	12 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0						
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0						
0 Other		20	0	34	0	48	0	62	0	76	0	90	0						
12 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0						
		22	0	36	0	50	0	64	2	78	0	92	0						
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0						
9	voluntary patient consenting	24	1	38	0	52	0	66	0	80	0	94	0						
0	involuntary patient consenting	25	1	39	0	53	0	67	0	81	0	95	0						
3	guardian consenting for patient	26	0	40	1	54	0	68	0	82	0	96	0						
12	reports reflected	27	0	41	1	55	1	69	1	83	0	97	0						
<u>Primary source of payment for ECT</u>		28	0	42	0	56	0	70	0	84	0	98	0						
0	private 3rd party (insurer, HMO, etc)	29	0	43	1	57	1	71	0	85	0	99	0						
12	public 3rd party (county, state, Medicaid, etc.)	12 reports reflected																	
0	own/family funds	<u>Any of the following that occurred within fourteen (14) days of ECT</u>																	
0	other							0 apnea						0 reported memory loss					
12	reports reflected							0 fracture						0 death					
								0 cardiac arrest						0 autopsy obtained*					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	10	0	0	0	n/a	0	12
2-4 weeks after ECT:	1	11	0	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	1	0	4	6	1	n/a	0	12
2-4 weeks after ECT:	1	5	5	1	0	0	0	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.3	15	maintenance treatments administered	
0.4	5	average maintenance treatments per month	
4.8	57	series treatments planned	3 ongoing
4.8	57	series treatments administered	5 concluded
6	72	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0	multiple monitoring treatments administered		
0	EEG burst suppression--anesthetic treatment for refractory depression		
0	narcotherapy using deep anesthesia		
0	magnetic seizure therapy		

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston 90

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
59 White	68 female	16	0	30	4	44	0	58	0	72	1	86	1
14 Black	22 male	17	0	31	0	45	0	59	1	73	1	87	0
8 Latin	90 reports reflected	18	0	32	1	46	1	60	3	74	1	88	0
7 Asian		19	1	33	1	47	2	61	4	75	0	89	0
2 Other		20	2	34	1	48	1	62	1	76	0	90	1
90 reports reflected		21	1	35	2	49	5	63	0	77	0	91	0
		22	1	36	1	50	1	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	3	51	0	65	3	79	0	93	0
88 voluntary patient consenting		24	1	38	3	52	4	66	1	80	0	94	0
0 involuntary patient consenting		25	1	39	1	53	2	67	2	81	0	95	0
2 guardian consenting for patient		26	1	40	3	54	0	68	1	82	0	96	0
90 reports reflected		27	1	41	2	55	5	69	0	83	0	97	0
		28	1	42	5	56	3	70	0	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	4	85	0	99	0
43 private 3rd party (insurer, HMO, etc)													
46 public 3rd party (county, state, Medicaid, etc.)													90 reports reflected
1 own/family funds													
0 other													
90 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	31	44	12	3	0	n/a	0	90
2-4 weeks after ECT:	26	57	6	1	0	0	0	90
<u>Level of symptom severity present</u>								
before ECT	0	0	7	76	7	n/a	0	90
2-4 weeks after ECT:	25	59	5	1	0	0	0	90

Avg Total Treatments administered during this reporting period

1.5	134	maintenance treatments administered
0.5	44.7	average maintenance treatments per month
5.1	457	series treatments planned
2.8	253	series treatments administered
4.3	387	total number of ECT treatments administered

Status of series treatments

19 ongoing
9 concluded
12 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at The Methodist Hospital, Houston 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
11 White	8 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	5 male	17	0	31	0	45	0	59	0	73	0	87	0
2 Latin	13 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	1	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
13 reports reflected		21	0	35	1	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	0	66	2	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	1	96	0
13 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	2	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	2	99	0
11 private 3rd party (insurer, HMO, etc)													13 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	10	0	0	0	n/a	0	13
2-4 weeks after ECT:	0	13	0	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	0	0	1	12	0	n/a	0	13
2-4 weeks after ECT:	0	13	0	0	0	0	0	13

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.9	12	maintenance treatments administered	
0.3	4	average maintenance treatments per month	
4.8	62	series treatments planned	0 ongoing
4.2	55	series treatments administered	10 concluded
5.2	67	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 39

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
35 White	27 female	16	0	30	2	44	0	58	1	72	0	86	1
1 Black	12 male	17	0	31	1	45	0	59	0	73	1	87	0
1 Latin	39 reports reflected	18	0	32	1	46	2	60	0	74	2	88	0
2 Asian		19	0	33	3	47	0	61	2	75	1	89	0
0 Other		20	0	34	0	48	1	62	1	76	0	90	0
39 reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	1	93	0
35 voluntary patient consenting		24	0	38	1	52	0	66	0	80	2	94	0
2 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
2 guardian consenting for patient		26	0	40	1	54	1	68	1	82	0	96	0
39 reports reflected		27	0	41	0	55	0	69	0	83	1	97	0
		28	0	42	1	56	2	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	3	71	1	85	0	99	0
17 private 3rd party (insurer, HMO, etc)													
21 public 3rd party (county, state, Medicaid, etc.)													39 reports reflected
1 own/family funds													
0 other													
39 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	1 death
0 cardiac arrest	1 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	22	14	3	0	0	n/a	0	39
2-4 weeks after ECT:	21	15	3	0	0	0	0	39
<u>Level of symptom severity present</u>								
before ECT	0	2	9	28	0	n/a	0	39
2-4 weeks after ECT:	0	18	20	1	0	0	0	39

Avg Total Treatments administered during this reporting period

2.1	83	maintenance treatments administered
0.7	27.7	average maintenance treatments per month
4.6	181	series treatments planned
5.8	228	series treatments administered
8	311	total number of ECT treatments administered

Status of series treatments

9 ongoing
21 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

December-February FY08 Facility

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth 26

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
25 White	14 female	16	0	30	0	44	0	58	1	72	1	86	0
0 Black	12 male	17	0	31	0	45	1	59	0	73	0	87	0
1 Latin	26 reports reflected	18	0	32	1	46	0	60	1	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	2	62	0	76	2	90	0
26 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	1	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	1	79	0	93	0
26 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1	81	0	95	0
0 guardian consenting for patient		26	1	40	0	54	1	68	0	82	0	96	0
26 reports reflected		27	0	41	0	55	2	69	0	83	0	97	0
		28	0	42	1	56	2	70	2	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
19 private 3rd party (insurer, HMO, etc)													26 reports reflected
6 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
26 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	18	8	0	0	0	n/a	0	26
2-4 weeks after ECT:	8	15	3	0	0	0	0	26
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	26	n/a	0	26
2-4 weeks after ECT:	0	20	6	0	0	0	0	26

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.3	34	maintenance treatments administered	
0.4	11.3	average maintenance treatments per month	
4.4	114	series treatments planned	3 ongoing
3.4	88	series treatments administered	6 concluded
4.7	122	total number of ECT treatments administered	3 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Christus Spohn Hospital Memorial, Corpus Christi 3

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
2 White	1 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	3 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
3 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
3 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
3 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													3 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
3 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	1	1	n/a	0	3
2-4 weeks after ECT:	0	2	1	0	0	0	0	3
<u>Level of symptom severity present</u>								
before ECT	0	0	0	2	1	n/a	0	3
2-4 weeks after ECT:	0	1	2	0	0	0	0	3

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
12	36	series treatments planned	0 ongoing
6.7	20	series treatments administered	1 concluded
6.7	20	total number of ECT treatments administered	2 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso 4

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
3 White	2 female	16	0	30	0	44	0	58	0	72	0	86	0
1 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	4 reports reflected	18	0	32	0	46	1	60	1	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
4 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
4 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
4 reports reflected		27	0	41	0	55	0	69	0	83	1	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
3 private 3rd party (insurer, HMO, etc)													
1 public 3rd party (county, state, Medicaid, etc.)													4 reports reflected
0 own/family funds													
0 other													
4 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	2	1	n/a	0	4
2-4 weeks after ECT:	2	2	0	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	4	0	n/a	0	4
2-4 weeks after ECT:	1	3	0	0	0	0	0	4

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
5.8	23	series treatments planned	0 ongoing
5.8	23	series treatments administered	4 concluded
5.8	23	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Laurel Ridge Hospital, San Antonio 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
12 White	10 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	13 reports reflected	18	0	32	1	46	1	60	2	74	0	88	0
0 Asian		19	0	33	0	47	0	61	1	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
13 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	1	82	0	96	0
13 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	1	85	0	99	0
9 private 3rd party (insurer, HMO, etc)													13 reports reflected
3 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	12	1	0	n/a	0	13
2-4 weeks after ECT:	0	4	8	0	0	0	1	13
<u>Level of symptom severity present</u>								
before ECT	0	1	2	9	1	n/a	0	13
2-4 weeks after ECT:	1	2	9	1	0	0	0	13

Avg Total Treatments administered during this reporting period

1.6	21	maintenance treatments administered
0.5	7	average maintenance treatments per month
9.7	126	series treatments planned
4.6	60	series treatments administered
6.2	81	total number of ECT treatments administered

Status of series treatments

2 ongoing
1 concluded
7 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at **Methodist Specialty/Transplant Hosp, San Antonio** **55**

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
36 White	44 female	16	0	30	0	44	2	58	0	72	1	86	1
1 Black	11 male	17	0	31	1	45	1	59	0	73	0	87	0
18 Latin	55 reports reflected	18	1	32	0	46	1	60	2	74	0	88	0
0 Asian		19	0	33	0	47	2	61	1	75	0	89	0
0 Other		20	0	34	2	48	2	62	0	76	1	90	0
55 reports reflected		21	1	35	0	49	3	63	0	77	1	91	0
		22	0	36	1	50	1	64	0	78	1	92	0
<u>Hospital admission status</u>		23	1	37	1	51	2	65	0	79	0	93	0
55 voluntary patient consenting		24	0	38	0	52	1	66	2	80	1	94	0
0 involuntary patient consenting		25	0	39	2	53	2	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	2	54	1	68	1	82	0	96	0
55 reports reflected		27	0	41	0	55	2	69	1	83	0	97	0
		28	0	42	2	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	3	57	3	71	1	85	0	99	0
31 private 3rd party (insurer, HMO, etc)													55 reports reflected
24 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
55 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	1 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	21	34	0	0	0	n/a	0	55
2-4 weeks after ECT:	19	36	0	0	0	0	0	55
<u>Level of symptom severity present</u>								
before ECT	0	26	24	5	0	n/a	0	55
2-4 weeks after ECT:	0	47	7	0	0	0	1	55

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.9	107	maintenance treatments administered	
0.6	35.7	average maintenance treatments per month	
3.7	201	series treatments planned	4 ongoing
2.9	161	series treatments administered	22 concluded
4.9	268	total number of ECT treatments administered	3 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas **9**

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
8 White	6 female	16	0	30	0	44	0	58	0
0 Black	3 male	17	0	31	1	45	0	59	0
0 Latin	9 reports reflected	18	0	32	0	46	0	60	0
0 Asian		19	0	33	0	47	0	61	0
1 Other		20	0	34	0	48	0	62	0
9 reports reflected		21	0	35	1	49	0	63	0
		22	0	36	1	50	0	64	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1
9 voluntary patient consenting		24	0	38	0	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0
0 guardian consenting for patient		26	0	40	0	54	0	68	1
9 reports reflected		27	0	41	0	55	0	69	0
		28	0	42	0	56	0	70	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0
2 private 3rd party (insurer, HMO, etc)									
7 public 3rd party (county, state, Medicaid, etc.)									9 reports reflected
0 own/family funds									
0 other									
9 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
						0 apnea		6 reported memory loss	
						0 fracture		0 death	
						0 cardiac arrest		0 autopsy obtained*	

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	5	3	1	0	0	n/a	0	9
2-4 weeks after ECT:	2	5	1	1	0	0	0	9
<u>Level of symptom severity present</u>								
before ECT	0	0	1	8	0	n/a	0	9
2-4 weeks after ECT:	1	3	4	1	0	0	0	9

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>		<u>Status of series treatments</u>	
0.4	4	maintenance treatments administered			
0.1	1.33	average maintenance treatments per month			
5.3	48	series treatments planned		1 ongoing	
4.1	37	series treatments administered		4 concluded	
4.6	41	total number of ECT treatments administered		2 stopped	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>					
0	multiple monitoring treatments administered				
0	EEG burst suppression--anesthetic treatment for refractory depression				
0	narcotherapy using deep anesthesia				
0	magnetic seizure therapy				

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 15

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
15 White	12 female	16	0	30	0	44	0	58	1	72	0	86	0
0 Black	3 male	17	0	31	0	45	2	59	0	73	0	87	0
0 Latin	15 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	1	75	0	89	0
0 Other		20	0	34	1	48	1	62	0	76	0	90	0
15 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
15 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
15 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	2	71	0	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													15 reports reflected
3 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
15 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT
 0 apnea 8 reported memory loss
 0 fracture 0 death
 0 cardiac arrest 0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	9	6	0	0	n/a	0	15
2-4 weeks after ECT:	0	10	5	0	0	0	0	15
<u>Level of symptom severity present</u>								
before ECT	0	2	1	3	9	n/a	0	15
2-4 weeks after ECT:	0	11	4	0	0	0	0	15

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.5	22	maintenance treatments administered	
0.5	7.33	average maintenance treatments per month	
6.2	93	series treatments planned	4 ongoing
4.3	64	series treatments administered	7 concluded
5.7	86	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown 4

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	4 female	16	0	30	1	44	0	58	0	72	0	86	0
0 Black	0 male	17	0	31	0	45	0	59	2	73	0	87	0
0 Latin	4 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
4 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
4 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
4 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
3 private 3rd party (insurer, HMO, etc)													4 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
4 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	4	0	0	0	n/a	0	4
2-4 weeks after ECT:	0	4	0	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	4	n/a	0	4
2-4 weeks after ECT:	0	3	1	0	0	0	0	4

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
8.5	34	series treatments planned	1 ongoing
6.3	25	series treatments administered	3 concluded
6.3	25	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
12 White	8 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	12 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
12 reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
		22	1	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	1	79	1	93	1
12 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	0	54	0	68	0	82	0	96	0
12 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	2	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													12 reports reflected
12 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
12 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	6	6	0	n/a	0	12
2-4 weeks after ECT:	12	0	0	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	0	0	6	6	0	n/a	0	12
2-4 weeks after ECT:	12	0	0	0	0	0	0	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.6	7	maintenance treatments administered	
0.2	2.33	average maintenance treatments per month	
7.9	95	series treatments planned	1 ongoing
6	72	series treatments administered	10 concluded
6.6	79	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 16

<u>Race</u>	<u>Sex</u>	<u>Age</u>												
12 White	9 female	16	0	30	0	44	0	58	0	72	1	86	0	
2 Black	7 male	17	0	31	0	45	0	59	0	73	0	87	0	
2 Latin	16 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0	
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0	
0 Other		20	0	34	0	48	0	62	0	76	0	90	0	
16 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0	
		22	0	36	1	50	0	64	0	78	0	92	0	
<u>Hospital admission status</u>		23	0	37	1	51	1	65	2	79	0	93	0	
14 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0	
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0	
2 guardian consenting for patient		26	0	40	1	54	0	68	0	82	0	96	0	
16 reports reflected		27	0	41	0	55	2	69	1	83	0	97	0	
		28	0	42	0	56	0	70	0	84	0	98	0	
<u>Primary source of payment for ECT</u>		29	1	43	1	57	0	71	0	85	0	99	0	
0 private 3rd party (insurer, HMO, etc)													16 reports reflected	
16 public 3rd party (county, state, Medicaid, etc.)														
0 own/family funds														
0 other														
16 reports reflected														
													<u>Any of the following that occurred within fourteen (14) days of ECT</u>	
													0 apnea	0 reported memory loss
													0 fracture	0 death
													0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	12	4	0	0	0	n/a	0	16
2-4 weeks after ECT:	11	5	0	0	0	0	0	16
<u>Level of symptom severity present</u>								
before ECT	0	0	1	13	2	n/a	0	16
2-4 weeks after ECT:	6	9	0	1	0	0	0	16

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.9	31	maintenance treatments administered	
0.6	10.3	average maintenance treatments per month	
8.3	133	series treatments planned	0 ongoing
7.4	118	series treatments administered	5 concluded
9.3	149	total number of ECT treatments administered	6 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT at Zale Lipshy University Hospital, Dallas 33

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
29 White	19 female	16	0	30	0	44	0	58	1	72	2	86	1
2 Black	14 male	17	0	31	0	45	0	59	1	73	1	87	0
0 Latin	33 reports reflected	18	0	32	0	46	1	60	0	74	2	88	0
2 Asian		19	0	33	2	47	1	61	3	75	1	89	0
0 Other		20	0	34	0	48	1	62	0	76	0	90	0
33 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	2	93	0
32 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	3	67	1	81	0	95	0
1 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
33 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	1	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	2	85	1	99	0
11 private 3rd party (insurer, HMO, etc)													
20 public 3rd party (county, state, Medicaid, etc.)													33 reports reflected
2 own/family funds													
0 other													
33 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	14	17	1	0	0	n/a	1	33
2-4 weeks after ECT:	12	20	1	0	0	0	0	33
<u>Level of symptom severity present</u>								
before ECT	0	2	6	20	5	n/a	0	33
2-4 weeks after ECT:	0	11	20	1	0	0	1	33

Avg Total Treatments administered during this reporting period

1.6	53	maintenance treatments administered
0.5	17.7	average maintenance treatments per month
7.0	232	series treatments planned
6.2	205	series treatments administered
7.7	253	total number of ECT treatments administered

Status of series treatments

5 ongoing
17 concluded
3 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Ben Taub Hospital, Houston

1

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	0 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	1 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
1 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
1 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
1 reports reflected		27	1	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													1 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
1 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	0	0	0	0	n/a	0	1
2-4 weeks after ECT:	1	0	0	0	0	0	0	1
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	1	n/a	0	1
2-4 weeks after ECT:	0	0	0	1	0	0	0	1

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
7	7	series treatments planned
7	7	series treatments administered
7	7	total number of ECT treatments administered

Status of series treatments

0 ongoing
1 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Christus Spohn Hospital Memorial, Corpus Christi** 2

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
2 White	1 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	2 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
2 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
2 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
2 reports reflected		27	0	41	1	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													2 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
2 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	1	1	0	0	n/a	0	2
2-4 weeks after ECT:	0	2	0	0	0	0	0	2
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	1	n/a	0	2
2-4 weeks after ECT:	0	1	1	0	0	0	0	2

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>		<u>Status of series treatments</u>	
0	0	maintenance treatments administered			
0	0	average maintenance treatments per month			
12	24	series treatments planned		0 ongoing	
7.5	15	series treatments administered		0 concluded	
7.5	15	total number of ECT treatments administered		2 stopped	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>					
0	multiple monitoring treatments administered				
0	EEG burst suppression--anesthetic treatment for refractory depression				
0	narcotherapy using deep anesthesia				
0	magnetic seizure therapy				

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco

10

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
9 White	6 female	16	0	30	0	44	0	58	0	72	0	86	3
0 Black	4 male	17	0	31	0	45	1	59	0	73	0	87	0
1 Latin	10 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	1	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
10 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
10 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	1	98	0
<u>Primary source of payment for ECT</u>		29	2	43	0	57	0	71	0	85	0	99	0
5 private 3rd party (insurer, HMO, etc)													10 reports reflected
5 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
10 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	6	4	0	0	0	n/a	0	10
2-4 weeks after ECT:	6	4	0	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	2	1	5	1	1	n/a	0	10
2-4 weeks after ECT:	2	5	3	0	0	0	0	10

Avg Total Treatments administered during this reporting period

3.3	33	maintenance treatments administered
1.1	11	average maintenance treatments per month
2.6	26	series treatments planned
2	20	series treatments administered
5.3	53	total number of ECT treatments administered

Status of series treatments

1 ongoing
2 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Green Oaks Behavioral Network, Dallas** 23

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
20 White	17 female	16	0	30	0	44	1	58	0	72	0	86	0
2 Black	6 male	17	0	31	0	45	0	59	1	73	0	87	0
1 Latin	23 reports reflected	18	0	32	0	46	1	60	2	74	0	88	0
0 Asian		19	0	33	0	47	1	61	1	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	1	90	0
23 reports reflected		21	0	35	1	49	3	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
23 voluntary patient consenting		24	0	38	0	52	2	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	1	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
23 reports reflected		27	0	41	0	55	0	69	1	83	1	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													23 reports reflected
12 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
23 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	9	13	0	0	n/a	0	23
2-4 weeks after ECT:	2	11	4	0	0	6	0	23
<u>Level of symptom severity present</u>								
before ECT	0	0	2	21	0	n/a	0	23
2-4 weeks after ECT:	2	11	5	0	0	5	0	23

Avg Total Treatments administered during this reporting period

2	45	maintenance treatments administered
0.7	15	average maintenance treatments per month
5.5	126	series treatments planned
4.2	96	series treatments administered
6.1	141	total number of ECT treatments administered

Status of series treatments

1 ongoing
7 concluded
4 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Intracare North Hospital, Houston 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
10 White	7 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	5 male	17	0	31	2	45	0	59	0	73	0	87	0
2 Latin	12 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	1	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
12 reports reflected		21	1	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	1	37	1	51	1	65	0	79	0	93	0
12 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	0	82	0	96	0
12 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													12 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
12 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	7 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	9	0	1	0	n/a	0	12
2-4 weeks after ECT:	2	7	2	0	0	0	1	12
<u>Level of symptom severity present</u>								
before ECT	0	0	0	5	7	n/a	0	12
2-4 weeks after ECT:	0	10	1	0	0	0	1	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.7	8	maintenance treatments administered	
0.2	2.67	average maintenance treatments per month	
11	133	series treatments planned	5 ongoing
5.7	68	series treatments administered	2 concluded
6.3	76	total number of ECT treatments administered	4 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso

1

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	1 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	0 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	1 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
1 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
1 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
1 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													1 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
1 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	0	0	n/a	0	1
2-4 weeks after ECT:	1	0	0	0	0	0	0	1
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	0	n/a	0	1
2-4 weeks after ECT:	1	0	0	0	0	0	0	1

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
4	4	series treatments planned	0 ongoing
4	4	series treatments administered	1 concluded
4	4	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Laurel Ridge Hospital, San Antonio

29

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
23 White	21 female	16	0	30	0	44	0	58	0	72	0	86	0
2 Black	8 male	17	0	31	0	45	1	59	0	73	0	87	0
4 Latin	29 reports reflected	18	0	32	1	46	1	60	2	74	0	88	0
0 Asian		19	0	33	2	47	0	61	1	75	0	89	0
0 Other		20	2	34	2	48	0	62	0	76	0	90	0
29 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	2	51	0	65	0	79	0	93	0
29 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	2	54	1	68	0	82	0	96	0
29 reports reflected		27	0	41	2	55	0	69	0	83	0	97	0
		28	0	42	0	56	1	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	2	43	1	57	1	71	1	85	0	99	0
23 private 3rd party (insurer, HMO, etc)													29 reports reflected
6 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
29 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	8	15	4	1	n/a	0	29
2-4 weeks after ECT:	2	16	11	0	0	0	0	29
<u>Level of symptom severity present</u>								
before ECT	0	0	0	26	3	n/a	0	29
2-4 weeks after ECT:	0	11	17	1	0	0	0	29

Avg Total Treatments administered during this reporting period

1.1	32	maintenance treatments administered
0.4	10.7	average maintenance treatments per month
2.2	65	series treatments planned
5.1	148	series treatments administered
6.2	180	total number of ECT treatments administered

Status of series treatments

11 ongoing
3 concluded
10 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Methodist Specialty/Transplant Hosp, San Antonio** 51

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
29 White	38 female	16	0	30	1	44	1	58	0	72	1	86	1
1 Black	13 male	17	0	31	0	45	2	59	0	73	1	87	1
21 Latin	51 reports reflected	18	0	32	0	46	2	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	2	62	1	76	0	90	0
51 reports reflected		21	0	35	1	49	2	63	0	77	1	91	0
		22	0	36	2	50	3	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	2	51	1	65	0	79	1	93	0
51 voluntary patient consenting		24	1	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	2	67	2	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
51 reports reflected		27	0	41	3	55	2	69	0	83	0	97	0
		28	0	42	0	56	4	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	4	57	2	71	0	85	0	99	0
37 private 3rd party (insurer, HMO, etc)													51 reports reflected
14 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
51 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	11	36	4	0	0	n/a	0	51
2-4 weeks after ECT:	4	44	3	0	0	0	0	51
<u>Level of symptom severity present</u>								
before ECT	0	13	24	10	4	n/a	0	51
2-4 weeks after ECT:	0	37	14	0	0	0	0	51

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.8	90	maintenance treatments administered	
0.6	30	average maintenance treatments per month	
4.0	206	series treatments planned	5 ongoing
2.9	150	series treatments administered	21 concluded
4.7	240	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas 5

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
5 White	3 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	5 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
5 reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
		22	0	36	1	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
5	voluntary patient consenting	24	0	38	0	52	0	66	0	80	0	94	0
0	involuntary patient consenting	25	0	39	0	53	0	67	0	81	0	95	0
0	guardian consenting for patient	26	0	40	0	54	0	68	1	82	0	96	0
5	reports reflected	27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
2	private 3rd party (insurer, HMO, etc.)												5 reports reflected
3	public 3rd party (county, state, Medicaid, etc.)												
0	own/family funds												
0	other												
5	reports reflected												

Any of the following that occurred within fourteen (14) days of ECT

0	apnea	5	reported memory loss
0	fracture	0	death
0	cardiac arrest	0	autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	3	0	0	0	n/a	0	5
2-4 weeks after ECT:	0	3	2	0	0	0	0	5
<u>Level of symptom severity present</u>								
before ECT	0	0	0	5	0	n/a	0	5
2-4 weeks after ECT:	2	2	1	0	0	0	0	5

Avg Total Treatments administered during this reporting period

0.4	2	maintenance treatments administered
0.1	0.67	average maintenance treatments per month
6	30	series treatments planned
5	25	series treatments administered
5.4	27	total number of ECT treatments administered

Status of series treatments

0	ongoing
4	concluded
0	stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
13 White	9 female	16	0	30	0	44	1	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	13 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	1	76	0	90	0
13 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	1	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
13 reports reflected		27	0	41	1	55	0	69	0	83	0	97	0
		28	0	42	2	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	2	71	0	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													13 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	9 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	13	0	0	0	n/a	0	13
2-4 weeks after ECT:	0	7	6	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	0	3	2	8	0	n/a	0	13
2-4 weeks after ECT:	0	11	2	0	0	0	0	13

Avg Total Treatments administered during this reporting period

2.2	28	maintenance treatments administered
0.7	9.33	average maintenance treatments per month
5.5	71	series treatments planned
3.2	41	series treatments administered
5.3	69	total number of ECT treatments administered

Status of series treatments

2 ongoing
6 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Scott & White Memorial Hospital, Temple** 26

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
18 White	16 female	16	0	30	0	44	0	58	0	72	0	86	0
1 Black	10 male	17	0	31	2	45	0	59	3	73	0	87	0
5 Latin	26 reports reflected	18	0	32	1	46	1	60	1	74	0	88	0
1 Asian		19	0	33	1	47	1	61	0	75	0	89	0
1 Other		20	0	34	0	48	1	62	0	76	0	90	0
26 reports reflected		21	0	35	1	49	1	63	1	77	0	91	0
		22	0	36	0	50	2	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
26 voluntary patient consenting		24	0	38	0	52	1	66	2	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
26 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	0	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	0	85	0	99	0
9 private 3rd party (insurer, HMO, etc)													26 reports reflected
16 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
1 other													
26 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				0 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	21	4	1	0	0	n/a	0	26
2-4 weeks after ECT:	20	6	0	0	0	0	0	26
<u>Level of symptom severity present</u>								
before ECT	0	5	5	16	0	n/a	0	26
2-4 weeks after ECT:	4	18	4	0	0	0	0	26

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>		<u>Status of series treatments</u>	
1.9	50	maintenance treatments administered			
0.6	16.7	average maintenance treatments per month			
9.7	251	series treatments planned		3 ongoing	
2.6	68	series treatments administered		0 concluded	
4.5	118	total number of ECT treatments administered		12 stopped	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>					
0	multiple monitoring treatments administered				
0	EEG burst suppression--anesthetic treatment for refractory depression				
0	narcotherapy using deep anesthesia				
0	magnetic seizure therapy				

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin 26

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
26 White	20 female	16	0	30	0	44	3	58	2	72	0	86	0
0 Black	6 male	17	0	31	0	45	0	59	0	73	0	87	1
0 Latin	26 reports reflected	18	0	32	0	46	2	60	0	74	0	88	0
0 Asian		19	0	33	1	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	1	62	0	76	0	90	0
26 reports reflected		21	0	35	1	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
25 voluntary patient consenting		24	0	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	2	67	1	81	0	95	0
1 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
26 reports reflected		27	0	41	1	55	0	69	0	83	0	97	0
		28	0	42	1	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													26 reports reflected
15 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
26 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
								0 apnea		0 reported memory loss			
								0 fracture		0 death			
								0 cardiac arrest		0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	23	2	0	1	0	n/a	0	26
2-4 weeks after ECT:	19	5	0	1	0	0	1	26
<u>Level of symptom severity present</u>								
before ECT	1	10	9	6	0	n/a	0	26
2-4 weeks after ECT:	16	8	0	0	0	0	2	26

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
2.2	56	maintenance treatments administered	
0.7	18.7	average maintenance treatments per month	
4.1	107	series treatments planned	2 ongoing
2.9	75	series treatments administered	6 concluded
5.0	131	total number of ECT treatments administered	2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 10

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
9 White	8 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	10 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	1	63	0	77	1	91	0
		22	0	36	0	50	0	64	0	78	2	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	1
10 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	1	54	0	68	0	82	0	96	0
10 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													10 reports reflected
6 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
10 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	10	0	n/a	0	10
2-4 weeks after ECT:	10	0	0	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	0	0	0	10	0	n/a	0	10
2-4 weeks after ECT:	10	0	0	0	0	0	0	10

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.2	12	maintenance treatments administered	
0.4	4	average maintenance treatments per month	
5.8	58	series treatments planned	4 ongoing
3.7	37	series treatments administered	3 concluded
4.9	49	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 11

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
10 White	8 female	16	0	30	0	44	1	58	0	72	1	86	0
1 Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	11 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
11 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	1	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	1	79	0	93	0
8 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
3 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
11 reports reflected		27	0	41	0	55	1	69	1	83	0	97	0
		28	0	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													11 reports reflected
11 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
11 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				0 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	9	1	0	0	n/a	0	11
2-4 weeks after ECT:	1	9	1	0	0	0	0	11
<u>Level of symptom severity present</u>								
before ECT	0	0	4	4	3	n/a	0	11
2-4 weeks after ECT:	0	3	4	4	0	0	0	11

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
3.1	34	maintenance treatments administered	
1.0	11.3	average maintenance treatments per month	
7.7	85	series treatments planned	2 ongoing
5.1	56	series treatments administered	2 concluded
8.2	90	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 28

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
26 White	20 female	16	0	30	0	44	1	58	0	72	1	86	0
1 Black	8 male	17	0	31	0	45	0	59	2	73	0	87	1
0 Latin	28 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
1 Asian		19	0	33	2	47	1	61	2	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
28 reports reflected		21	1	35	0	49	0	63	0	77	1	91	0
		22	1	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
26 voluntary patient consenting		24	0	38	2	52	0	66	1	80	1	94	0
1 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
1 guardian consenting for patient		26	0	40	1	54	1	68	0	82	0	96	0
28 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	1	56	0	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	2	71	0	85	0	99	0
14 private 3rd party (insurer, HMO, etc)													28 reports reflected
13 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
1 other													
28 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	15	13	0	0	0	n/a	0	28
2-4 weeks after ECT:	11	17	0	0	0	0	0	28
<u>Level of symptom severity present</u>								
before ECT	0	0	6	21	1	n/a	0	28
2-4 weeks after ECT:	0	14	13	1	0	0	0	28

Avg Total Treatments administered during this reporting period

2.1	58	maintenance treatments administered
0.7	19.3	average maintenance treatments per month
7.4	207	series treatments planned
8	224	series treatments administered
10	283	total number of ECT treatments administered


Status of series treatments

3 ongoing
20 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.



**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Baylor All Saints Medical Centers, Fort Worth** 29

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
28 White	24 female	16	0	30	1	44	0	58	2	72	1	86	0
0 Black	5 male	17	0	31	1	45	1	59	1	73	0	87	0
0 Latin	29 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
1 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	1	62	0	76	1	90	0
29 reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
		22	0	36	0	50	1	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
29 voluntary patient consenting		24	0	38	1	52	2	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	2	54	2	68	0	82	0	96	0
29 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	2	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	0	85	0	99	0
20 private 3rd party (insurer, HMO, etc.)													29 reports reflected
9 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
29 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	21	8	0	0	0	n/a	0	29
2-4 weeks after ECT:	14	15	0	0	0	0	0	29
<u>Level of symptom severity present</u>								
before ECT	0	0	1	1	27	n/a	0	29
2-4 weeks after ECT:	1	22	6	0	0	0	0	29

Avg Total Treatments administered during this reporting period

0.9	25	maintenance treatments administered
0.3	8.33	average maintenance treatments per month
6.6	191	series treatments planned
4.9	141	series treatments administered
5.7	166	total number of ECT treatments administered

Status of series treatments

3 ongoing
9 concluded
6 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Christus Spohn Hospital Memorial, Corpus Christi** **2**

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	1 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	1	87	0
1 Latin	2 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
2 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
2 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
2 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													2 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
2 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
											0 apnea	0 reported memory loss	
											0 fracture	0 death	
											0 cardiac arrest	0 autopsy obtained*	

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	1	0	n/a	0	2
2-4 weeks after ECT:	0	2	0	0	0	0	0	2
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	1	n/a	0	2
2-4 weeks after ECT:	0	1	1	0	0	0	0	2

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>		<u>Status of series treatments</u>	
0	0	maintenance treatments administered			
0	0	average maintenance treatments per month			
12	24	series treatments planned		0 ongoing	
3	6	series treatments administered		0 concluded	
3	6	total number of ECT treatments administered		2 stopped	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>					
0	multiple monitoring treatments administered				
0	EEG burst suppression--anesthetic treatment for refractory depression				
0	narcotherapy using deep anesthesia				
0	magnetic seizure therapy				

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston 72

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
65 White	50 female	16	0	30	1	44	4	58	1	72	0	86	0
2 Black	22 male	17	0	31	1	45	2	59	0	73	0	87	0
5 Latin	72 reports reflected	18	0	32	4	46	1	60	1	74	0	88	0
0 Asian		19	1	33	1	47	1	61	2	75	0	89	0
0 Other		20	1	34	2	48	1	62	0	76	0	90	0
72 reports reflected		21	2	35	2	49	2	63	0	77	1	91	0
		22	2	36	0	50	3	64	0	78	0	92	0
<u>Hospital admission status</u>		23	4	37	1	51	2	65	0	79	0	93	0
72 voluntary patient consenting		24	0	38	3	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	1	54	1	68	0	82	0	96	0
72 reports reflected		27	0	41	1	55	6	69	1	83	0	97	0
		28	1	42	1	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	3	57	4	71	0	85	0	99	0
42 private 3rd party (insurer, HMO, etc)													72 reports reflected
30 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
72 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	20	50	2	0	0	n/a	0	72
2-4 weeks after ECT:	1	62	9	0	0	0	0	72
<u>Level of symptom severity present</u>								
before ECT	0	0	0	32	40	n/a	0	72
2-4 weeks after ECT:	0	57	15	0	0	0	0	72

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.6	115	maintenance treatments administered	
0.5	38.3	average maintenance treatments per month	
7.2	516	series treatments planned	11 ongoing
4.9	353	series treatments administered	33 concluded
6.5	468	total number of ECT treatments administered	9 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
	.0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
13 White	7 female	16	0	30	1	44	0	58	0	72	0	86	3
0 Black	6 male	17	0	31	0	45	1	59	0	73	0	87	1
0 Latin	13 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	1	62	0	76	0	90	0
13 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
13 reports reflected		27	0	41	0	55	2	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	1	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	0	71	0	85	0	99	0
6 private 3rd party (insurer, HMO, etc)													13 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
13 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea		0 reported memory loss					
						0 fracture		0 death					
						0 cardiac arrest		0 autopsy obtained*					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	11	2	0	0	0	n/a	0	13
2-4 weeks after ECT:	11	2	0	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	2	1	6	4	0	n/a	0	13
2-4 weeks after ECT:	3	3	6	1	0	0	0	13

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
3.6	47	maintenance treatments administered	
1.2	15.7	average maintenance treatments per month	
4.4	57	series treatments planned	2 ongoing
2.3	30	series treatments administered	1 concluded
5.9	77	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Intracare North Hospital, Houston

11

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
10 White	8 female	16	0	30	0	44	0	58	0
0 Black	3 male	17	0	31	0	45	0	59	0
1 Latin	11 reports reflected	18	0	32	0	46	0	60	0
0 Asian		19	1	33	0	47	0	61	1
0 Other		20	0	34	0	48	0	62	0
11 reports reflected		21	1	35	0	49	0	63	0
		22	0	36	0	50	0	64	0
<u>Hospital admission status</u>		23	1	37	1	51	0	65	0
10 voluntary patient consenting		24	0	38	1	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1
1 guardian consenting for patient		26	0	40	0	54	2	68	0
11 reports reflected		27	0	41	0	55	0	69	0
		28	0	42	0	56	0	70	0
<u>Primary source of payment for ECT</u>		29	1	43	1	57	0	71	0
9 private 3rd party (insurer, HMO, etc)									
2 public 3rd party (county, state, Medicaid, etc.)									11 reports reflected
0 own/family funds									
0 other									
11 reports reflected									

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	7 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	4	7	0	0	0	n/a	0	11
2-4 weeks after ECT:	2	8	1	0	0	0	0	11
<u>Level of symptom severity present</u>								
before ECT	0	0	0	5	6	n/a	0	11
2-4 weeks after ECT:	0	8	2	1	0	0	0	11

Avg Total Treatments administered during this reporting period

1.3	14	maintenance treatments administered
0.4	4.67	average maintenance treatments per month
6.1	67	series treatments planned
4.5	49	series treatments administered
5.7	63	total number of ECT treatments administered

Status of series treatments

2 ongoing
6 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso

1

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	1 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	0 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	1 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
1 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
1 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
1 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													1 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
1 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	1	0	0	n/a	0	1
2-4 weeks after ECT:	1	0	0	0	0	0	0	1
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	0	n/a	0	1
2-4 weeks after ECT:	0	1	0	0	0	0	0	1

Avg Total Treatments administered during this reporting period

3	3	maintenance treatments administered
1	1	average maintenance treatments per month
0	0	series treatments planned
0	0	series treatments administered
3	3	total number of ECT treatments administered

Status of series treatments

0 ongoing
0 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at **Presbyterian Hospital of Dallas**

3

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
3 White	1 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	3 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	1	90	0
3 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	1
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
3 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
3 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													3 reports reflected
3 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
3 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea		1 reported memory loss					
						0 fracture		0 death					
						0 cardiac arrest		0 autopsy obtained*					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	1	0	0	0	n/a	0	3
2-4 weeks after ECT:	2	1	0	0	0	0	0	3
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	2	0	1	0	0	0	0	3

Avg Total Treatments administered during this reporting period

0.3	1	maintenance treatments administered
0.1	0.33	average maintenance treatments per month
3.7	11	series treatments planned
3.7	11	series treatments administered
4	12	total number of ECT treatments administered

Status of series treatments

0 ongoing
2 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
12 White	8 female	16	0	30	0	44	1	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	1	59	0	73	0	87	0
0 Latin	12 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	1	76	0	90	0
12 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	1	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
12 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
12 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													
1 public 3rd party (county, state, Medicaid, etc.)													12 reports reflected
0 own/family funds													
0 other													
12 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	8 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	9	3	0	0	n/a	0	12
2-4 weeks after ECT:	0	7	5	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	0	2	4	6	0	n/a	0	12
2-4 weeks after ECT:	0	7	5	0	0	0	0	12

Avg Total Treatments administered during this reporting period

1	12	maintenance treatments administered
0.3	4	average maintenance treatments per month
5.1	61	series treatments planned
3.9	47	series treatments administered
4.9	59	total number of ECT treatments administered

Status of series treatments

2 ongoing
4 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin 31

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
31 White	24 female	16	0	30	0	44	3	58	1	72	0	86	0
0 Black	7 male	17	0	31	0	45	1	59	1	73	0	87	1
0 Latin	31 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	0	90	0
31 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	1	64	1	78	1	92	0
<u>Hospital admission status</u>		23	1	37	0	51	0	65	1	79	0	93	0
31 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	0	82	0	96	0
31 reports reflected		27	0	41	1	55	2	69	0	83	1	97	0
		28	0	42	3	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	0	85	0	99	0
15 private 3rd party (insurer, HMO, etc)													
16 public 3rd party (county, state, Medicaid, etc.)													31 reports reflected
0 own/family funds													
0 other													
31 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	28	2	1	0	0	n/a	0	31
2-4 weeks after ECT:	24	4	2	0	0	0	1	31
<u>Level of symptom severity present</u>								
before ECT	0	7	17	7	0	n/a	0	31
2-4 weeks after ECT:	13	14	1	0	0	0	3	31

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>		<u>Status of series treatments</u>	
1.6	50	maintenance treatments administered			
0.5	16.7	average maintenance treatments per month			
4.4	135	series treatments planned		0 ongoing	
3.4	106	series treatments administered		9 concluded	
5.0	156	total number of ECT treatments administered		5 stopped	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>					
0	multiple monitoring treatments administered				
0	EEG burst suppression--anesthetic treatment for refractory depression				
0	narcotherapy using deep anesthesia				
0	magnetic seizure therapy				

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 11

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
10 White	9 female	16	0	30	0	44	1	58	0	72	1	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	11 reports reflected	18	0	32	1	46	0	60	1	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
11 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	1	93	0
11 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	0	54	0	68	0	82	0	96	0
11 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													
11 public 3rd party (county, state, Medicaid, etc.)													11 reports reflected
0 own/family funds													
0 other													
11 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	1	10	n/a	0	11
2-4 weeks after ECT:	11	0	0	0	0	0	0	11
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	10	n/a	0	11
2-4 weeks after ECT:	11	0	0	0	0	0	0	11

Avg Total Treatments administered during this reporting period

0.4	4	maintenance treatments administered
0.1	1.33	average maintenance treatments per month
5.2	57	series treatments planned
4.9	54	series treatments administered
5.3	58	total number of ECT treatments administered

Status of series treatments

0 ongoing
8 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston 93

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
59 White	62 female	16	0	30	4	44	2	58	4	72	1	86	0
19 Black	31 male	17	0	31	0	45	0	59	1	73	1	87	0
7 Latin	93 reports reflected	18	0	32	0	46	2	60	1	74	0	88	0
6 Asian		19	0	33	0	47	3	61	5	75	0	89	0
2 Other		20	0	34	1	48	1	62	1	76	0	90	1
93 reports reflected		21	1	35	1	49	1	63	1	77	0	91	0
		22	0	36	2	50	2	64	2	78	2	92	0
<u>Hospital admission status</u>		23	1	37	3	51	1	65	1	79	1	93	0
86 voluntary patient consenting		24	0	38	4	52	2	66	2	80	1	94	0
5 involuntary patient consenting		25	1	39	3	53	2	67	2	81	0	95	0
2 guardian consenting for patient		26	2	40	1	54	2	68	2	82	0	96	0
93 reports reflected		27	1	41	0	55	2	69	1	83	1	97	0
		28	3	42	5	56	2	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	4	71	0	85	0	99	0
46 private 3rd party (insurer, HMO, etc)													93 reports reflected
47 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
93 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	1 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	12	67	13	1	0	n/a	0	93
2-4 weeks after ECT:	13	59	20	0	0	0	1	93
<u>Level of symptom severity present</u>								
before ECT	0	1	5	80	7	n/a	0	93
2-4 weeks after ECT:	27	59	6	0	0	0	1	93

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.4	128	maintenance treatments administered	
0.5	42.7	average maintenance treatments per month	
5.8	539	series treatments planned	12 ongoing
3.3	303	series treatments administered	32 concluded
4.6	431	total number of ECT treatments administered	7 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at **The Methodist Hospital, Houston** 4

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
2 White	4 female	16	0	30	0	44	0	58	0	72	0	86	0
1 Black	0 male	17	0	31	0	45	0	59	0	73	1	87	0
1 Latin	4 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
4 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	1	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
4 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
4 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
3 private 3rd party (insurer, HMO, etc)													4 reports reflected
1 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
4 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	4	0	0	0	n/a	0	4
2-4 weeks after ECT:	0	4	0	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	3	0	1	n/a	0	4
2-4 weeks after ECT:	0	4	0	0	0	0	0	4

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
3.5	14	maintenance treatments administered	
1.2	4.67	average maintenance treatments per month	
0	0	series treatments planned	0 ongoing
0	0	series treatments administered	0 concluded
3.5	14	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Facility Summary
For Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT at UT Southwestern Medical Center, Dallas 3

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
3 White	2 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	3 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
3 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
3 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
3 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													3 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
3 other													
3 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	0	0	0	0	n/a	0	3
2-4 weeks after ECT:	3	0	0	0	0	0	0	3
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	0	0	3	0	0	0	0	3

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
0	0	series treatments planned	0 ongoing
0	0	series treatments administered	1 concluded
0	0	total number of ECT treatments administered	0 stopped
		<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
3		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

