

**FY07 Annual ECT Summary (All Facilities)
for Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT: 1772 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
1476 White	1234 female	16 0	30 25	44 52	58 33	72 21	86 6		
88 Black	538 male	17 0	31 18	45 48	59 31	73 25	87 8		
156 Latin	1772 reports reflected	18 5	32 15	46 37	60 30	74 12	88 2		
42 Asian		19 14	33 29	47 48	61 30	75 21	89 3		
10 Other		20 6	34 35	48 45	62 24	76 19	90 0		
1772 reports reflected		21 6	35 27	49 54	63 26	77 12	91 0		
		22 18	36 32	50 43	64 29	78 15	92 1		
<u>Hospital admission status</u>		23 5	37 28	51 52	65 32	79 6	93 0		
1746 voluntary patient consenting		24 9	38 22	52 43	66 13	80 9	94 1		
4 involuntary patient consenting		25 10	39 33	53 38	67 13	81 5	95 0		
22 guardian consenting for patient		26 5	40 36	54 39	68 30	82 13	96 0		
1772 reports reflected		27 20	41 34	55 52	69 28	83 9	97 0		
		28 23	42 43	56 33	70 22	84 14	98 0		
<u>Primary source of payment for ECT</u>		29 20	43 40	57 42	71 27	85 18	99 0		
1005 private 3rd party (insurer, HMO, etc)									1772 reports reflected
737 public 3rd party (county, state, Medicaid, etc.)									
23 own/family funds									
7 other									
1772 reports reflected									

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	68 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

Avg Total Treatments administered during this reporting period

1.7	3029	maintenance treatments administered
0.6	1010	average maintenance treatments per month
5.7	10166	series treatments planned
4.2	7414	series treatments administered
5.8	10355	total number of ECT treatments administered

Status of series treatments

492 ongoing
700 concluded
129 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
before ECT	632	922	171	43	4	n/a	0	1772
2-4 weeks after ECT	491	1044	179	5	2	51	0	1772
<u>Level of symptom severity present</u>								
before ECT	14	187	201	958	412	n/a	0	1772
2-4 weeks after ECT	271	943	440	64	3	50	1	1772

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Summary (All Facilities)
for Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT: 420

<u>Race</u>	<u>Sex</u>	<u>Age</u>						
350 White	288 female	16 0	30 5	44 13	58 3	72 5	86 1	
24 Black	132 male	17 0	31 3	45 9	59 8	73 5	87 1	
34 Latin	420 reports reflected	18 1	32 1	46 8	60 8	74 2	88 1	
9 Asian		19 1	33 4	47 9	61 10	75 5	89 0	
3 Other		20 0	34 7	48 12	62 6	76 3	90 0	
420 reports reflected		21 0	35 6	49 16	63 7	77 4	91 0	
		22 6	36 8	50 16	64 8	78 7	92 0	
<u>Hospital admission status</u>		23 1	37 6	51 13	65 7	79 2	93 0	
415 voluntary patient consenting		24 1	38 4	52 7	66 2	80 1	94 0	
2 involuntary patient consenting		25 0	39 10	53 9	67 2	81 1	95 0	
3 guardian consenting for patient		26 2	40 9	54 16	68 10	82 3	96 0	
420 reports reflected		27 3	41 10	55 14	69 2	83 2	97 0	
		28 8	42 7	56 7	70 7	84 6	98 0	
<u>Primary source of payment for ECT</u>		29 5	43 10	57 11	71 10	85 3	99 0	
223 private 3rd party (insurer, HMO, etc)								420 reports reflected
190 public 3rd party (county, state, Medicaid, etc.)								
7 own/family funds								
0 other								
420 reports reflected								

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	9 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

Avg Total Treatments administered during this reporting period

1.7	718	maintenance treatments administered
0.6	239	average maintenance treatments per month
5.9	2497	series treatments planned
4.3	1812	series treatments administered
6.1	2554	total number of ECT treatments administered

Status of series treatments

111 ongoing
173 concluded
22 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	149	222	36	12	1	n/a	0	420
2-4 weeks after ECT	102	266	41	2	0	9	0	420
<u>Level of symptom severity present</u>								
before ECT	4	38	47	248	83	n/a	0	420
2-4 weeks after ECT	71	233	92	14	0	9	1	420

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Summary (All Facilities)
for Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT: 432

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
351 White	306 female	16 0	30 6	44 8	58 7	72 4	86 1		
23 Black	126 male	17 0	31 2	45 15	59 9	73 7	87 2		
43 Latin	432 reports reflected	18 1	32 7	46 8	60 6	74 3	88 0		
12 Asian		19 3	33 5	47 11	61 5	75 4	89 1		
3 Other		20 1	34 7	48 9	62 4	76 5	90 0		
432 reports reflected		21 1	35 7	49 12	63 8	77 3	91 0		
		22 5	36 8	50 12	64 11	78 5	92 0		
<u>Hospital admission status</u>		23 1	37 6	51 17	65 8	79 1	93 0		
426 voluntary patient consenting		24 2	38 4	52 12	66 2	80 2	94 0		
0 involuntary patient consenting		25 2	39 7	53 10	67 4	81 1	95 0		
6 guardian consenting for patient		26 0	40 13	54 8	68 8	82 4	96 0		
432 reports reflected		27 8	41 8	55 10	69 8	83 2	97 0		
		28 3	42 11	56 6	70 7	84 3	98 0		
<u>Primary source of payment for ECT</u>		29 5	43 14	57 9	71 7	85 6	99 0		
229 private 3rd party (insurer, HMO, etc)								432 reports reflected	
197 public 3rd party (county, state, Medicaid, etc.)									
5 own/family funds									
1 other									
432 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
				0 apnea		19 reported memory loss			
				0 fracture		0 death			
				0 cardiac arrest		0 autopsy obtained*			

Avg Total Treatments administered during this reporting period

1.7	721	maintenance treatments administered
0.6	240	average maintenance treatments per month
5.3	2304	series treatments planned
3.7	1599	series treatments administered
5.6	2420	total number of ECT treatments administered

Status of series treatments

126 ongoing
166 concluded
35 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
before ECT	150	216	57	9	0	n/a	0	432
2-4 weeks after ECT	101	265	52	2	0	12	0	432
<u>Level of symptom severity present</u>								
before ECT	6	43	45	226	112	n/a	0	432
2-4 weeks after ECT	60	227	114	18	1	12	0	432

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Summary (All Facilities)
for Treatments Given March 1, 2007 to May 31, 2007**

Number of patients, reported quarterly, to have received ECT: 460

<u>Race</u>	<u>Sex</u>	<u>Age</u>						
384 White	326 female	16 0	30 9	44 13	58 8	72 5	86 2	
21 Black	134 male	17 0	31 4	45 16	59 7	73 8	87 2	
41 Latin	460 reports reflected	18 2	32 4	46 12	60 7	74 4	88 0	
12 Asian		19 7	33 11	47 15	61 9	75 7	89 1	
2 Other		20 1	34 8	48 16	62 5	76 7	90 0	
460 reports reflected		21 1	35 7	49 12	63 7	77 2	91 0	
		22 4	36 6	50 10	64 6	78 1	92 1	
<u>Hospital admission status</u>		23 1	37 7	51 10	65 10	79 2	93 0	
451 voluntary patient consenting		24 4	38 8	52 14	66 2	80 2	94 0	
2 involuntary patient consenting		25 4	39 6	53 10	67 3	81 2	95 0	
7 guardian consenting for patient		26 2	40 6	54 7	68 6	82 2	96 0	
460 reports reflected		27 6	41 6	55 14	69 9	83 3	97 0	
		28 7	42 15	56 7	70 3	84 3	98 0	
<u>Primary source of payment for ECT</u>		29 5	43 7	57 10	71 5	85 5	99 0	
269 private 3rd party (insurer, HMO, etc)								460 reports reflected
183 public 3rd party (county, state, Medicaid, etc.)								
6 own/family funds								
2 other								
460 reports reflected								
<u>Any of the following that occurred within fourteen (14) days of ECT</u>								
		0 apnea				19 reported memory loss		
		0 fracture				0 death		
		0 cardiac arrest				0 autopsy obtained*		

Avg Total Treatments administered during this reporting period

1.7	779	maintenance treatments administered
0.6	260	average maintenance treatments per month
6.0	2780	series treatments planned
4.5	2047	series treatments administered
5.9	2723	total number of ECT treatments administered

Status of series treatments

132 ongoing
186 concluded
35 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	166	242	42	7	3	n/a	0	460
2-4 weeks after ECT	146	263	36	0	1	14	0	460
<u>Level of symptom severity present</u>								
before ECT	1	51	47	245	116	n/a	0	460
2-4 weeks after ECT	67	244	123	12	0	14	0	460

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Summary (All Facilities)
for Treatments Given June 1, 2007 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT: 460

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
391 White	314 female	16	0	30	5	44	18	58	15	72	7	86	2
20 Black	146 male	17	0	31	9	45	8	59	7	73	5	87	3
38 Latin	460 reports reflected	18	1	32	3	46	9	60	9	74	3	88	1
9 Asian		19	3	33	9	47	13	61	6	75	5	89	1
2 Other		20	4	34	13	48	8	62	9	76	4	90	0
460 reports reflected		21	4	35	7	49	14	63	4	77	3	91	0
		22	3	36	10	50	5	64	4	78	2	92	0
<u>Hospital admission status</u>		23	2	37	9	51	12	65	7	79	1	93	0
454 voluntary patient consenting		24	2	38	6	52	10	66	7	80	4	94	1
0 involuntary patient consenting		25	4	39	10	53	9	67	4	81	1	95	0
6 guardian consenting for patient		26	1	40	8	54	8	68	6	82	4	96	0
460 reports reflected		27	3	41	10	55	14	69	9	83	2	97	0
		28	5	42	10	56	13	70	5	84	2	98	0
<u>Primary source of payment for ECT</u>		29	5	43	9	57	12	71	5	85	4	99	0
284 private 3rd party (insurer, HMO, etc)													460 reports reflected
167 public 3rd party (county, state, Medicaid, etc.)													
5 own/family funds													
4 other													
460 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
											0 apnea	21 reported memory loss	
											0 fracture	0 death	
											0 cardiac arrest	0 autopsy obtained*	

Avg Total Treatments administered during this reporting period

1.8	811	maintenance treatments administered
0.6	270	average maintenance treatments per month
5.6	2585	series treatments planned
4.3	1956	series treatments administered
5.8	2658	total number of ECT treatments administered

Status of series treatments

123 ongoing
175 concluded
37 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	167	242	36	15	0	n/a	0	460
2-4 weeks after ECT	142	250	50	1	1	16	0	460
<u>Level of symptom severity present</u>								
before ECT	3	55	62	239	101	n/a	0	460
2-4 weeks after ECT	73	239	111	20	2	15	0	460

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth 134 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
130 White	93 female	16	0	30	0	44	4	58	1	72	1	86	0
1 Black	41 male	17	0	31	1	45	0	59	5	73	0	87	0
1 Latin	134 reports reflected	18	0	32	0	46	3	60	6	74	0	88	0
2 Asian		19	0	33	2	47	5	61	2	75	3	89	0
0 Other		20	0	34	3	48	7	62	4	76	1	90	0
134 reports reflected		21	0	35	1	49	5	63	5	77	1	91	0
		22	0	36	7	50	6	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	4	65	1	79	0	93	0
134 voluntary patient consenting		24	0	38	2	52	4	66	3	80	1	94	0
0 involuntary patient consenting		25	0	39	1	53	5	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	5	54	4	68	2	82	1	96	0
134 reports reflected		27	0	41	2	55	4	69	7	83	0	97	0
		28	1	42	2	56	2	70	3	84	0	98	0
<u>Primary source of payment for ECT</u>		29	2	43	1	57	3	71	1	85	0	99	0
103 private 3rd party (insurer, HMO, etc)		134 reports reflected											
31 public 3rd party (county, state, Medicaid, etc.)		134 reports reflected											
0 own/family funds		134 reports reflected											
0 other		134 reports reflected											
134 reports reflected		134 reports reflected											
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
		0 apnea		0 reported memory loss									
		0 fracture		0 death									
		0 cardiac arrest		0 autopsy obtained**									

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	80	52	2	0	0	n/a	0	134
2-4 weeks after ECT:	22	111	1	0	0	0	0	134
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	131	n/a	0	134
2-4 weeks after ECT:	6	86	39	3	0	0	0	134

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.1	150	maintenance treatments administered	
0.4	50	average maintenance treatments per month	15 ongoing
5.0	673	series treatments planned	48 concluded
3.6	479	series treatments administered	2 stopped
4.8	637	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston 171 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
141 White	121 female	16	0	30	9	44	9	58	1	72	1	86	0
14 Black	50 male	17	0	31	1	45	7	59	1	73	0	87	0
16 Latin	171 reports reflected	18	3	32	2	46	9	60	1	74	0	88	0
0 Asian		19	1	33	0	47	4	61	3	75	1	89	0
0 Other		20	3	34	2	48	9	62	0	76	0	90	0
171 reports reflected		21	2	35	2	49	4	63	1	77	0	91	0
		22	3	36	0	50	1	64	3	78	1	92	0
<u>Hospital admission status</u>		23	0	37	4	51	11	65	8	79	0	93	0
171 voluntary patient consenting		24	1	38	0	52	3	66	2	80	0	94	0
0 involuntary patient consenting		25	4	39	2	53	2	67	0	81	3	95	0
0 guardian consenting for patient		26	0	40	2	54	6	68	1	82	0	96	0
171 reports reflected		27	2	41	7	55	1	69	2	83	0	97	0
		28	2	42	12	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	3	43	4	57	4	71	0	85	0	99	0
99 private 3rd party (insurer, HMO, etc)													171 reports reflected
68 public 3rd party (county, state, Medicaid, etc.)													
3 own/family funds													
1 other													
171 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	18	147	6	0	0	n/a	0	171
2-4 weeks after ECT:	0	155	16	0	0	0	0	171
<u>Level of symptom severity present</u>								
before ECT	0	0	1	105	65	n/a	0	171
2-4 weeks after ECT:	0	114	51	5	1	0	0	171

Avg Total Treatments administered during this reporting period

2.0	347	maintenance treatments administered	<u>Status of series treatments</u>
0.7	116	average maintenance treatments per month	80 ongoing
11	1929	series treatments planned	66 concluded
5.7	971	series treatments administered	11 stopped
5.7	975	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco

56 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
50 White	20 female	16	0	30	0	44	1	58	0	72	0	86	1
0 Black	36 male	17	0	31	0	45	0	59	0	73	0	87	0
6 Latin	56 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	2	61	0	75	2	89	0
0 Other		20	0	34	2	48	2	62	4	76	2	90	0
56 reports reflected		21	0	35	0	49	4	63	0	77	0	91	0
		22	0	36	0	50	3	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	2	51	2	65	0	79	0	93	0
56 voluntary patient consenting		24	0	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	3	53	3	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	0	82	0	96	0
56 reports reflected		27	0	41	0	55	5	69	0	83	0	97	0
		28	3	42	0	56	0	70	0	84	2	98	0
<u>Primary source of payment for ECT</u>		29	1	43	1	57	1	71	0	85	7	99	0
24 private 3rd party (insurer, HMO, etc)													56 reports reflected
31 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
56 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	35	21	0	0	0	n/a	0	56
2-4 weeks after ECT:	45	10	1	0	0	0	0	56
<u>Level of symptom severity present</u>								
before ECT	0	0	4	34	18	n/a	0	56
2-4 weeks after ECT:	8	20	21	7	0	0	0	56

Avg Total Treatments administered during this reporting period

2.8	159	maintenance treatments administered	<u>Status of series treatments</u>
0.9	53	average maintenance treatments per month	40 ongoing
5.8	326	series treatments planned	0 concluded
0.2	9	series treatments administered	16 stopped
6.7	374	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007

Number of patients, reported quarterly, to have received ECT at Green Oaks Behavioral Network, Dallas 107 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
102 White	76 female	16	0	30	0	44	0	58	4	72	1	86	0
1 Black	31 male	17	0	31	4	45	5	59	0	73	7	87	0
4 Latin	107 reports reflected	18	0	32	0	46	3	60	5	74	2	88	0
0 Asian		19	0	33	1	47	6	61	3	75	2	89	0
0 Other		20	0	34	2	48	5	62	1	76	0	90	0
107 reports reflected		21	0	35	1	49	4	63	0	77	0	91	0
		22	0	36	0	50	6	64	1	78	0	92	1
<u>Hospital admission status</u>		23	1	37	3	51	4	65	3	79	2	93	0
107 voluntary patient consenting		24	0	38	4	52	2	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	5	53	4	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	0	82	0	96	0
107 reports reflected		27	0	41	1	55	1	69	2	83	0	97	0
		28	1	42	0	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	6	57	1	71	0	85	0	99	0
57 private 3rd party (insurer, HMO, etc)													107 reports reflected
50 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
107 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	2	52	49	4	0	n/a	0	107
2-4 weeks after ECT:	19	33	5	0	0	50	0	107
<u>Level of symptom severity present</u>								
before ECT	0	0	2	103	2	n/a	0	107
2-4 weeks after ECT:	17	37	3	0	0	50	0	107

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.7	79	maintenance treatments administered	
0.2	26.3	average maintenance treatments per month	53 ongoing
8.6	918	series treatments planned	47 concluded
0.6	59	series treatments administered	6 stopped
6.4	685	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso 8 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
5 White	6 female	16	0	30	0	44	0	58	1
0 Black	2 male	17	0	31	0	45	0	59	1
2 Latin	8 reports reflected	18	0	32	0	46	0	60	0
0 Asian		19	0	33	0	47	0	61	0
1 Other		20	0	34	0	48	0	62	0
8 reports reflected		21	1	35	0	49	0	63	0
		22	0	36	0	50	0	64	1
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0
8 voluntary patient consenting		24	0	38	0	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0
8 reports reflected		27	0	41	0	55	0	69	1
		28	0	42	0	56	0	70	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	1
5 private 3rd party (insurer, HMO, etc)									
3 public 3rd party (county, state, Medicaid, etc.)									8 reports reflected
0 own/family funds									
0 other									
8 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
						0 apnea		0 reported memory loss	
						0 fracture		0 death	
						0 cardiac arrest		0 autopsy obtained**	

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	1	5	2	0	n/a	0	8
2-4 weeks after ECT:	0	8	0	0	0	0	0	8
<u>Level of symptom severity present</u>								
before ECT	0	0	1	6	1	n/a	0	8
2-4 weeks after ECT:	1	7	0	0	0	0	0	8

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
6.5	52	maintenance treatments administered	
2.2	17.3	average maintenance treatments per month	0 ongoing
0.4	3	series treatments planned	6 concluded
0.3	2	series treatments administered	1 stopped
0.8	6	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Methodist Specialty/Transplant Hosp, San Antonio 247 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
180 White	196 female	16	0	30	3	44	2	58	6	72	3	86	0
6 Black	51 male	17	0	31	3	45	7	59	5	73	0	87	0
61 Latin	247 reports reflected	18	0	32	2	46	5	60	4	74	1	88	0
0 Asian		19	0	33	4	47	4	61	10	75	0	89	0
0 Other		20	0	34	4	48	6	62	0	76	3	90	0
247 reports reflected		21	1	35	3	49	9	63	3	77	6	91	0
		22	4	36	3	50	7	64	2	78	3	92	0
<u>Hospital admission status</u>		23	1	37	2	51	5	65	1	79	0	93	0
243 voluntary patient consenting		24	1	38	5	52	11	66	2	80	3	94	0
3 involuntary patient consenting		25	0	39	5	53	4	67	6	81	2	95	0
1 guardian consenting for patient		26	1	40	7	54	8	68	9	82	0	96	0
247 reports reflected		27	2	41	5	55	9	69	1	83	0	97	0
		28	3	42	8	56	5	70	5	84	0	98	0
<u>Primary source of payment for ECT</u>		29	2	43	9	57	7	71	5	85	0	99	0
144 private 3rd party (insurer, HMO, etc)													247 reports reflected
103 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
247 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	184	53	9	1	0	n/a	0	247
2-4 weeks after ECT:	118	118	11	0	0	0	0	247
<u>Level of symptom severity present</u>								
before ECT	10	68	21	64	84	n/a	0	247
2-4 weeks after ECT:	20	160	61	5	1	0	0	247

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
2.2	537	maintenance treatments administered	
0.7	179	average maintenance treatments per month	18 ongoing
3.4	841	series treatments planned	127 concluded
3.8	948	series treatments administered	6 stopped
5.7	1414	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 63 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
55 White	49 female	16	0	30	0	44	5	58	0	72	0	86	0
2 Black	14 male	17	0	31	2	45	0	59	1	73	0	87	0
5 Latin	63 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
1 Asian		19	0	33	2	47	3	61	0	75	0	89	0
0 Other		20	0	34	2	48	0	62	0	76	0	90	0
63 reports reflected		21	0	35	1	49	2	63	3	77	0	91	0
		22	1	36	6	50	2	64	2	78	0	92	0
<u>Hospital admission status</u>		23	0	37	2	51	3	65	1	79	0	93	0
63 voluntary patient consenting		24	0	38	1	52	4	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	3	54	0	68	0	82	0	96	0
63 reports reflected		27	2	41	1	55	2	69	0	83	0	97	0
		28	3	42	2	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	2	43	2	57	0	71	0	85	0	99	0
54 private 3rd party (insurer, HMO, etc)													63 reports reflected
8 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
63 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT
 0 apnea 42 reported memory loss
 0 fracture 0 death
 0 cardiac arrest 0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	45	8	9	0	n/a	0	63
2-4 weeks after ECT:	1	42	20	0	0	0	0	63
<u>Level of symptom severity present</u>								
before ECT	0	6	10	44	3	n/a	0	63
2-4 weeks after ECT:	1	45	17	0	0	0	0	63

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.6	99	maintenance treatments administered	
0.5	33	average maintenance treatments per month	6 ongoing
6.7	423	series treatments planned	33 concluded
6.8	428	series treatments administered	5 stopped
7.0	443	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578
 0 multiple monitoring treatments administered
 0 EEG burst suppression--anesthetic treatment for refractory depression
 0 narcotherapy using deep anesthesia
 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Scott & White Memorial Hospital, Temple 79 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
69 White	62 female	16	0	30	0	44	3	58	2	72	2	86	0
0 Black	17 male	17	0	31	0	45	0	59	3	73	0	87	0
6 Latin	79 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
2 Asian		19	0	33	0	47	1	61	1	75	1	89	0
2 Other		20	0	34	0	48	4	62	2	76	0	90	0
79 reports reflected		21	0	35	0	49	7	63	2	77	1	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	1	65	3	79	0	93	0
79 voluntary patient consenting		24	0	38	0	52	2	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	4	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	2	82	1	96	0
79 reports reflected		27	1	41	0	55	3	69	8	83	2	97	0
		28	0	42	0	56	0	70	3	84	2	98	0
<u>Primary source of payment for ECT</u>		29	3	43	2	57	6	71	1	85	0	99	0
72 private 3rd party (insurer, HMO, etc)													79 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
79 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea		0 reported memory loss					
						0 fracture		0 death					
						0 cardiac arrest		0 autopsy obtained**					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	67	10	2	0	0	n/a	0	79
2-4 weeks after ECT:	61	15	3	0	0	0	0	79
<u>Level of symptom severity present</u>								
before ECT	0	12	24	43	0	n/a	0	79
2-4 weeks after ECT:	1	46	29	3	0	0	0	79

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.7	132	maintenance treatments administered	
0.6	44	average maintenance treatments per month	45 ongoing
16	1264	series treatments planned	34 concluded
5.6	442	series treatments administered	0 stopped
5.6	441	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston										21 *			
<u>Race</u>	<u>Sex</u>	<u>Age</u>											
18 White	19 female	16	0	30	0	44	0	58	1	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	1	73	1	87	0
2 Latin	21 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
1 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	1	48	0	62	1	76	3	90	0
21 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	1	36	1	50	1	64	2	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
21 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	3	39	0	53	0	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
21 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
5 private 3rd party (insurer, HMO, etc)													21 reports reflected
16 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
21 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				0 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained**			
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>													
before ECT		0	0	3	16	2	n/a	0	21				
2-4 weeks after ECT:		20	1	0	0	0	0	0	21				
<u>Level of symptom severity present</u>													
before ECT		0	0	2	18	1	n/a	0	21				
2-4 weeks after ECT:		21	0	0	0	0	0	0	21				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>						<u>Status of series treatments</u>					
0.7	14	maintenance treatments administered											
0.2	4.67	average maintenance treatments per month						6 ongoing					
3.4	72	series treatments planned						9 concluded					
5.2	109	series treatments administered						2 stopped					
6.1	129	total number of ECT treatments administered											
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>													
0 multiple monitoring treatments administered													
0 EEG burst suppression--anesthetic treatment for refractory depression													
0 narcotherapy using deep anesthesia													
0 magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 43 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
34 White	25 female	16	0	30	0	44	1	58	0	72	1	86	0
8 Black	18 male	17	0	31	0	45	2	59	0	73	0	87	0
1 Latin	43 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	2	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	2	76	0	90	0
43 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
<u>Hospital admission status</u>		22	0	36	0	50	2	64	1	78	0	92	0
33 voluntary patient consenting		23	0	37	0	51	7	65	0	79	0	93	0
0 involuntary patient consenting		24	3	38	0	52	0	66	0	80	0	94	0
10 guardian consenting for patient		25	0	39	0	53	0	67	2	81	0	95	0
43 reports reflected		26	0	40	1	54	0	68	0	82	0	96	0
<u>Primary source of payment for ECT</u>		27	0	41	2	55	4	69	2	83	0	97	0
0 private 3rd party (insurer, HMO, etc)		28	1	42	0	56	1	70	0	84	0	98	0
43 public 3rd party (county, state, Medicaid, etc.)		29	2	43	0	57	2	71	3	85	0	99	0
0 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
0 other							0 apnea	0 reported memory loss					
43 reports reflected							0 fracture	0 death					
							0 cardiac arrest	0 autopsy obtained**					

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	7	33	3	0	0	n/a	0	43
2-4 weeks after ECT:	7	34	2	0	0	0	0	43
<u>Level of symptom severity present</u>								
before ECT	1	11	16	15	0	n/a	0	43
2-4 weeks after ECT:	4	14	17	8	0	0	0	43

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.7	71	maintenance treatments administered	
0.6	23.7	average maintenance treatments per month	28 ongoing
4.4	188	series treatments planned	9 concluded
6.9	296	series treatments administered	2 stopped
7.7	330	total number of ECT treatments administered	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston 306 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
211 White	221 female	16	0	30	5	44	2	58	5	72	1	86	0
38 Black	85 male	17	0	31	5	45	10	59	7	73	3	87	1
24 Latin	306 reports reflected	18	1	32	6	46	5	60	7	74	0	88	2
28 Asian		19	7	33	9	47	9	61	7	75	1	89	3
5 Other		20	3	34	6	48	3	62	3	76	5	90	0
306 reports reflected		21	1	35	7	49	8	63	4	77	1	91	0
		22	4	36	11	50	6	64	8	78	1	92	0
<u>Hospital admission status</u>		23	1	37	7	51	6	65	6	79	0	93	0
299 voluntary patient consenting		24	2	38	3	52	13	66	1	80	2	94	0
0 involuntary patient consenting		25	1	39	6	53	7	67	1	81	0	95	0
7 guardian consenting for patient		26	1	40	6	54	7	68	3	82	0	96	0
306 reports reflected		27	4	41	9	55	10	69	0	83	4	97	0
		28	3	42	9	56	4	70	5	84	2	98	0
<u>Primary source of payment for ECT</u>		29	4	43	4	57	5	71	1	85	2	99	0
172 private 3rd party (insurer, HMO, etc)													306 reports reflected
126 public 3rd party (county, state, Medicaid, etc.)													reflected
8 own/family funds													
0 other													
306 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	57	209	37	3	0	n/a	0	306
2-4 weeks after ECT:	50	228	28	0	0	0	0	306
<u>Level of symptom severity present</u>								
before ECT	0	2	24	256	24	n/a	0	306
2-4 weeks after ECT:	137	153	12	4	0	0	0	306

Avg Total Treatments administered during this reporting period

1.6	495	maintenance treatments administered
0.5	165	average maintenance treatments per month
3.1	940	series treatments planned
3.4	1046	series treatments administered
5	1517	total number of ECT treatments administered

Status of series treatments

41 ongoing
94 concluded
22 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Annual ECT Facility Summary
For Treatments Given September 1, 2006 to August 31, 2007

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 167 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>													
159 White	115 female	16	0	30	1	44	3	58	4	72	6	86	5		
4 Black	52 male	17	0	31	0	45	3	59	0	73	10	87	1		
2 Latin	167 reports reflected	18	0	32	4	46	3	60	6	74	4	88	0		
2 Asian		19	2	33	4	47	6	61	3	75	3	89	0		
0 Other		20	0	34	1	48	3	62	2	76	1	90	0		
167 reports reflected		21	0	35	1	49	3	63	2	77	1	91	0		
		22	4	36	1	50	2	64	1	78	6	92	0		
<u>Hospital admission status</u>		23	1	37	1	51	6	65	1	79	1	93	0		
166	voluntary patient consenting	24	0	38	2	52	0	66	0	80	2	94	0		
0	involuntary patient consenting	25	0	39	1	53	0	67	0	81	0	95	0		
1	guardian consenting for patient	26	2	40	3	54	1	68	6	82	1	96	0		
167	reports reflected	27	1	41	2	55	4	69	1	83	1	97	0		
		28	3	42	6	56	5	70	3	84	4	98	0		
<u>Primary source of payment for ECT</u>		29	0	43	8	57	1	71	3	85	1	99	0		
73	private 3rd party (insurer, HMO, etc)												167 reports reflected		
94	public 3rd party (county, state, Medicaid, etc.)												167 reports reflected		
0	own/family funds												167 reports reflected		
0	other												167 reports reflected		
167	reports reflected												167 reports reflected		
<u>Any of the following that occurred within fourteen (14) days of ECT</u>															
						0	apnea							0	reported memory loss
						0	fracture							0	death
						0	cardiac arrest							0	autopsy obtained**

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	91	74	2	0	0	n/a	0	167
2-4 weeks after ECT:	84	81	2	0	0	0	0	167
<u>Level of symptom severity present</u>								
before ECT	0	20	46	88	13	n/a	0	167
2-4 weeks after ECT:	0	70	78	19	0	0	0	167

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
2.2	370	maintenance treatments administered	
0.7	123	average maintenance treatments per month	34 ongoing
4.7	789	series treatments planned	68 concluded
6.9	1154	series treatments administered	3 stopped
7.5	1253	total number of ECT treatments administered	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0	multiple monitoring treatments administered		
0	EEG burst suppression--anesthetic treatment for refractory depression		
0	narcotherapy using deep anesthesia		
0	magnetic seizure therapy		

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth 33

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
33 White	21 female	16	0	30	0	44	2	58	0	72	0	86	0
0 Black	12 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	33 reports reflected	18	0	32	0	46	1	60	1	74	0	88	0
0 Asian		19	0	33	1	47	0	61	2	75	1	89	0
0 Other		20	0	34	1	48	1	62	2	76	0	90	0
33 reports reflected		21	0	35	1	49	0	63	1	77	1	91	0
		22	0	36	0	50	2	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	1	79	0	93	0
33 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	2	82	0	96	0
33 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	1	42	0	56	0	70	2	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	2	71	1	85	0	99	0
24 private 3rd party (insurer, HMO, etc)													
9 public 3rd party (county, state, Medicaid, etc.)													33 reports reflected
0 own/family funds													
0 other													
33 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	17	15	1	0	0	n/a	0	33
2-4 weeks after ECT:	3	30	0	0	0	0	0	33
<u>Level of symptom severity present</u>								
before ECT	0	0	0	1	32	n/a	0	33
2-4 weeks after ECT:	2	24	5	2	0	0	0	33

Avg Total Treatments administered during this reporting period

1.4	47	maintenance treatments administered
0.5	15.7	average maintenance treatments per month
3.4	112	series treatments planned
2.5	82	series treatments administered
3.9	129	total number of ECT treatments administered

Status of series treatments

0 ongoing
8 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	BEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston **50**

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
39 White	34 female	16	0	30	0	44	2	58	0
6 Black	16 male	17	0	31	1	45	2	59	1
5 Latin	50 reports reflected	18	0	32	0	46	1	60	0
0 Asian		19	0	33	0	47	1	61	2
0 Other		20	0	34	0	48	4	62	0
50 reports reflected		21	0	35	1	49	3	63	0
		22	2	36	0	50	1	64	1
<u>Hospital admission status</u>		23	0	37	0	51	1	65	2
50 voluntary patient consenting		24	1	38	0	52	1	66	0
0 involuntary patient consenting		25	0	39	2	53	1	67	0
0 guardian consenting for patient		26	0	40	1	54	3	68	1
50 reports reflected		27	0	41	2	55	0	69	0
		28	2	42	4	56	1	70	0
<u>Primary source of payment for ECT</u>		29	2	43	0	57	1	71	0
29 private 3rd party (insurer, HMO, etc)									
20 public 3rd party (county, state, Medicaid, etc.)									
1 own/family funds									
0 other									
50 reports reflected									

50 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	47	2	0	0	n/a	0	50
2-4 weeks after ECT:	0	44	6	0	0	0	0	50
<u>Level of symptom severity present</u>								
before ECT	0	0	0	34	16	n/a	0	50
2-4 weeks after ECT:	0	31	16	3	0	0	0	50

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.7	83	maintenance treatments administered	
0.6	27.7	average maintenance treatments per month	
9.8	491	series treatments planned	18 ongoing
6.3	314	series treatments administered	21 concluded
6.0	301	total number of ECT treatments administered	4 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas

6

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
6 White	2 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	6 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	1	90	0
6 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	1	93	0
5 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
1 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
6 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													6 reports reflected
5 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
6 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	3 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	3	0	0	0	n/a	0	6
2-4 weeks after ECT:	1	2	3	0	0	0	0	6
<u>Level of symptom severity present</u>								
before ECT	0	0	1	4	1	n/a	0	6
2-4 weeks after ECT:	1	5	0	0	0	0	0	6

Avg Total Treatments administered during this reporting period

0.5	3	maintenance treatments administered
0.2	1	average maintenance treatments per month
7.3	44	series treatments planned
5.5	33	series treatments administered
5.5	33	total number of ECT treatments administered

Status of series treatments

3 ongoing
3 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 14

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
11 White	11 female	16	0	30	0	44	0	58	0	72	0	86	0
2 Black	3 male	17	0	31	0	45	0	59	1	73	0	87	0
1 Latin	14 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
14 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	2	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
14 voluntary patient consenting		24	0	38	0	52	2	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
14 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	1	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	0	71	0	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													14 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
14 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				6 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	14	0	0	0	n/a	0	14
2-4 weeks after ECT:	0	9	5	0	0	0	0	14
<u>Level of symptom severity present</u>								
before ECT	0	1	4	9	0	n/a	0	14
2-4 weeks after ECT:	0	11	3	0	0	0	0	14

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
1.4	20	maintenance treatments administered	
0.5	6.67	average maintenance treatments per month	<u>Status of series treatments</u>
6.5	91	series treatments planned	0 ongoing
6.1	85	series treatments administered	9 concluded
7.1	100	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at **Scott & White Memorial Hospital, Temple** 16

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
16 White	12 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	16 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	2	62	1	76	0	90	0
16 reports reflected		21	0	35	0	49	1	63	1	77	1	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
16 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	1	96	0
16 reports reflected		27	1	41	0	55	0	69	0	83	1	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	1	71	1	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
16 reports reflected													
													16 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	12	4	0	0	0	n/a	0	16
2-4 weeks after ECT:	10	6	0	0	0	0	0	16
<u>Level of symptom severity present</u>								
before ECT	0	2	6	8	0	n/a	0	16
2-4 weeks after ECT:	0	10	6	0	0	0	0	16

Avg Total Treatments administered during this reporting period

0.9	14	maintenance treatments administered
0.3	4.67	average maintenance treatments per month
16	249	series treatments planned
5.1	82	series treatments administered
5.1	82	total number of ECT treatments administered

Status of series treatments

8 ongoing
8 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 6

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
5 White	5 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	1	87	0
1 Latin	6 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	1	76	0	90	0
6 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	1	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
6 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
6 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													6 reports reflected
6 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
6 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	5	1	n/a	0	6
2-4 weeks after ECT:	6	0	0	0	0	0	0	6
<u>Level of symptom severity present</u>								
before ECT	0	0	0	6	0	n/a	0	6
2-4 weeks after ECT:	6	0	0	0	0	0	0	6

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1	6	maintenance treatments administered	
0.3	2	average maintenance treatments per month	
7.5	45	series treatments planned	1 ongoing
8	48	series treatments administered	4 concluded
9	54	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		BEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 7

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
5 White	5 female	16	0	30	0	44	0	58	0	72	0	86	0
2 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	7 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
7 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
Hospital admission status		23	0	37	0	51	0	65	0	79	0	93	0
5 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1	81	0	95	0
2 guardian consenting for patient		26	0	40	1	54	0	68	0	82	0	96	0
7 reports reflected		27	0	41	1	55	1	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
Primary source of payment for ECT		29	0	43	0	57	1	71	1	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													7 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
7 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
Level of memory impairment present								
before ECT	0	5	2	0	0	n/a	0	7
2-4 weeks after ECT:	0	5	2	0	0	0	0	7
Level of symptom severity present								
before ECT	0	0	2	5	0	n/a	0	7
2-4 weeks after ECT:	1	1	3	2	0	0	0	7

Avg Total Treatments administered during this reporting period

3.6	25	maintenance treatments administered
1.2	8.33	average maintenance treatments per month
7.1	50	series treatments planned
7.1	50	series treatments administered
7.1	50	total number of ECT treatments administered

Status of series treatments

4 ongoing
1 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston 69

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
48 White	53 female	16	0	30	2	44	1	58	1	72	0	86	0
8 Black	16 male	17	0	31	1	45	3	59	2	73	1	87	1
6 Latin	69 reports reflected	18	1	32	1	46	2	60	2	74	0	88	1
6 Asian		19	1	33	1	47	2	61	1	75	1	89	0
1 Other		20	0	34	2	48	0	62	0	76	0	90	0
69 reports reflected		21	0	35	3	49	1	63	2	77	0	91	0
		22	1	36	4	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	2	51	1	65	1	79	0	93	0
68 voluntary patient consenting		24	0	38	0	52	1	66	0	80	1	94	0
0 involuntary patient consenting		25	0	39	2	53	1	67	0	81	0	95	0
1 guardian consenting for patient		26	1	40	2	54	2	68	1	82	0	96	0
69 reports reflected		27	0	41	2	55	2	69	0	83	1	97	0
		28	1	42	1	56	1	70	3	84	1	98	0
<u>Primary source of payment for ECT</u>		29	1	43	1	57	0	71	0	85	1	99	0
28 private 3rd party (insurer, HMO, etc)													69 reports reflected
38 public 3rd party (county, state, Medicaid, etc.)													
3 own/family funds													
0 other													
69 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	18	43	8	0	0	n/a	0	69
2-4 weeks after ECT:	10	53	6	0	0	0	0	69
<u>Level of symptom severity present</u>								
before ECT	0	0	6	59	4	n/a	0	69
2-4 weeks after ECT:	36	29	2	2	0	0	0	69

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.7	119	maintenance treatments administered	
0.6	39.7	average maintenance treatments per month	
3.3	228	series treatments planned	12 ongoing
4.1	280	series treatments administered	23 concluded
5.8	399	total number of ECT treatments administered	3 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given September 1, 2006 to November 30, 2006**

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 38

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
35 White	24 female	16	0	30	0	44	0	58	0	72	2	86	1
2 Black	14 male	17	0	31	0	45	0	59	0	73	1	87	0
1 Latin	38 reports reflected	18	0	32	0	46	0	60	1	74	0	88	0
0 Asian		19	0	33	0	47	1	61	1	75	1	89	0
0 Other		20	0	34	1	48	2	62	0	76	1	90	0
38 reports reflected		21	0	35	0	49	2	63	1	77	0	91	0
		22	1	36	0	50	1	64	0	78	3	92	0
<u>Hospital admission status</u>		23	0	37	0	51	3	65	1	79	1	93	0
38 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	1	68	2	82	1	96	0
38 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	1	56	0	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	3	85	0	99	0
12 private 3rd party (insurer, HMO, etc)													38 reports reflected
26 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
38 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	14	24	0	0	0	n/a	0	38
2-4 weeks after ECT:	13	25	0	0	0	0	0	38
<u>Level of symptom severity present</u>								
before ECT	0	5	9	21	3	n/a	0	38
2-4 weeks after ECT:	0	21	15	2	0	0	0	38

Avg Total Treatments administered during this reporting period

2.1	78	maintenance treatments administered
0.7	26	average maintenance treatments per month
5.6	213	series treatments planned
6.7	255	series treatments administered
7.5	284	total number of ECT treatments administered

Status of series treatments

7	ongoing
17	concluded
1	stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EKG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth 33

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
30 White	23 female	16	0	30	0	44	1	58	0	72	0	86	0
1 Black	10 male	17	0	31	0	45	0	59	2	73	0	87	0
1 Latin	33 reports reflected	18	0	32	0	46	1	60	1	74	0	88	0
1 Asian		19	0	33	0	47	1	61	0	75	1	89	0
0 Other		20	0	34	1	48	1	62	1	76	0	90	0
33 reports reflected		21	0	35	0	49	1	63	2	77	0	91	0
		22	0	36	1	50	2	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
33 voluntary patient consenting		24	0	38	1	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	2	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	3	54	1	68	0	82	0	96	0
33 reports reflected		27	0	41	1	55	1	69	3	83	0	97	0
		28	0	42	0	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
24 private 3rd party (insurer, HMO, etc)													
9 public 3rd party (county, state, Medicaid, etc.)													33 reports reflected
0 own/family funds													
0 other													
33 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	20	13	0	0	0	n/a	0	33
2-4 weeks after ECT:	8	25	0	0	0	0	0	33
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	33	n/a	0	33
2-4 weeks after ECT:	0	21	12	0	0	0	0	33

Avg Total Treatments administered during this reporting period

0.9	30	maintenance treatments administered
0.3	10	average maintenance treatments per month
4.3	143	series treatments planned
2.6	86	series treatments administered
3.5	116	total number of ECT treatments administered

Status of series treatments

9 ongoing
8 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston 46

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
37 White	34 female	16	0	30	2	44	2	58	0	72	0	86	0
4 Black	12 male	17	0	31	0	45	2	59	0	73	0	87	0
5 Latin	46 reports reflected	18	1	32	2	46	3	60	0	74	0	88	0
0 Asian		19	0	33	0	47	2	61	1	75	0	89	0
0 Other		20	0	34	0	48	2	62	0	76	0	90	0
46 reports reflected		21	0	35	1	49	0	63	0	77	0	91	0
		22	1	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	4	65	2	79	0	93	0
46 voluntary patient consenting		24	0	38	0	52	2	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	1	67	0	81	1	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	0	96	0
46 reports reflected		27	2	41	3	55	0	69	0	83	0	97	0
		28	0	42	3	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	3	57	1	71	0	85	0	99	0
27 private 3rd party (insurer, HMO, etc)													46 reports reflected
19 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
46 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	11	34	1	0	0	n/a	0	46
2-4 weeks after ECT:	0	44	2	0	0	0	0	46
<u>Level of symptom severity present</u>								
before ECT	0	0	1	31	14	n/a	0	46
2-4 weeks after ECT:	0	26	17	2	1	0	0	46

Avg Total Treatments administered during this reporting period

1.5	69	maintenance treatments administered
0.5	23	average maintenance treatments per month
10	481	series treatments planned
4.5	206	series treatments administered
4.8	221	total number of ECT treatments administered

Status of series treatments

28 ongoing
14 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso

7

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	6 female	16	0	30	0	44	0	58	1	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	1	73	0	87	0
2 Latin	7 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
1 Other		20	0	34	0	48	0	62	0	76	0	90	0
7 reports reflected		21	1	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
7 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	1	96	0
7 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	1	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													7 reports reflected
3 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
7 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
						0 apnea				0 reported memory loss			
						0 fracture				0 death			
						0 cardiac arrest				0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	5	2	0	n/a	0	7
2-4 weeks after ECT:	0	7	0	0	0	0	0	7
<u>Level of symptom severity present</u>								
before ECT	0	0	1	6	0	n/a	0	7
2-4 weeks after ECT:	1	6	0	0	0	0	0	7

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
7	49	maintenance treatments administered	
2.3	16.3	average maintenance treatments per month	
0	0	series treatments planned	0 ongoing
0.3	2	series treatments administered	6 concluded
0.9	6	total number of ECT treatments administered	1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at **Methodist Specialty/Transplant Hosp, San Antonio** 57

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
42 White	48 female	16	0	30	0	44	0	58	1	72	1	86	0
1 Black	9 male	17	0	31	1	45	3	59	1	73	0	87	0
14 Latin	57 reports reflected	18	0	32	1	46	1	60	1	74	0	88	0
0 Asian		19	0	33	0	47	1	61	2	75	0	89	0
0 Other		20	0	34	1	48	1	62	0	76	1	90	0
57 reports reflected		21	0	35	1	49	3	63	1	77	1	91	0
		22	1	36	2	50	2	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	1	79	0	93	0
57 voluntary patient consenting		24	0	38	1	52	3	66	0	80	1	94	0
0 involuntary patient consenting		25	0	39	2	53	1	67	2	81	0	95	0
0 guardian consenting for patient		26	0	40	2	54	1	68	2	82	0	96	0
57 reports reflected		27	1	41	1	55	1	69	0	83	0	97	0
<u>Primary source of payment for ECT</u>		28	0	42	1	56	1	70	2	84	0	98	0
33 private 3rd party (insurer, HMO, etc)		29	1	43	2	57	1	71	1	85	0	99	0
24 public 3rd party (county, state, Medicaid, etc.)													57 reports reflected
0 own/family funds													
0 other													
57 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	42	12	3	0	0	n/a	0	57
2-4 weeks after ECT:	24	29	4	0	0	0	0	57
<u>Level of symptom severity present</u>								
before ECT	5	18	3	6	25	n/a	0	57
2-4 weeks after ECT:	9	39	9	0	0	0	0	57

Avg Total Treatments administered during this reporting period

2.4	139	maintenance treatments administered
0.8	46.3	average maintenance treatments per month
3	170	series treatments planned
3.7	212	series treatments administered
5.9	334	total number of ECT treatments administered

Status of series treatments

5 ongoing
25 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Millwood Hospital, Arlington 7

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
6 White	4 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	3 male	17	0	31	0	45	0	59	0	73	1	87	0
0 Latin	7 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
1 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
7 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	1	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
7 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
7 reports reflected		27	1	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
2 private 3rd party (insurer, HMO, etc)													7 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
1 other													
7 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	2	4	0	0	n/a	0	7
2-4 weeks after ECT:	0	1	5	1	0	0	0	7
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	4	n/a	0	7
2-4 weeks after ECT:	0	0	6	1	0	0	0	7

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0	0	maintenance treatments administered	
0	0	average maintenance treatments per month	
5.1	36	series treatments planned	2 ongoing
0.3	2	series treatments administered	2 concluded
5.1	36	total number of ECT treatments administered	3 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
	0	multiple monitoring treatments administered	
	0	EEG burst suppression--anesthetic treatment for refractory depression	
	0	narcotherapy using deep anesthesia	
	0	magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas 8

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
8 White	4 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	8 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
0 Asian		19	0	33	0	47	0	61	1	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
8 reports reflected		21	0	35	1	49	0	63	0	77	1	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
8	voluntary patient consenting	24	0	38	0	52	0	66	1	80	0	94	0
0	involuntary patient consenting	25	0	39	0	53	0	67	1	81	0	95	0
0	guardian consenting for patient	26	0	40	0	54	0	68	1	82	0	96	0
8	reports reflected	27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	1	99	0
1	private 3rd party (insurer, HMO, etc)												8 reports reflected
7	public 3rd party (county, state, Medicaid, etc.)												
0	own/family funds												
0	other												
8	reports reflected												

Any of the following that occurred within fourteen (14) days of ECT

0	apnea	7	reported memory loss
0	fracture	0	death
0	cardiac arrest	0	autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	4	1	0	0	n/a	0	8
2-4 weeks after ECT:	1	5	2	0	0	0	0	8
<u>Level of symptom severity present</u>								
before ECT	0	0	0	6	2	n/a	0	8
2-4 weeks after ECT:	4	3	1	0	0	0	0	8

Avg Total Treatments administered during this reporting period

0.3	2	maintenance treatments administered
0.08	0.67	average maintenance treatments per month
5.4	43	series treatments planned
4.3	34	series treatments administered
4.3	34	total number of ECT treatments administered

Status of series treatments

2	ongoing
3	concluded
1	stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown 4

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	4 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	0 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	4 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
4 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
4 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	2	68	0	82	0	96	0
4 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
2 private 3rd party (insurer, HMO, etc)													4 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
4 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	4	0	0	0	n/a	0	4
2-4 weeks after ECT:	0	4	0	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	4	n/a	0	4
2-4 weeks after ECT:	0	0	4	0	0	0	0	4

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
5.8	23	series treatments planned
0.5	2	series treatments administered
6.5	26	total number of ECT treatments administered

Status of series treatments

0 ongoing
4 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin 32

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
30 White	21 female	16	0	30	2	44	2	58	1	72	0	86	0
1 Black	11 male	17	0	31	0	45	3	59	3	73	0	87	0
1 Latin	32 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	1	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	2	62	0	76	0	90	0
32 reports reflected		21	0	35	1	49	1	63	1	77	0	91	0
		22	0	36	0	50	2	64	0	78	0	92	0
<u>Hospital admission status</u>		23	1	37	1	51	0	65	0	79	0	93	0
31 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	0	67	0	81	0	95	0
1 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
32 reports reflected		27	0	41	0	55	2	69	0	83	0	97	0
		28	0	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	1	71	0	85	1	99	0
22 private 3rd party (insurer, HMO, etc)													32 reports reflected
8 public 3rd party (county, state, Medicaid, etc.)													
2 own/family funds													
0 other													
32 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	6	21	4	1	0	n/a	0	32
2-4 weeks after ECT:	4	13	14	1	0	0	0	32
<u>Level of symptom severity present</u>								
before ECT	0	12	4	16	0	n/a	0	32
2-4 weeks after ECT:	0	18	13	1	0	0	0	32

Avg Total Treatments administered during this reporting period

1.8	59	maintenance treatments administered
0.6	19.7	average maintenance treatments per month
3.9	126	series treatments planned
5.6	178	series treatments administered
5.7	181	total number of ECT treatments administered

Status of series treatments

6 ongoing
18 concluded
7 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at St. David's Pavilion, Austin 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
13 White	9 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	2
0 Latin	13 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	1	90	0
13 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	2	96	0
13 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	2	99	0
3 private 3rd party (insurer, HMO, etc)													13 reports reflected
10 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	8	2	0	0	n/a	0	13
2-4 weeks after ECT:	3	8	2	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	0	3	5	5	0	n/a	0	13
2-4 weeks after ECT:	6	6	1	0	0	0	0	13

Avg Total Treatments administered during this reporting period

2.8	37	maintenance treatments administered
0.9	12.3	average maintenance treatments per month
2.8	36	series treatments planned
2.8	36	series treatments administered
5.6	73	total number of ECT treatments administered

Status of series treatments

0 ongoing
13 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 3

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
2 White	3 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	0 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	3 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	1	90	0
3 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
3 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
3 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
3 reports reflected													

3 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	2	1	0	0	0	0	0	3
<u>Level of symptom severity present</u>								
before ECT	0	0	0	3	0	n/a	0	3
2-4 weeks after ECT:	3	0	0	0	0	0	0	3

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.3	4	maintenance treatments administered	
0.4	1.33	average maintenance treatments per month	
0.3	1	series treatments planned	1 ongoing
1.7	5	series treatments administered	1 concluded
3	9	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston 77

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
49 White	54 female	16	0	30	1	44	1	58	1	72	0	86	0
10 Black	23 male	17	0	31	0	45	3	59	1	73	1	87	0
7 Latin	77 reports reflected	18	0	32	3	46	0	60	1	74	0	88	0
9 Asian		19	1	33	1	47	2	61	1	75	0	89	1
2 Other		20	1	34	2	48	0	62	0	76	2	90	0
77 reports reflected		21	0	35	2	49	1	63	2	77	0	91	0
		22	2	36	2	50	3	64	4	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	2	65	2	79	0	93	0
75 voluntary patient consenting		24	1	38	1	52	3	66	0	80	1	94	0
0 involuntary patient consenting		25	0	39	1	53	2	67	0	81	0	95	0
2 guardian consenting for patient		26	0	40	3	54	2	68	1	82	0	96	0
77 reports reflected		27	2	41	2	55	3	69	0	83	1	97	0
		28	0	42	2	56	1	70	2	84	1	98	0
<u>Primary source of payment for ECT</u>		29	1	43	2	57	0	71	1	85	0	99	0
39 private 3rd party (insurer, HMO, etc)													77 reports reflected
36 public 3rd party (county, state, Medicaid, etc.)													
2 own/family funds													
0 other													
77 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	9	64	3	1	0	n/a	0	77
2-4 weeks after ECT:	4	63	10	0	0	0	0	77
<u>Level of symptom severity present</u>								
before ECT	0	1	8	58	10	n/a	0	77
2-4 weeks after ECT:	26	46	4	1	0	0	0	77

Avg Total Treatments administered during this reporting period

1.6	124	maintenance treatments administered
0.5	41.3	average maintenance treatments per month
3.5	268	series treatments planned
3.6	281	series treatments administered
5.3	405	total number of ECT treatments administered

Status of series treatments

6 ongoing
28 concluded
9 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at The Methodist Hospital, Houston 17

<u>Race</u>	<u>Sex</u>	<u>Age</u>												
14 White	10 female	16	0	30	0	44	0	58	1	72	0	86	0	
1 Black	7 male	17	0	31	0	45	0	59	0	73	0	87	0	
1 Latin	17 reports reflected	18	0	32	0	46	1	60	1	74	0	88	0	
1 Asian		19	0	33	0	47	1	61	0	75	0	89	0	
0 Other		20	0	34	1	48	0	62	0	76	0	90	0	
17 reports reflected		21	0	35	1	49	0	63	0	77	0	91	0	
		22	0	36	1	50	0	64	1	78	0	92	0	
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0	
17 voluntary patient consenting		24	0	38	0	52	0	66	1	80	0	94	0	
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0	
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	1	96	0	
17 reports reflected		27	1	41	0	55	0	69	1	83	0	97	0	
		28	0	42	2	56	0	70	0	84	0	98	0	
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	2	85	0	99	0	
9 private 3rd party (insurer, HMO, etc)													17 reports reflected	
7 public 3rd party (county, state, Medicaid, etc.)														
1 own/family funds														
0 other														
17 reports reflected														
													<u>Any of the following that occurred within fourteen (14) days of ECT</u>	
													0 apnea	0 reported memory loss
													0 fracture	0 death
													0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	8	8	0	1	0	n/a	0	17
2-4 weeks after ECT:	7	8	2	0	0	0	0	17
<u>Level of symptom severity present</u>								
before ECT	1	0	2	13	1	n/a	0	17
2-4 weeks after ECT:	8	6	3	0	0	0	0	17

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.9	15	maintenance treatments administered	
0.3	5	average maintenance treatments per month	
5.8	99	series treatments planned	11 ongoing
1	17	series treatments administered	6 concluded
5.8	99	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given December 1, 2006 to February 28, 2007**

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 39

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
37 White	28 female	16	0	30	1	44	0	58	1	72	2	86	1
2 Black	11 male	17	0	31	0	45	1	59	0	73	2	87	0
0 Latin	39 reports reflected	18	0	32	1	46	1	60	1	74	1	88	0
0 Asian		19	1	33	1	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	1	62	1	76	0	90	0
39 reports reflected		21	0	35	0	49	1	63	0	77	1	91	0
		22	1	36	0	50	1	64	0	78	2	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	0	79	0	93	0
39 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	2	82	0	96	0
39 reports reflected		27	0	41	1	55	1	69	0	83	1	97	0
<u>Primary source of payment for ECT</u>		28	0	42	2	56	1	70	1	84	1	98	0
14 private 3rd party (insurer, HMO, etc)		29	0	43	2	57	1	71	0	85	0	99	0
25 public 3rd party (county, state, Medicaid, etc.)													39 reports reflected
0 own/family funds													
0 other													
39 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	23	16	0	0	0	n/a	0	39
2-4 weeks after ECT:	20	19	0	0	0	0	0	39
<u>Level of symptom severity present</u>								
before ECT	0	6	9	18	6	n/a	0	39
2-4 weeks after ECT:	0	17	16	6	0	0	0	39

Avg Total Treatments administered during this reporting period

2.2	87	maintenance treatments administered
0.7	29	average maintenance treatments per month
2.9	113	series treatments planned
6.7	262	series treatments administered
7.5	293	total number of ECT treatments administered

Status of series treatments

10 ongoing
12 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0 multiple monitoring treatments administered
0 EEG burst suppression--anesthetic treatment for refractory depression
0 narcotherapy using deep anesthesia
0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth 35

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
35 White	26 female	16	0	30	0	44	1	58	0	72	0	86	0
0 Black	9 male	17	0	31	1	45	0	59	2	73	0	87	0
0 Latin	35 reports reflected	18	0	32	0	46	1	60	2	74	0	88	0
0 Asian		19	0	33	0	47	3	61	0	75	0	89	0
0 Other		20	0	34	0	48	3	62	0	76	1	90	0
35 reports reflected		21	0	35	0	49	2	63	2	77	0	91	0
		22	0	36	1	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
35 voluntary patient consenting		24	0	38	1	52	1	66	1	80	1	94	0
0 involuntary patient consenting		25	0	39	0	53	2	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	1	68	0	82	0	96	0
35 reports reflected		27	0	41	0	55	1	69	2	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	1	71	0	85	0	99	0
29 private 3rd party (insurer, HMO, etc)													
6 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
35 reports reflected													
													35 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	22	12	1	0	0	n/a	0	35
2-4 weeks after ECT:	5	30	0	0	0	0	0	35
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	35	n/a	0	35
2-4 weeks after ECT:	2	23	9	1	0	0	0	35

Avg Total Treatments administered during this reporting period

0.8	29	maintenance treatments administered
0.3	9.67	average maintenance treatments per month
6.3	222	series treatments planned
4.8	167	series treatments administered
5.8	204	total number of ECT treatments administered

Status of series treatments

4 ongoing
20 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Christus Spohn Hospital Memorial, Corpus Christi 10

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
7 White	4 female	16	0	30	0	44	1	58	0	72	0	86	0
0 Black	6 male	17	0	31	0	45	0	59	0	73	0	87	0
3 Latin	10 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	1	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
10 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	1	82	0	96	0
10 reports reflected		27	1	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	1	85	0	99	0
6 private 3rd party (insurer, HMO, etc)													10 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
10 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	7	2	0	0	n/a	0	10
2-4 weeks after ECT:	1	7	2	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	0	0	0	4	6	n/a	0	10
2-4 weeks after ECT:	0	3	7	0	0	0	0	10

Avg Total Treatments administered during this reporting period

0.3	3	maintenance treatments administered
0.1	1	average maintenance treatments per month
9.4	94	series treatments planned
1	10	series treatments administered
5.2	52	total number of ECT treatments administered

Status of series treatments

3 ongoing
3 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco

11

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
9 White	6 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	5 male	17	0	31	0	45	0	59	0	73	0	87	0
2 Latin	11 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	1	62	1	76	1	90	0
11 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
11 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
11 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
<u>Primary source of payment for ECT</u>		28	1	42	0	56	0	70	0	84	0	98	0
5 private 3rd party (insurer, HMO, etc)		29	0	43	1	57	0	71	0	85	2	99	0
6 public 3rd party (county, state, Medicaid, etc.)													11 reports reflected
0 own/family funds													
0 other													
11 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	6	5	0	0	0	n/a	0	11
2-4 weeks after ECT:	10	1	0	0	0	0	0	11
<u>Level of symptom severity present</u>								
before ECT	0	0	1	7	3	n/a	0	11
2-4 weeks after ECT:	1	5	4	1	0	0	0	11

Avg Total Treatments administered during this reporting period

3	33	maintenance treatments administered
1	11	average maintenance treatments per month
3.2	35	series treatments planned
0.3	3	series treatments administered
5.6	62	total number of ECT treatments administered

Status of series treatments

8 ongoing
0 concluded
3 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso

1

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
1 White	0 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	1 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
1 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
1 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
1 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													1 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
1 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	1	0	0	0	n/a	0	1
2-4 weeks after ECT:	0	1	0	0	0	0	0	1
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	1	n/a	0	1
2-4 weeks after ECT:	0	1	0	0	0	0	0	1

Avg Total Treatments administered during this reporting period

3	3	maintenance treatments administered
1	1	average maintenance treatments per month
3	3	series treatments planned
0	0	series treatments administered
0	0	total number of ECT treatments administered

Status of series treatments

0 ongoing
0 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Laurel Ridge Hospital, San Antonio

8

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
6 White	3 female	16	0	30	0	44	1	58	0	72	0	86	0
2 Black	5 male	17	0	31	0	45	0	59	1	73	0	87	0
0 Latin	8 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	1	47	0	61	0	75	0	89	0
0 Other		20	0	34	2	48	0	62	0	76	0	90	0
8 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
8 voluntary patient consenting		24	1	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
8 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													8 reports reflected
3 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
1 other													
8 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	8	0	0	0	0	n/a	0	8
2-4 weeks after ECT:	8	0	0	0	0	0	0	8
<u>Level of symptom severity present</u>								
before ECT	0	0	0	7	1	n/a	0	8
2-4 weeks after ECT:	1	5	2	0	0	0	0	8

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
3.4	27	series treatments planned
3.9	31	series treatments administered
3.9	31	total number of ECT treatments administered

Status of series treatments

3 ongoing
2 concluded
3 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Methodist Specialty/Transplant Hosp, San Antonio 74

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
53 White	61 female	16	0	30	2	44	1	58	3	72	1	86	0
3 Black	13 male	17	0	31	0	45	2	59	1	73	0	87	0
18 Latin	74 reports reflected	18	0	32	1	46	1	60	0	74	0	88	0
0 Asian		19	0	33	2	47	1	61	3	75	0	89	0
0 Other		20	0	34	1	48	3	62	0	76	1	90	0
74 reports reflected		21	0	35	0	49	4	63	1	77	1	91	0
		22	1	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	0	79	0	93	0
72 voluntary patient consenting		24	0	38	2	52	4	66	0	80	1	94	0
2 involuntary patient consenting		25	0	39	1	53	1	67	2	81	1	95	0
0 guardian consenting for patient		26	0	40	1	54	2	68	3	82	0	96	0
74 reports reflected		27	1	41	3	55	2	69	0	83	0	97	0
		28	1	42	5	56	2	70	2	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	3	57	2	71	1	85	0	99	0
42 private 3rd party (insurer, HMO, etc)													74 reports reflected
32 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
74 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	62	11	1	0	0	n/a	0	74
2-4 weeks after ECT:	53	19	2	0	0	0	0	74
<u>Level of symptom severity present</u>								
before ECT	1	19	3	17	34	n/a	0	74
2-4 weeks after ECT:	1	47	24	2	0	0	0	74

Avg Total Treatments administered during this reporting period

1.9	138	maintenance treatments administered
0.6	46	average maintenance treatments per month
4.0	299	series treatments planned
4.5	332	series treatments administered
6.1	450	total number of ECT treatments administered

Status of series treatments

6 ongoing
43 concluded
4 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas

5

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
5 White	3 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	2 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	5 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
5 reports reflected		21	0	35	1	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	1	93	0
5 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
5 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													5 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
5 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	4 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	4	0	0	0	n/a	0	5
2-4 weeks after ECT:	1	4	0	0	0	0	0	5
<u>Level of symptom severity present</u>								
before ECT	0	0	0	5	0	n/a	0	5
2-4 weeks after ECT:	1	2	2	0	0	0	0	5

Avg Total Treatments administered during this reporting period

2	10	maintenance treatments administered
0.7	3.33	average maintenance treatments per month
5.4	27	series treatments planned
5.4	27	series treatments administered
4.4	22	total number of ECT treatments administered

Status of series treatments

2 ongoing
2 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 20

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
17 White	15 female	16	0	30	0	44	1	58	0	72	0	86	0
0 Black	5 male	17	0	31	1	45	0	59	0	73	0	87	0
2 Latin	20 reports reflected	18	0	32	1	46	0	60	0	74	0	88	0
1 Asian		19	0	33	1	47	1	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	0	90	0
20 reports reflected		21	0	35	0	49	1	63	1	77	0	91	0
		22	0	36	3	50	1	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	1	65	1	79	0	93	0
20 voluntary patient consenting		24	0	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	0	96	0
20 reports reflected		27	1	41	0	55	0	69	0	83	0	97	0
<u>Primary source of payment for ECT</u>		28	1	42	0	56	0	70	0	84	0	98	0
17 private 3rd party (insurer, HMO, etc)		29	0	43	0	57	0	71	0	85	0	99	0
2 public 3rd party (county, state, Medicaid, etc.)													20 reports reflected
1 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
0 other								0 apnea		15 reported memory loss			
20 reports reflected								0 fracture		0 death			
								0 cardiac arrest		0 autopsy obtained*			

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	19	1	0	0	n/a	0	20
2-4 weeks after ECT:	0	12	8	0	0	0	0	20
<u>Level of symptom severity present</u>								
before ECT	0	2	3	13	2	n/a	0	20
2-4 weeks after ECT:	0	15	5	0	0	0	0	20

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
2.1	41	maintenance treatments administered	
0.7	13.7	average maintenance treatments per month	
6.9	138	series treatments planned	0 ongoing
7.3	146	series treatments administered	13 concluded
7.3	146	total number of ECT treatments administered	2 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at **Scott & White Memorial Hospital, Temple** 27

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
22 White	21 female	16	0	30	0	44	2	58	1	72	1	86	0
0 Black	6 male	17	0	31	0	45	0	59	1	73	0	87	0
2 Latin	27 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
1 Asian		19	0	33	0	47	1	61	1	75	1	89	0
2 Other		20	0	34	0	48	1	62	0	76	0	90	0
27 reports reflected		21	0	35	0	49	2	63	1	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	2	79	0	93	0
27 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	2	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	1	82	0	96	0
27 reports reflected		27	0	41	0	55	2	69	2	83	1	97	0
		28	0	42	0	56	0	70	1	84	1	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	1	71	0	85	0	99	0
27 private 3rd party (insurer, HMO, etc)													27 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
27 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	24	2	1	0	0	n/a	0	27
2-4 weeks after ECT:	23	3	1	0	0	0	0	27
<u>Level of symptom severity present</u>								
before ECT	0	4	7	16	0	n/a	0	27
2-4 weeks after ECT:	1	18	8	0	0	0	0	27

Avg Total Treatments administered during this reporting period

2	54	maintenance treatments administered
0.7	18	average maintenance treatments per month
17	452	series treatments planned
6.2	167	series treatments administered
6.2	167	total number of ECT treatments administered

Status of series treatments

17 ongoing
10 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin

34

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
33 White	20 female	16	0	30	2	44	3	58	0	72	0	86	0
1 Black	14 male	17	0	31	0	45	4	59	0	73	0	87	0
0 Latin	34 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	1	47	1	61	0	75	0	89	0
0 Other		20	0	34	1	48	1	62	1	76	0	90	0
34 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	2	79	0	93	0
33 voluntary patient consenting		24	1	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	1	53	2	67	0	81	0	95	0
1 guardian consenting for patient		26	1	40	1	54	0	68	0	82	0	96	0
34 reports reflected		27	0	41	0	55	3	69	1	83	0	97	0
		28	0	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	3	71	0	85	1	99	0
19 private 3rd party (insurer, HMO, etc)													34 reports reflected
11 public 3rd party (county, state, Medicaid, etc.)													
3 own/family funds													
1 other													
34 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	23	6	1	1	n/a	0	34
2-4 weeks after ECT:	1	21	11	0	1	0	0	34
<u>Level of symptom severity present</u>								
before ECT	0	12	3	14	5	n/a	0	34
2-4 weeks after ECT:	2	14	17	1	0	0	0	34

Avg Total Treatments administered during this reporting period

2.0	69	maintenance treatments administered
0.7	23	average maintenance treatments per month
4.7	160	series treatments planned
6.6	224	series treatments administered
6.5	222	total number of ECT treatments administered

Status of series treatments

12 ongoing
11 concluded
8 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at St. David's Pavilion, Austin

10

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
10 White	7 female	16	0	30	0	44	0	58	0	72	1	86	0
0 Black	3 male	17	0	31	0	45	0	59	0	73	1	87	2
0 Latin	10 reports reflected	18	0	32	0	46	0	60	0	74	1	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
10 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	1	96	0
10 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	1	99	0
0 private 3rd party (insurer, HMO, etc)													10 reports reflected
10 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
10 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	9	0	0	0	n/a	0	10
2-4 weeks after ECT:	1	9	0	0	0	0	0	10
<u>Level of symptom severity present</u>								
before ECT	0	4	5	1	0	n/a	0	10
2-4 weeks after ECT:	6	3	1	0	0	0	0	10

Avg Total Treatments administered during this reporting period

2	20	maintenance treatments administered
0.7	6.67	average maintenance treatments per month
1.6	16	series treatments planned
1.1	11	series treatments administered
3.6	36	total number of ECT treatments administered

Status of series treatments

0 ongoing
9 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	BEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at St. Joseph Hospital, Houston 5

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	4 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	5 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
1 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	1	90	0
5 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
5 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	1	39	0	53	0	67	1	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
5 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
1 private 3rd party (insurer, HMO, etc)													5 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
5 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	0	0	4	1	n/a	0	5
2-4 weeks after ECT:	5	0	0	0	0	0	0	5
<u>Level of symptom severity present</u>								
before ECT	0	0	0	4	1	n/a	0	5
2-4 weeks after ECT:	5	0	0	0	0	0	0	5

Avg Total Treatments administered during this reporting period

0.4	2	maintenance treatments administered
0.1	0.67	average maintenance treatments per month
3.4	17	series treatments planned
3.2	16	series treatments administered
4.6	23	total number of ECT treatments administered

Status of series treatments

0 ongoing
3 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 12

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
9 White	6 female	16	0	30	0	44	0	58	0	72	0	86	0
2 Black	6 male	17	0	31	0	45	1	59	0	73	0	87	0
1 Latin	12 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	1	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	1	76	0	90	0
12 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	0	79	0	93	0
9 voluntary patient consenting		24	1	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
3 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
12 reports reflected		27	0	41	0	55	1	69	1	83	0	97	0
		28	0	42	0	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	0	71	1	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													12 reports reflected
12 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
12 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	11	0	0	0	n/a	0	12
2-4 weeks after ECT:	1	11	0	0	0	0	0	12
<u>Level of symptom severity present</u>								
before ECT	0	5	6	1	0	n/a	0	12
2-4 weeks after ECT:	0	5	6	1	0	0	0	12

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.4	17	maintenance treatments administered	
0.5	5.67	average maintenance treatments per month	
2.5	30	series treatments planned	7 ongoing
8.3	100	series treatments administered	4 concluded
8.3	100	total number of ECT treatments administered	0 stopped
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>			
0		multiple monitoring treatments administered	
0		EEG burst suppression--anesthetic treatment for refractory depression	
0		narcotherapy using deep anesthesia	
0		magnetic seizure therapy	

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston

78

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
55 White	58 female	16	0	30	1	44	0	58	1	72	0	86	0
9 Black	20 male	17	0	31	1	45	4	59	2	73	1	87	0
6 Latin	78 reports reflected	18	0	32	1	46	1	60	2	74	0	88	0
8 Asian		19	3	33	4	47	2	61	3	75	0	89	1
0 Other		20	0	34	0	48	1	62	1	76	2	90	0
78 reports reflected		21	0	35	2	49	1	63	0	77	1	91	0
		22	1	36	2	50	2	64	3	78	0	92	0
<u>Hospital admission status</u>		23	1	37	2	51	1	65	2	79	0	93	0
76 voluntary patient consenting		24	1	38	1	52	6	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	2	67	0	81	0	95	0
2 guardian consenting for patient		26	0	40	0	54	2	68	0	82	0	96	0
78 reports reflected		27	1	41	2	55	2	69	0	83	1	97	0
		28	1	42	3	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	3	71	0	85	1	99	0
49 private 3rd party (insurer, HMO, etc)													78 reports reflected
28 public 3rd party (county, state, Medicaid, etc.)													
1 own/family funds													
0 other													
78 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	9	50	17	2	0	n/a	0	78
2-4 weeks after ECT:	10	62	6	0	0	0	0	78
<u>Level of symptom severity present</u>								
before ECT	0	1	5	67	5	n/a	0	78
2-4 weeks after ECT:	35	40	2	1	0	0	0	78

Avg Total Treatments administered during this reporting period

1.5	120	maintenance treatments administered
0.5	40	average maintenance treatments per month
2	154	series treatments planned
2.8	221	series treatments administered
4.4	341	total number of ECT treatments administered

Status of series treatments

15 ongoing
17 concluded
5 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at The Methodist Hospital, Houston 20

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
15 White	12 female	16	0	30	0	44	0	58	0	72	0	86	0
2 Black	8 male	17	0	31	0	45	0	59	0	73	1	87	0
3 Latin	20 reports reflected	18	1	32	0	46	0	60	0	74	0	88	0
0 Asian		19	1	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	1	76	1	90	0
20 reports reflected		21	1	35	2	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
20 voluntary patient consenting		24	0	38	0	52	0	66	1	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	1	96	0
20 reports reflected		27	2	41	0	55	0	69	1	83	1	97	0
		28	0	42	1	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	2	85	0	99	0
10 private 3rd party (insurer, HMO, etc)													20 reports reflected
10 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
20 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	5	12	2	0	1	n/a	0	20
2-4 weeks after ECT:	5	14	1	0	0	0	0	20
<u>Level of symptom severity present</u>								
before ECT	0	0	1	15	4	n/a	0	20
2-4 weeks after ECT:	8	10	2	0	0	0	0	20

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>
1.4	28	maintenance treatments administered
0.5	9.33	average maintenance treatments per month
5.5	109	series treatments planned
1	20	series treatments administered
6.1	121	total number of ECT treatments administered

Status of series treatments

13 ongoing
6 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0 multiple monitoring treatments administered
0 EEG burst suppression--anesthetic treatment for refractory depression
0 narcotherapy using deep anesthesia
0 magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given March 1, 2007 to May, 2007**

Number of patients, reported quarterly, to have received ECT at **Zale Lipshy University Hospital, Dallas** 44

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
43 White	31 female	16	0	30	0	44	1	58	2	72	2	86	2
0 Black	13 male	17	0	31	0	45	1	59	0	73	3	87	0
0 Latin	44 reports reflected	18	0	32	1	46	2	60	3	74	2	88	0
1 Asian		19	1	33	2	47	3	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
44 reports reflected		21	0	35	1	49	0	63	1	77	0	91	0
		22	2	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
43 voluntary patient consenting		24	0	38	1	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
1 guardian consenting for patient		26	1	40	1	54	0	68	1	82	0	96	0
44 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	3	42	1	56	1	70	0	84	2	98	0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	0	71	0	85	0	99	0
24 private 3rd party (insurer, HMO, etc)													44 reports reflected
20 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
44 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	21	23	0	0	0	n/a	0	44
2-4 weeks after ECT:	19	25	0	0	0	0	0	44
<u>Level of symptom severity present</u>								
before ECT	0	4	13	27	0	n/a	0	44
2-4 weeks after ECT:	0	18	21	5	0	0	0	44

Avg Total Treatments administered during this reporting period

2.5	108	maintenance treatments administered
0.8	36	average maintenance treatments per month
5.3	233	series treatments planned
7.5	331	series treatments administered
7.5	331	total number of ECT treatments administered

Status of series treatments

9 ongoing
18 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at **Baylor All Saints Medical Centers, Fort Worth** 33

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
32 White	23 female	16	0	30	0	44	0	58	1	72	1	86	0
0 Black	10 male	17	0	31	0	45	0	59	1	73	0	87	0
0 Latin	33 reports reflected	18	0	32	0	46	0	60	2	74	0	88	0
1 Asian		19	0	33	1	47	1	61	0	75	1	89	0
0 Other		20	0	34	1	48	2	62	1	76	0	90	0
33 reports reflected		21	0	35	0	49	2	63	0	77	0	91	0
		22	0	36	5	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	1	65	0	79	0	93	0
33 voluntary patient consenting		24	0	38	0	52	1	66	2	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	2	68	0	82	1	96	0
33 reports reflected		27	0	41	0	55	1	69	2	83	0	97	0
		28	0	42	1	56	0	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
26 private 3rd party (insurer, HMO, etc)													
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
33 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

33 reports reflected

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	21	12	0	0	0	n/a	0	33
2-4 weeks after ECT:	6	26	1	0	0	0	0	33
<u>Level of symptom severity present</u>								
before ECT	0	0	0	2	31	n/a	0	33
2-4 weeks after ECT:	2	18	13	0	0	0	0	33

Avg Total Treatments administered during this reporting period

1.3	44	maintenance treatments administered
0.4	14.7	average maintenance treatments per month
5.9	196	series treatments planned
4.4	144	series treatments administered
5.7	188	total number of ECT treatments administered

Status of series treatments

2 ongoing
12 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at **Christus Spohn Hospital Memorial, Corpus Christi** 6

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
4 White	3 female	16	0	30	0	44	1	58	0	72	1	86	0
0 Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0
2 Latin	6 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	0	76	0	90	0
6 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
6 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
6 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
2 private 3rd party (insurer, HMO, etc)													6 reports reflected
4 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
6 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	3	1	1	0	n/a	0	6
2-4 weeks after ECT:	1	4	1	0	0	0	0	6
<u>Level of symptom severity present</u>								
before ECT	0	0	1	2	3	n/a	0	6
2-4 weeks after ECT:	0	5	1	0	0	0	0	6

Avg Total Treatments administered during this reporting period

0.2	1	maintenance treatments administered
0.06	0.33	average maintenance treatments per month
10	61	series treatments planned
1	6	series treatments administered
7.5	45	total number of ECT treatments administered

Status of series treatments

0 ongoing
6 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at Green Oaks Behavioral Network, Dallas 28

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
28 White	21 female	16	0	30	0	44	0	58	2	72	1	86	0
0 Black	7 male	17	0	31	2	45	1	59	0	73	1	87	0
0 Latin	28 reports reflected	18	0	32	0	46	1	60	2	74	1	88	0
0 Asian		19	0	33	0	47	1	61	0	75	1	89	0
0 Other		20	0	34	1	48	1	62	0	76	0	90	0
28 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	1	37	0	51	1	65	1	79	0	93	0
28 voluntary patient consenting		24	0	38	2	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	0	82	0	96	0
28 reports reflected		27	0	41	1	55	0	69	0	83	0	97	0
		28	1	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85	0	99	0
21 private 3rd party (insurer, HMO, etc.)													28 reports reflected
7 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
28 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	0	24	4	0	0	n/a	0	28
2-4 weeks after ECT:	6	5	2	0	0	15	0	28
<u>Level of symptom severity present</u>								
before ECT	0	0	0	27	1	n/a	0	28
2-4 weeks after ECT:	6	7	0	0	0	15	0	28

Avg Total Treatments administered during this reporting period

1	27	maintenance treatments administered
0.3	9	average maintenance treatments per month
7.3	205	series treatments planned
0.8	23	series treatments administered
6.1	171	total number of ECT treatments administered

Status of series treatments

16 ongoing
11 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at Methodist Specialty/Transplant Hosp, San Antonio 54

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
39 White	37 female	16	0	30	0	44	1	58	2	72	0	86	0
1 Black	17 male	17	0	31	1	45	1	59	0	73	0	87	0
14 Latin	54 reports reflected	18	0	32	0	46	0	60	1	74	0	88	0
0 Asian		19	0	33	1	47	2	61	2	75	0	89	0
0 Other		20	0	34	2	48	1	62	0	76	0	90	0
54 reports reflected		21	1	35	1	49	2	63	0	77	2	91	0
		22	1	36	0	50	2	64	0	78	1	92	0
<u>Hospital admission status</u>		23	0	37	2	51	0	65	0	79	0	93	0
53 voluntary patient consenting		24	1	38	2	52	3	66	0	80	1	94	0
0 involuntary patient consenting		25	0	39	1	53	0	67	2	81	1	95	0
1 guardian consenting for patient		26	0	40	2	54	2	68	1	82	0	96	0
54 reports reflected		27	0	41	0	55	3	69	1	83	0	97	0
		28	1	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	2	71	2	85	0	99	0
34 private 3rd party (insurer, HMO, etc)													
20 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
54 reports reflected													
													54 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	31	20	3	0	0	n/a	0	54
2-4 weeks after ECT:	14	37	3	0	0	0	0	54
<u>Level of symptom severity present</u>								
before ECT	0	14	6	12	22	n/a	0	54
2-4 weeks after ECT:	0	36	14	3	1	0	0	54

Avg Total Treatments administered during this reporting period

2.4	131	maintenance treatments administered
0.8	43.7	average maintenance treatments per month
3.1	166	series treatments planned
3.4	182	series treatments administered
5.5	299	total number of ECT treatments administered

Status of series treatments

2 ongoing
27 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas 14

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
13 White	10 female	16	0	30	1	44	0	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	14 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
1 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
14 reports reflected		21	0	35	1	49	0	63	0	77	1	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	1	93	0
14 voluntary patient consenting		24	0	38	0	52	0	66	1	80	1	94	1
0 involuntary patient consenting		25	0	39	0	53	1	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	2	82	0	96	0
14 reports reflected		27	0	41	1	55	0	69	0	83	0	97	0
		28	0	42	0	56	1	70	1	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													
10 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
14 reports reflected													
													14 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	8 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	6	7	1	0	0	n/a	0	14
2-4 weeks after ECT:	4	8	2	0	0	0	0	14
<u>Level of symptom severity present</u>								
before ECT	0	0	0	12	2	n/a	0	14
2-4 weeks after ECT:	1	10	1	2	0	0	0	14

Avg Total Treatments administered during this reporting period

0.9	13	maintenance treatments administered
0.3	4.33	average maintenance treatments per month
5.4	76	series treatments planned
4.9	68	series treatments administered
4.9	68	total number of ECT treatments administered

Status of series treatments

5 ongoing
6 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson 13

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
12 White	10 female	16	0	30	0	44	2	58	0	72	0	86	0
0 Black	3 male	17	0	31	1	45	0	59	0	73	0	87	0
1 Latin	13 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
13 reports reflected		21	0	35	1	49	0	63	1	77	0	91	0
		22	1	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
13 voluntary patient consenting		24	0	38	0	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	0	68	0	82	0	96	0
13 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	0	42	1	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	0	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													13 reports reflected
2 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
13 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	9 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	0	3	9	0	n/a	0	13
2-4 weeks after ECT:	1	6	6	0	0	0	0	13
<u>Level of symptom severity present</u>								
before ECT	0	2	3	8	0	n/a	0	13
2-4 weeks after ECT:	1	7	5	0	0	0	0	13

Avg Total Treatments administered during this reporting period

1.6	21	maintenance treatments administered
0.5	7	average maintenance treatments per month
5.3	69	series treatments planned
6.1	79	series treatments administered
6.1	79	total number of ECT treatments administered

Status of series treatments

1 ongoing
4 concluded
2 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at St. David's Pavilion, Austin									8
<u>Race</u>	<u>Sex</u>	<u>Age</u>							
8 White	6 female	16	0	30	0	44	0	58	0
0 Black	2 male	17	0	31	0	45	0	59	0
0 Latin	8 reports reflected	18	0	32	0	46	0	60	0
0 Asian		19	0	33	0	47	0	61	0
0 Other		20	0	34	0	48	0	62	0
8 reports reflected		21	0	35	0	49	0	63	1
		22	0	36	0	50	0	64	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1
8 voluntary patient consenting		24	0	38	0	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0
8 reports reflected		27	0	41	0	55	0	69	0
		28	0	42	0	56	0	70	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0
0 private 3rd party (insurer, HMO, etc)									
8 public 3rd party (county, state, Medicaid, etc.)									8 reports reflected
0 own/family funds									
0 other									
8 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
						0 apnea		0 reported memory loss	
						0 fracture		0 death	
						0 cardiac arrest		0 autopsy obtained*	
	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>									
before ECT	2	6	0	0	0	n/a	0	8	
2-4 weeks after ECT:	2	6	0	0	0	0	0	8	
<u>Level of symptom severity present</u>									
before ECT	0	6	2	0	0	n/a	0	8	
2-4 weeks after ECT:	7	1	0	0	0	0	0	8	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>			
2.6	21	maintenance treatments administered							
0.9	7	average maintenance treatments per month							
0	0	series treatments planned				0 ongoing			
0	0	series treatments administered				0 concluded			
2.6	21	total number of ECT treatments administered				0 stopped			
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>									
0	multiple monitoring treatments administered								
0	EEG burst suppression--anesthetic treatment for refractory depression								
0	narcotherapy using deep anesthesia								
0	magnetic seizure therapy								

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY07 Quarterly ECT Facility Summary
For Treatments Given June 1, 2007 to August, 2007**

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell 15

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
13 White	9 female	16	0	30	0	44	1	58	0	72	1	86	0
2 Black	6 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	15 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	1	48	0	62	1	76	0	90	0
15 reports reflected		21	0	35	0	49	0	63	1	77	0	91	0
		22	0	36	0	50	0	64	1	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	3	65	0	79	0	93	0
13 voluntary patient consenting		24	1	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
2 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0
15 reports reflected		27	0	41	1	55	1	69	1	83	0	97	0
		28	1	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													15 reports reflected
15 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
15 reports reflected													

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	0 reported memory loss
0 fracture	0 death
0 cardiac arrest	0 autopsy obtained*

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	6	8	1	0	0	n/a	0	15
2-4 weeks after ECT:	6	9	0	0	0	0	0	15
<u>Level of symptom severity present</u>								
before ECT	1	6	2	6	0	n/a	0	15
2-4 weeks after ECT:	3	8	2	2	0	0	0	15

Avg Total Treatments administered during this reporting period

1.1	16	maintenance treatments administered
0.4	5.33	average maintenance treatments per month
4.6	69	series treatments planned
6.4	96	series treatments administered
6.4	96	total number of ECT treatments administered

Status of series treatments

9 ongoing
4 concluded
1 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

