

# Cyclosporiasis rev Jan 2016

## BASIC EPIDEMIOLOGY

### Infectious Agent

*Cyclospora cayetanensis*, a sporulating, protozoan parasite. *Cyclospora* is an oocyst, i.e., it is protected by an outer wall making it resistant to disinfectants. It also has surface adhesions that allow it to adhere to various surfaces, e.g., leafy greens, berries, etc.

### Transmission

Transmission occurs through ingestion of oocysts in contaminated food or water.

### Incubation Period

Usually 7 days (range 2-14 days)

### Communicability

*Cyclospora* oocysts are not infectious in freshly excreted stool, making person-to-person transmission unlikely. However, indirect transmission can occur if excreted oocysts contaminate the environment and sufficient time/conditions allow them to become infectious (i.e., sporulate).

### Clinical Illness

Watery diarrhea is the predominant symptom. Low grade fever, abdominal cramps, prolonged fatigue, nausea, vomiting, anorexia, flatulence, myalgia and weight loss may also be seen. Asymptomatic infections can occur.

## DEFINITIONS

### Clinical Case Definition

An illness of variable severity caused by the protozoan parasite *Cyclospora cayetanensis*. The most common symptom is watery diarrhea. Other common symptoms include loss of appetite, weight loss, abdominal cramps/bloating, nausea, body aches, and fatigue. Vomiting and low grade fever also may be noted. Relapses and asymptomatic infections can occur.

### Laboratory Confirmation

- Detection, in symptomatic or asymptomatic persons, of *Cyclospora*:
  - Oocysts in stool by microscopic examination, or in intestinal fluid/aspirate or intestinal biopsy specimens, OR
  - Demonstration of sporulation, or DNA (by PCR) in stool, intestinal fluid/aspirate or intestinal biopsy specimens

### Case Classifications

- **Confirmed:** A laboratory-confirmed case with or without clinical symptoms
- **Probable:** A clinically compatible case that is epidemiologically linked to a confirmed case

## SURVEILLANCE AND CASE INVESTIGATION

### Case Investigation

Local and regional health departments should promptly investigate all reports of cyclosporiasis. Investigations should include an interview of the case or a surrogate to get a detailed exposure history. Please use the Cyclosporiasis Investigation Form available on the DSHS website: <http://www.dshs.state.tx.us/idcu/investigation/>.

### Case Investigation Checklist

- Confirm laboratory results meet the case definition.
- Review medical records or speak to an infection preventionist or healthcare provider to verify case definition, identify possible risk factors and describe course of illness.
- Interview the case to get detailed food history and risk factor information.
  - Use the **Cyclosporiasis Investigation Form** to record information from the interview.
  - If the case is not available or is a child, conduct the interview with a surrogate who would have the most reliable information on the case, such as a parent or guardian.
  - Provide education to the case or his/her surrogate about effective hand washing, food safety practices, and ways to prevent transmission to others. See Prevention and Control Measures.
- Fax completed forms to DSHS EAIDB at **512-776-7616** or email securely to an EAIDB foodborne epidemiologist.
  - For lost to follow-up (LTF) cases, please complete as much information obtained from medical/laboratory records (e.g., demographics, symptomology, onset date, etc.) on investigation form and fax/email securely to DSHS EAIDB noting case is LTF.
- Identify whether there is a public health concern: persons should not work as food handlers, child-care or health care workers, or attend child-care as long as they have diarrhea. See Exclusions.
- If case is part of an outbreak or cluster, see Managing Special Situations section.
- All confirmed and probable case investigations must be entered and submitted for notification in the NEDSS Base System (NBS). Please refer to the *NBS Data Entry Guidelines* for disease specific entry rules.

### Prevention and Control Measures

- Routine hand washing with soap and warm water, especially:
  - Before preparing, handling or eating any food.
  - After going to the bathroom.
  - After changing a diaper.
  - After caring for someone with diarrhea.
- Thoroughly wash fruits and vegetables; however, this practice does not eliminate the risk of *Cyclospora*.
- When traveling internationally to areas with poor sanitary conditions:
  - Drink bottled water or water that has been boiled for at least 1 minute.
  - Don't drink fountain drinks or drinks with ice.
  - Don't eat fruits or vegetables that you don't peel yourself.
  - Avoid uncooked foods.
- Avoid swallowing recreational water, especially when traveling.

## Exclusions

**School/child-care:** No exclusions are specified for cyclosporiasis but the standard exclusion for diarrhea or fever applies:

- Children with diarrhea should be excluded from school/child-care until they are free from diarrhea for 24 hours without the use of diarrhea suppressing medications.
- Children with a fever from any infection should be excluded from school/child-care for at least 24 hours after fever has subsided without the use of fever suppressing medications.

**Food Employee:** No exclusions are specified for cyclosporiasis but the standard exclusion for vomiting or diarrhea applies:

- Food employees are to be excluded if symptomatic with vomiting or diarrhea until:
  - Asymptomatic for at least 24 hours without the use of diarrhea suppressing medications OR
  - Medical documentation is provided stating that symptoms are from a noninfectious condition.

Please see Guide to Excluding and Restricting Food Employees in Appendix A.

## MANAGING SPECIAL SITUATIONS

### Outbreaks

If an outbreak is suspected, notify the DSHS Emerging and Acute Infectious Disease Branch (EAIDB) at **(800) 252-8239** or **(512) 776-7676**.

The local/regional health department should:

- Interview all cases suspected as being part of the outbreak or cluster.
- Request medical records for any case in your jurisdiction that died, was too ill to be interviewed, or for whom there are no appropriate surrogates to interview.
- Prepare a line list of cases in your jurisdiction. Minimal information needed for the line list might include patient name or other identifier, DSHS or laboratory specimen identification number, specimen source, date of specimen collection, date of birth, county of residence, date of onset (if known), symptoms, underlying conditions, treatments and outcome of case, and risky foods eaten, foods eaten leading up to illness, or other risky exposures, such as animal contact and travel, reported by the case or surrogate.

Line list example:

ID	Name	Age	Sex	Ethn.	Onset	Symptoms	Food	Animal	Notes
1	NT	34	F	W/N	2/4/16	Bl. D, F	Chicken, eggs	Dog	Dog food
2	PR	2	M	U/U	1/30/16	V, D, F	Chicken, spinach	None	Brother ill

- If the outbreak was reported in association with an apparent common local event (e.g., party, conference, rodeo), a restaurant/caterer/home, or other possible local exposure (e.g., pet store, camp), contact hospitals in your jurisdiction to alert them to the possibility of additional cases.
- Work with any implicated facilities to ensure staff and students/residents/volunteers get hand hygiene education and review hygiene and sanitary practices currently in place including:

- Policies on, and adherence to, hand hygiene.
- Storage and preparation of food.
- Procedures for changing diapers and toilet training.
- Procedures for environmental cleaning.
- Recommend that anyone displaying symptoms seeks medical attention from a healthcare provider.
- Restrict individuals from handling food, engaging in child-care, healthcare work, or attending child-care, as long as they are symptomatic. See Exclusions in Case Investigation section.
- Enter outbreak into NORS at the conclusion of the outbreak investigation. See Reporting and Data Entry Requirements section.

Note:

- If a food item or food establishment is implicated, the lead epidemiologist for foodborne diseases will notify the DSHS Division of Regulatory Services about the outbreak and the possibility of a common contaminated food source for the cases.
- Decisions about testing implicated food items can be made after consultation with an EAIDB foodborne epidemiologist and the DSHS Laboratory.

## REPORTING AND DATA ENTRY REQUIREMENTS

### **Provider, School, Child-Care Facility, and General Public Reporting Requirements**

Confirmed, probable and clinically suspected cases are required to be reported **within 1 week** to the local or regional health department or the Texas Department of State Health Services (DSHS), Emerging and Acute Infectious Disease Branch (EAIDB) at **(800) 252-8239 or (512) 776-7676**.

### **Local and Regional Reporting and Follow-up Responsibilities**

Local and regional health departments should:

- Enter the case into NBS and submit an NBS notification on all **confirmed and probable** cases.
  - Please refer to the *NBS Data Entry Guidelines* for disease-specific entry rules.
  - A person with *Cyclospora* detected 2 or more times should only be counted once as a case within a 365 day timeframe (regardless of calendar year) unless additional information is available indicating a separate infection.
  - A notification can be sent as soon as the case criteria have been met. Additional information from the investigation may be entered upon completing the investigation.
- Fax completed forms to DSHS EAIDB at **512-776-7616** or email securely to an EAIDB foodborne epidemiologist.

When an outbreak is being investigated, local and regional health departments should:

- Report outbreaks within 24 hours of identification to the regional DSHS office or to EAIDB at **512-776-7676**.
- Enter outbreak information into the **National Outbreak Reporting System (NORS)** at the conclusion of the outbreak investigation.
  - For NORS reporting, the definition of an outbreak is two or more cases of similar illness associated with a common exposure.
  - The following should be reported to NORS:
    - Foodborne disease, waterborne disease, and enteric illness outbreaks

with person-to-person, animal contact, environmental contact, or an indeterminate route of transmission.

- Outbreaks as indicated above with patients in the same household.
- Enter outbreaks into NORS online reporting system at <https://wwwn.cdc.gov/nors/login.aspx>
- Forms, training materials, and other resources are available at <http://www.cdc.gov/nors/>
- To request a NORS account, please email [FoodborneTexas@dshs.state.tx.us](mailto:FoodborneTexas@dshs.state.tx.us)
  - Please put in Subject Line: NORS User Account Request
  - Information needed from requestor: name, email address, and agency name
  - After an account has been created a reply email will be sent with a username, password, and instructions for logging in.

## LABORATORY PROCEDURES

### CLINICAL SPECIMENS:

Testing for cyclosporiasis is widely available from most private laboratories. Specimens are encouraged to be submitted to the DSHS laboratory for confirmation.

#### Specimen Collection

- Submit a stool specimen in a sterile, leak-proof container.
  - Required volume: Stool 15 g solid or 15mL liquid.
- Fresh stool that cannot be received by the lab in less than 5 hours should be placed in formalin and PVA immediately.

#### Submission Form

- Use DSHS Laboratory G-2B form for specimen submission.
- Make sure the patient's name, date of birth and/or other identifier match exactly what is written on the transport tubes and on the G-2B form.
- Fill in the date of collection and select the appropriate test.
- If submitting as part of an outbreak investigation, check “Outbreak association” and write in name of outbreak.
- Payor source:
  - Check “IDEAS” to avoid bill for submitter.

#### Specimen Shipping

Transport temperature: May be shipped at ambient temperature or 2-8°C.

- Ship specimens via overnight delivery.
- DO NOT mail on a Friday unless special arrangements have been pre-arranged with DSHS Laboratory.
- Ship specimens to:

Laboratory Services Section, MC-1947  
Texas Department of State Health Services  
Attn. Walter Douglass (512) 776-7569  
1100 West 49th Street  
Austin, TX 78756-3199

### **Causes for Rejection:**

- Specimen not in correct transport medium.
- Missing or discrepant information on form/specimen.
- Unpreserved specimen received greater than 5 hours after collection.
- Transport media was expired.
- Specimen too old.

### **FOOD SAMPLES AND ENVIRONMENTAL SWABS:**

Testing of food and environmental swabs for *Cyclospora* is NOT available at the DSHS laboratory. In outbreak and special situations, food and environmental samples may be submitted to the FDA laboratory.

For further questions, please contact an EAIDB foodborne epidemiologist to discuss further.

## **UPDATES**

- Revised the Exclusion section to provide clarity.
- Added statement regarding only counting a case once per 365 days in the Reporting and Data Entry Requirements section.
- Expanded the NORS sub-section in the Reporting and Data Entry Requirements section to include the NORS outbreak definition and the types of outbreaks that should be reported in NORS.
- Expanded the Laboratory Procedures section to include additional information regarding clinical specimen testing and testing of food and environmental swabs for *Cyclospora*.