


# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume


(C) Comment on the report submitted by the hospital  
page=1



# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume


(C) Comment on the report submitted by the hospital  
page=2



# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital  
page=3




# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital

page=4




# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital

page=5




# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital


page=6



# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume


(C) Comment on the report submitted by the hospital  
page=7



# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital  
page=8



# ABDOMINAL AORTIC ANEURYSM (AAA) REPAIR VOLUME, 2009

Better quality may be associated with greater volume

(C) Comment on the report submitted by the hospital  
page=9

