

Appendix A. Denominators Used in Calculating Prevalence: Texas Resident Live Births, 2000-2009

Year	Breakdown		Texas Resident Live Births	
			Total	Males *
2000 through 2009, combined	Overall		3,858,741	1,972,266
	By Mother's Age	Less than 20 years	536,474	274,883
		20 to 24 years	1,079,740	551,027
		25 to 29 years	1,035,209	529,574
		30 to 34 years	778,866	397,624
		35 to 39 years	353,769	180,984
		40 or more years	74,343	38,012
		Unknown	340	162
	By Mother's Race/Ethnicity	White non-Hispanic	1,383,817	709,918
		Black non-Hispanic	430,764	219,249
		Hispanic	1,887,494	962,518
		Other non-Hispanic	151,673	78,014
		Unknown	4,993	2,567
	By Sex of Infant	Male	1,972,266	1,972,266
		Female	1,886,475	(NA)
	By Region of Mother's Residence at Delivery	Region 01	127,797	65,195
		Region 02	74,612	38,307
		Region 03	1,038,503	531,721
		Region 04	146,523	75,036
Region 05		101,837	52,226	
Region 06		928,874	474,276	
Region 07		416,529	212,898	
Region 08		375,648	191,864	
Region 09		86,488	44,290	
Region 10		146,085	74,344	
Region 11		415,845	212,109	
2000	Overall		363,325	185,591
2001	Overall		365,092	186,774
2002	Overall		372,369	190,162
2003	Overall		377,374	192,581
2004	Overall		381,441	195,024
2005	Overall		385,537	197,491
2006	Overall		399,309	204,037
2007	Overall		407,453	208,222
2008	Overall		405,242	207,508
2009	Overall		401,599	204,876

* Male live births were the denominators for calculating the prevalence of hypospadias.