

Appendix A. Denominators Used in Calculating Prevalence: Texas Resident Live Births, 1999-2008

Year	Breakdown		Texas Resident Live Births	
			Total	Males *
1999 through 2008, combined	Overall		3,806,299	1,945,841
	By Mother's Age	Less than 20 years	538,534	275,909
		20 to 24 years	1,070,642	546,343
		25 to 29 years	1,019,564	521,930
		30 to 34 years	762,017	389,201
		35 to 39 years	343,776	175,745
		40 or more years	71,377	36,529
		Unknown	389	184
	By Mother's Race/Ethnicity	White non-Hispanic	1,387,934	711,834
		Black non-Hispanic	424,964	216,452
		Hispanic	1,844,103	940,757
		Other non-Hispanic	144,255	74,198
		Unknown	5,043	2,600
	By Sex of Infant	Male	1,945,841	1,945,841
		Female	1,860,458	(NA)
	By Region of Mother's Residence at Delivery	Region 01	126,702	64,649
		Region 02	74,631	38,277
		Region 03	1,024,522	524,758
		Region 04	145,266	74,333
Region 05		101,193	51,828	
Region 06		910,297	464,722	
Region 07		408,186	208,743	
Region 08		371,162	189,403	
Region 09		85,237	43,728	
Region 10		146,074	74,327	
Region 11		413,029	211,073	
1999	Overall		349,157	178,451
2000	Overall		363,325	185,591
2001	Overall		365,092	186,774
2002	Overall		372,369	190,162
2003	Overall		377,374	192,581
2004	Overall		381,441	195,024
2005	Overall		385,537	197,491
2006	Overall		399,309	204,037
2007	Overall		407,453	208,222
2008	Overall		405,242	207,508

* Male live births were the denominators for calculating the prevalence of hypospadias.