

Appendix A. Denominators Used in Calculating Prevalence: Texas Resident Live Births, 1999-2007

Year	Breakdown		Texas Resident Live Births	
			Total	Males *
1999 through 2007 <sup>†</sup> , combined	Overall		3,401,125	1,738,358
	By Mother's Age	Less than 20 years	483,445	247,515
		20 to 24 years	960,480	490,133
		25 to 29 years	908,796	465,146
		30 to 34 years	680,232	347,399
		35 to 39 years	304,686	155,707
		40 or more years	63,117	32,282
		Unknown	369	176
	By Mother's Race/Ethnicity	White non-Hispanic	1,249,939	641,001
		Black non-Hispanic	379,138	193,004
		Hispanic	1,641,282	837,029
		Other non-Hispanic	125,955	64,860
		Unknown	4,811	2,464
	By Sex of Infant	Male	1,738,358	1,738,358
		Female	1,662,753	(NA)
		Unknown	14	(NA)
	By Region of Mother's Residence at Delivery	Region 01	113,445	57,858
Region 02		66,969	34,302	
Region 03		916,442	469,454	
Region 04		130,102	66,670	
Region 05		90,701	46,382	
Region 06		810,550	413,691	
Region 07		362,902	185,555	
Region 08		331,343	168,860	
Region 09		75,821	38,888	
Region 10		131,671	67,064	
Region 11		371,179	189,634	
1999	Overall		349,157	178,451
2000	Overall		363,325	185,591
2001	Overall		365,092	186,774
2002	Overall		372,369	190,162
2003	Overall		377,374	192,581
2004	Overall		381,441	195,024
2005	Overall		385,537	197,491
2006	Overall		399,309	204,037
2007 <sup>†</sup>	Overall		407,521	208,247

\* Male live births were the denominators for calculating the prevalence of hypospadias.

<sup>†</sup> Live birth data for 2007 are provisional.