


2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who used heroin one or more times during their life



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who used methamphetamines one or more times during their life



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who had sexual intercourse



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who had sexual intercourse for the first time before age 13



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who had sexual intercourse with four or more people during their life



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who had sexual intercourse with one or more people during the past three months



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who have ever had sexual intercourse but have not had sexual intercourse during the past three months



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Of students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Of students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Of students who had sexual intercourse during the past three months, the percentage who used birth control pills during last sexual intercourse



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who had been pregnant or gotten someone pregnant one or more times



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who are at risk for becoming overweight



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who are overweight



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who described themselves as slightly or very overweight



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who were trying to lose weight



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey


Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey

Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days



2001 YOUTH RISK BEHAVIOR SURVEY RESULTS

Texas High School Survey

Percentage of students who drank 100% fruit juices one or more times during the past seven days

