



Continuum Of Care



Social
Determinants of
Health

Routine Testing

Dropping out of
Care: Risk Profile




PrEP

Linkage: 5
conversations

Viral
Suppression:
Toolkit


Treatment Cascade, Texas 2014

Linkage to Care, 2014




Linked in 3 months^^	3491	81%
Linked in 4-12 months	300	7%
Not Linked	495	12%

^^ No. of newly diagnosed PLWH who were linked to medical care within 3 months of their HIV Dx.



Treatment Cascade, Texas 2014


	PLWH		At least one visit		Retained in Care		% retained if any care	Suppressed		% suppressed of those retained
	#	%	#	%	#	%	%	#	%	%
All PLWH	80,073	100%	61,299	77%	55,940	70%	91%	45,231	56%	81%
Female	17,350	22%	13,481	78%	12,252	71%	91%	9,517	55%	78%
Male	62,723	78%	47,818	76%	43,688	70%	91%	35,714	57%	82%
White	22,184	28%	17,907	81%	16,694	75%	93%	14,327	65%	86%
Black	29,895	37%	22,285	75%	19,802	66%	89%	14,862	50%	75%
Hispanic	24,607	31%	18,273	74%	16,850	68%	92%	13,998	57%	83%
<=24	4,273	5%	3,313	78%	2,592	61%	78%	1,825	43%	70%
25 - 44	34,680	43%	25,960	75%	23,012	66%	89%	17,792	51%	77%
>= 45	41,120	51%	32,026	78%	30,336	74%	95%	25,614	62%	84%
MSM	46,842	58%	36,373	78%	33,146	71%	91%	27,773	59%	84%
IDU	8,828	11%	6,409	73%	5,871	67%	92%	4,302	49%	73%
Heterosexual	19,059	24%	14,408	76%	13,113	69%	91%	10,373	54%	79%



Proportion Linked to Care*

- $\leq 78\%$
- 79% - 83%
- $\geq 84\%$


Statewide Average = 81%



Proportion Retained in Care*

- ≤ 67%
- 68% - 72%
- ≥ 73%

Statewide Average = 70%



Proportion Virally Suppressed*


- ≤ 53%
- 54% - 58%
- ≥ 59%

Statewide Average = 56%

Linkage to Care Within 3 Months of Diagnosis



City of Houston Linked to Care Within 3 Months of Diagnosis 2014

ZIP Code area percent
linked to care



Statewide linked to
care within 3 months
of diagnosis= 81%

Source: Texas eHARS, 2015.





City of Dallas Linked to Care Within 3 Months of Diagnosis 2014

ZIP Code area percent linked to care

- 97% - 100%
- 80% - 96%
- < 80%
- Not shown
- Correctional institution
- Care

Statewide linked to
care within 3 months
of diagnosis= 81%

Source: Texas eHARS, 2015.



Risk - New HIV Diagnoses


Numerator: 5-year (2010-2014) new HIV diagnosis among the adult/adolescent population

Denominator: 2010 census population aged 13 years and older

City of Dallas Risk of HIV Diagnosis Adolescents/Adults 2010-2014



ZIP Code 5-year risk of HIV diagnosis

(Per 100,000 population of
adolescents/adults in 2010)



Statewide risk = 159 per 100,000

Sources: Texas eHARS, 2015.
U.S. Census Bureau, 2010 Census.



Ryan White Service Categories

Health Education/Risk Reduction (HE/RR)



Outreach



Ryan White Service Categories

Health Education/Risk Reduction (HE/RR)

- Health Education: providing HIV+ clients information about available medical services, psychosocial support and counseling services
- Risk Reduction: providing HIV+ clients education on HIV transmission, and how to reduce the risk of transmission to other people (including Treatment as Prevention – TasP)
- Can be provided in conjunction with other services (such as case management) if the client has a need.
- Can be used at various points of the client’s pathway, but especially during the initial linkage period, or re-engagement if the client has been out of care.

Outreach

- Identify people who don’t know their status, and assist them to get into care
- Identify people who know their status and not in care, and assist them to get into care
- Coordinate with clinicians and case managers to identify clients who have dropped out of care to find them and re-engage them