Texas School Survey of Substance Use Among Students: Grades 7-12

2008

by Liang Y. Liu, Ph.D.
Decision Support Unit
Mental Health and Substance Abuse Services

TEXAS
Department of
State Health Services

Contents

Executive Summary ……... 1

Appendices …… 9

Appendix A. Survey Instrument …….…. 9

Appendix B. Prevalence Tables (Border and Non-Border Students Combined) …... 18

Appendix C. Alcohol Tables …….. 49

Appendix D. Tobacco Tables …….…….....……. 54

Appendix E. Problem Indicator Tables …….. 57

Appendix F. Extracurricular Activity Prevalence Tables ……... 75

Appendix G. Survey Size and Border School Participants ……. 80

Appendix H. Border Prevalence Tables ……..… 84

Appendix I. Non-Border Prevalence Tables ……. 89

Appendix J. Over-the-Counter and Prescription-Type Drug Prevalence Tables ..… 94

© April 2010, Texas Department of State Health Services (DSHS), Austin, Texas. DSHS grants full permission to reproduce and distribute any part of this document for non-commercial use. Appropriate credit is appreciated. DSHS Substance Abuse Services provides educational materials on substance use, develops prevention, intervention, and treatment programs, and conducts studies on the problems of substance use in Texas.

Mental Health and Substance Abuse Services
Texas Department of State Health Services
PO Box 149347 ◆ Austin, Texas 78714-9347
909 W. 45th Street ◆ Austin, Texas 78751
(512) 206-5000 ◆ (866) 378-8440
Web site: http://www.dshs.state.tx.us/sa/

Texas School Survey of Substance Use Among Students: Grades 7-12 2008

Executive Summary

Introduction

In the spring of 2008, the Texas Department of State Health Services, in conjunction with the Public Policy Research Institute at Texas A&M University, conducted the eleventh biennial statewide Texas School Survey of Substance Use among secondary school students. Some 98,898 students in grades 7-12 from 62 school districts were asked to report on their use of alcohol, tobacco, inhalants, illicit drugs, and over-the-counter and prescription-type drugs, as well as student attitudes, extracurricular involvement, sources of information, and other related behaviors.

The questionnaire was in a format that could be optically scanned, similar to that used for standardized testing. It was designed for confidential self-administration by students with the aid of a staff member who distributed and collected survey forms, read a common set of instructions, and monitored the class during survey administration. A new question regarding recency of use of methamphetamine was added in the 2008 survey. Also, four types of popularly prescribed drugs, such as OxyContin, Vicodin, Valium, and Xanax were first queried in the 2008 survey. A copy of the survey instrument can be found in Appendix A.

Weights were applied to adjust the sample to reflect more accurately the actual demographic composition of the Texas secondary school population. Because the Texas School Survey is based on a very large sample, the estimates have a high degree of statistical precision relative to most published survey research that employs similar cluster sampling. For estimates regarding the secondary school population as a whole, the 95 percent confidence interval was at most plus or minus 2.3 percent for lifetime alcohol use. Actual confidence intervals on most substances were much smaller (as little as plus or minus 0.1 percent for heroin use). However, where rates were presented for subgroups of the secondary school population (e.g., by grade, gender, ethnic group, etc.), the sampling error was greater because the sub-samples contained fewer observations.

Students were randomly selected from school districts throughout the state using a multi-stage probability design. This involved sampling districts, schools within districts, and classrooms within schools. All students in a sampled classroom were asked to participate in the survey. Also as part of the survey, schools along the Texas-Mexico border were over-sampled so that substance use among border students could be examined in detail. The 2008 state survey sample included a total of 32,500 secondary students from 17 school districts located in border counties (see Table G2 for the list of the border school districts). Prevalence tables for border students are presented in Appendix H for reference. The comparison group of students was the 66,398 secondary students who lived in one of the other 45 school districts elsewhere in Texas. Appendix I contains prevalence tables from the non-border school districts. The statewide prevalence data presented in Appendix B and Appendix J include both border and non-border students.

Patterns of Substance Use

- Overall substance use among youths has decreased in the last decade, driven by reductions in tobacco and alcohol use (Figure 1 and Figure 2).

Figure 1. Percentage of Texas Secondary Students Who Had Ever Used Selected Substances: 1988-2008



Figure 2. Percentage of Texas Secondary Students Who Had Used Selected Substances in the Past Month: 1988-2008



*Use of "any illicit drug" includes any use of marijuana, cocaine, crack, hallucinogens, uppers, downers, Ecstasy, Rohypnol, methamphetamine, or heroin.

- Forty-five percent of Texas secondary students in 2008 reported using alcohol, tobacco, inhalants, steroids, or illicit drugs during the past school year, including the past month; 65 percent reported using some type of substance in their lifetime.
- The five substances most widely used by young people in Texas were alcohol, tobacco, marijuana, inhalants, and powder cocaine.

Licit Drugs:

- **Alcohol** continues to be the most widely used substance among secondary school students with 63 percent in 2008 reporting they had used alcohol at some point in their lives, down from 66 percent in 2006 and 81 percent in 1990. Past-month alcohol use also decreased from 31.5 percent in 2006 to 30.4 percent in 2008. Beer was the most popular alcoholic beverage among past-month drinkers, followed by liquor (Table C1).
- More than one in five eighth graders had a drink in the past month and nearly half of twelfth graders were current drinkers.
- **Binge drinking**, defined as having five or more drinks at one time in the past month, was reported by 20.6 percent of students in grades 7-12, down from 21.9 percent two years ago.
- Over one-fifth of the binge drinkers, almost one in twenty secondary students, were **frequent binge drinkers;** that is, they binged six or more days in the past month (Table C3).
- Past-month use of **tobacco** (cigarettes or/and smokeless tobacco) fell again, from 15.2 percent in 2006 to 12.9 percent in 2008. Lifetime tobacco use fell 10 percent between 2006 and 2008 to 31.7 percent.
- Lifetime use of cigarettes in 2008 was 30.1 percent and past-month use was 11.5 percent. For smokeless tobacco, lifetime use was 9.6 percent and past-month use 3.8 percent (Table D1).
- Seniors were five times more likely than seventh graders to smoke cigarettes or/and use smokeless tobacco in the past month.
- Lifetime **inhalant** use in 2008 was 9.3 percent and the past month use was 2.7 percent. Unlike other substances, younger students reported higher use of inhalants than older students. It is noted that due to wording change of inhalant questions in the 2008 survey, the 2008 inhalant use cannot be compared to those in previous surveys.

Illicit Drugs:

- **Marijuana** remained the most commonly used illegal drug among 7-12 graders. About 25 percent in 2008 reported having smoked marijuana in their lives, down from 26 percent in 2006. Past-month use of marijuana was 10 percent in 2008, compared to 11 percent in 2006. The 2008 prevalence rates were still higher than the lowest rates in 1992.
- Among students who smoked marijuana, blunt cigars were the most common way to smoke, followed by joints, pipes, and bongs or water pipes.
- About 6.8 percent of Texas teens reported lifetime use of **cocaine/crack**, and 2.2 percent reported past-month use. Both rates were down from 2006, with older students reporting larger decreases in past-month use.
- Use of **Ecstasy** remained stable between 2006 and 2008, with lifetime use at 5.1 percent and past-month use at 1.8 percent.
- While lifetime use of **hallucinogens** decreased from 4.7 percent in 2006 to 4.4 percent in 2008, secondary students reported a slight increase in past-month use of that drug (from 1.4 percent in 2006 to 1.5 percent in 2008).
- Use of **methamphetamine** (speed, crystal meth, ice, or crank) was first reported in the 2008 secondary school survey. About 3.5 percent reported lifetime use of methamphetamine and 0.8 percent reported past-month use.
- **Rohypnol** is known by street names such as roches, roofies, or roach. Lifetime use of Rohypnol showed a notable decrease from 1998 (6.7 percent) to 2008 (2.4 percent).
- Lifetime use of **steroids** remained stable at 1.5 percent in 2008 as in 2006. Only 0.5 percent reported past-month use of steroids.
- Lifetime use of **heroin** was reported at 1.4 percent among all secondary students in 2008, with past-month use at 0.5 percent.
- 5.2 percent of secondary students in 2008 were considered **heavy drug users**, those who used illicit drugs on a daily or weekly basis. The rate was slightly down from 5.6 percent in 2006.

Over-the-Counter or Prescription-Type Drugs:

- About 6.8 percent of secondary students in 2008 said they had ever taken **DXM** (dextromethorphan)**, Triple C's, Skittles,** or **Coricidin** nonmedically in their lifetime, a 35 percent increase from 2006 (5.0 percent). Past-month use also showed an increase from 1.7 percent in 2006 to 2.3 percent in 2008.
- Much of the increase in DXM nonmedical use from 2006 to 2008 was attributable to more use by seventh and eighth graders.
- In the 2008 survey, 5.2 percent of Texas teens reported using **codeine cough syrup** nonmedically in their lifetime, and 1.8 percent did so in the past month. Both prevalence rates showed a decrease between 2006 and 2008.
- Two commonly abused narcotic prescription drugs, **oxycodone** (OxyContin, Percodan, or Percocet) and **hydrocodone** (Vicodin, Lortab, or Lorcet), were first measured in the 2008 secondary school survey. About 3.0 percent reported using oxycodone products nonmedically in their lifetime, and 6.3 percent using hydrocodone products nonmedically in their lifetime.
- Seniors were seven to nine times more likely than seventh graders to report nonmedical use of oxycodone or hydrocodone products.
- Also two popularly prescribed anti-anxiety drugs, **Valium** and **Xanax**, were first queried in the 2008 secondary school survey. About 3.5 percent of secondary students in Texas reported using Valium nonmedically in their lifetime, and 12.7 percent reported using Xanax nonmedically in their lifetime.

Comparisons to the National Survey:

- Texas eighth, tenth, and twelfth graders in 2008 were more likely to report lifetime use of cigarettes, alcohol, cocaine, Ecstasy, and methamphetamine than their peers nationally (2008 Monitoring the Future study[1]). These patterns held for past-month use between the national and state surveys, except for the use of cigarettes and methamphetamine among eighth graders.
- Texas students were less likely to report marijuana use than their counterparts nationally, except for the lifetime prevalence rates among eighth and tenth graders.
- National prevalence levels were higher for smokeless tobacco among eighth and tenth graders, and for steroids among seniors.

Demographic Correlates of Use

- Prevalence use increased linearly by grade for most substances except for inhalants, where students in grades 7-8 reported higher use of inhalants than did students in the upper grades.
- Girls (64 percent) in 2008 reported a higher rate of lifetime alcohol use than boys (62 percent), although both girls and boys reported similar rates in past-month drinking at 30 percent.
- Boys were more likely to have a higher prevalence use of tobacco and most illicit drugs, except for lifetime use in uppers and methamphetamine.
- Inhalants and beer were the first substances tried by Texas secondary school students.
- About 51 percent of secondary students reported first using alcohol before age 13, 42 percent reported initiating tobacco use before age 13, and 28 percent reported first use of marijuana before age 13.
- Hispanic youths in 2008 reported higher rates of lifetime and past-month use of alcohol, inhalants, marijuana, cocaine/crack, Rohypnol, and heroin, and higher lifetime rate of tobacco use than Anglos and African Americans.
- Anglo students, on the other hand, were more likely than Hispanics and African Americans to report using prescription drugs (except for Xanax) nonmedically.
- Since 1998, past-month use of marijuana has decreased substantially among all three ethnic groups, with the most decrease from Anglo students.
- In terms of regional differences, students from the border schools reported higher lifetime and past-month use of tobacco, inhalants, cocaine, crack, and Rohypnol, and higher current use of alcohol than students living elsewhere in the state.

Figure 3. Percentage of Border and Non-Border Secondary Students Who Had Ever Used Powder Cocaine or Crack, by Grade: 2008



[1] Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (December 11, 2008). "Various stimulant drugs show continuing gradual declines among teens in 2008, most illicit drugs hold steady." University of Michigan News Service: Ann Arbor, MI. Retrieved 01/15/2009 from http://www.monitoringthefuture.org

- The difference in cocaine or/and crack use between border and non-border students was more pronounced in the upper grades (Figure 3). And, border students were three times more likely to report Rohypnol use than non-border students.
- Non-border students, in contrast, were more likely than students in the border area to report nonmedical use of over-the-counter and prescription-type drugs.
- Students making poor grades were more likely to use substances, although this survey did not collect information to determine whether poor grades are a cause or a consequence of substance use. For example, students who earned C's or lower reported past-month use of any illicit drug at 22 percent, compared to 9 percent among students making A's and B's.
- Adolescents who lived with both of their parents were less likely to use substances than those who lived in other family structure.
- Students who had jobs during the school year were more likely to use substances than students who did not have jobs.
- Students with college-educated parents were less likely to use substances.
- Students who had resided in the school district three years or less were more likely to use substances than students who lived there longer.

Protective and Risk Factors Related to Substance Use

Peers' Substance Use and Behaviors:

- While 25 percent of the students in 2008 reported ever having used marijuana, they estimated that 48 percent of their close friends had ever used marijuana (Table E1). This overestimation may be a factor in increased drug use because students may be more likely to use a drug if they believe (incorrectly or not) that most other students use drugs.
- Substance users were less likely than non-users to report that all or most of their friends felt close to their parents or cared about making good grades. On the other hand, substance users were more likely than non-users to say that all or most of their friends carried weapons, belonged to a gang, or wished to drop out of school.
- About 32 percent of seniors reported that alcohol was always consumed at parties they attended in the past school year, whereas only 3 percent of seventh graders said so. The use of marijuana and/or other drugs at parties were less common, but still frequent (Table E3).

Perceived Availability of Substances:

- Students said that alcohol, tobacco, and inhalants were easier to obtain than other substances (Table E4). Compared to 2006, fewer students perceived the easy availability of tobacco, inhalants, and most illicit drugs in 2008.
- The survey asked students how often they got alcoholic beverages from various sources. Parties were still the major source of alcoholic beverages for youth, with friends as the second most common source. Fewer teens got alcohol directly from stores.
- About 63 percent of past-month drinkers said they always/most of the time obtained alcohol at parties, compared to 54 percent said so from friends and 18 percent said so from stores.
- Border students were more likely than non-border students to perceive that cocaine, crack, and Rohypnol were very easy to obtain.

Perceived Danger of Substance Use:

- Alcohol and tobacco were thought to be the least threatening substances to use. Only 44 to 50 percent of secondary students in 2008 thought alcohol or tobacco was very dangerous to use,

and 60 percent thought marijuana was very dangerous to use. Some 82 to 87 percent believed that cocaine, crack, heroin, and methamphetamine were very dangerous to use (Table E5).

- The perceived danger of substance use varies among grade levels, which reflects the expanding variety of drugs to which older students have been exposed.
- Youths who believed that substances were dangerous to use were less likely to actually use them. Only 2 percent of secondary students who thought marijuana was very dangerous to use had actually used it in the past month; whereas, 48 percent of those who believed marijuana was not dangerous at all had used it.
- Over time, the trend in perceived danger of substances corresponds with the shifts in students' prevalence use of substances (Figure 4).

Figure 4. Percentage of Texas Secondary Students Saying Marijuana Was Very Dangerous to Use and Very Easy to Obtain Compared to Past-Month Use of Marijuana: 1988-2008



Perceived Parental Attitudes:

- Youths who said that their parents disapproved of teens their age using substances were less likely to use these substances.
- Only 25 percent of all secondary students whose parents strongly or mildly disapproved of their drinking alcohol actually drank in the past month before the 2008 survey, compared to 63 percent of those whose parents strongly or mildly approved.
- As students get older, their parents are less likely to disapprove of the students' drinking alcohol or using tobacco, although parental attitudes toward marijuana use do not change much as the students age (Table E6).

Parental Attendance at School Events:

- Students who had used substances were less likely to report parental attendance at school events than non-users.
- Parental attendance at school events may indicate to their children that they are cared for and supported and may help prevent substance use by their children.

Perceived Safety of the Environment:

- Less than 2 percent of secondary students in 2008 reported their homes were not very safe or not safe at all, while 11 percent felt unsafe in their neighborhoods and 13 percent felt unsafe at school (Table E7).
- Substance users said they felt less secure in their homes, neighborhoods, and schools than non-users. For instance, 33 percent of students who had ever drunk alcohol felt very safe at school, compared to 42 percent of non-drinkers.

Extracurricular Activities:

- Participation in extracurricular activities could be a protective factor. Students who participated in such activities reported lower use of substances than did those who did not participate, although the levels of use varied among different activity groups (Table F1-F4).
- The 18 percent of secondary students who participated in school band/orchestra reported the lowest prevalence use of tobacco, alcohol, marijuana, and other illicit drugs.
- About 58 percent of students participated in more than one extracurricular activities. And younger students, girls, Anglo students, and non-border students were more likely to participate in multiple extracurricular activities.

Alcohol- and Drug-Related Problems

- About 7 to 8 percent of secondary students in 2008 reported having trouble with their friends or said they were criticized by someone they were dating because of their drinking behavior (Table E9).
- Students who missed class or had conduct problems in school were more likely to have used alcohol or drugs. Marijuana users in 2008 reported having school conduct problems on an average of 5.8 days in the school year as compared to 1.7 days for non-users.
- During the past school year, 8 percent of secondary school students went to school drunk, and 9 percent went to school high on marijuana on at least one occasion.
- More students in the upper grades said they had trouble with the law because of alcohol consumption (Table E10).

Driving While Drunk or High from Drugs:

- About 11 percent of students in grades 9 through 12 admitted they had driven a car after having had ‘a good bit to drink’ at least once in the past year, and 19 percent of seniors said so (Table E11).
- Some 9 percent of students in grades 9 through 12 reported having driven when they were high from drugs, and 15 percent of seniors said so.
- The percentage of all seniors who reported driving after having a good bit to drink has continuously decreased since 1988. In contrast, the percentage of seniors who reported driving while high from drugs was at its lowest level at 8 percent in 1992 and increased to the peak level of 18 percent during 1998-2004, then decreased again in the past two years (Figure 5).

Figure 5. Percentage of Texas Seniors Who Had Driven While Drunk or High from Drugs: 1988-2008



Sources of Information and Assistance for Substance Problems

- The percentage of secondary school students who reported receiving substance abuse information from any school source has continued to drop since 1990 (Table E12).
- Fifty-two percent of secondary students in 2008 reported receiving information on drugs or alcohol from TV, radio, or other audio/video, 49 percent said they got the information from their parents, and 46 percent got the information from books, magazines, or posters.
- The most often-reported sources of help-seeking intentions were friends for all grades, except the seventh graders who said they would most likely to go to their parents for help with a substance problem (Table E13).
- About 8 percent of all secondary students (11 percent of border students and 7 percent of non-border students) in 2008 said they had sought help, other than from family or friends, since school began for problems related to their substance use.
- Although substance use increased with grade level, seniors were the least likely to have sought help for substance problems.

Appendix A

Survey Instrument

Bindery Fold Bindery Fold

Bindery Cut Bindery Cut

TEXAS SCHOOL SURVEY OF SUBSTANCE USE

SECONDARY SURVEY INSTRUMENT

2008 VERSION

INTRODUCTION

Before answering the survey questions in this booklet, please read the following:

- I am aware that the survey questions I am answering are designed to measure drug and alcohol use in my school district and the state of Texas, that I will be asked questions about student attitudes and behaviors that relate to substance abuse issues, and that over 300,000 students all over Texas will be taking this survey;
- I know that I do not have to take this survey and that I can skip any question that I do not choose to answer for any reason without any consequences;
- I know that there is no way for anyone to find out which survey that I answered, that the numbers on the questionnaire books are used only to identify which pages go together after the booklets are cut and cannot be used to tell who answered the questions; and
- I am voluntarily participating in the *Texas School Survey of Drug and Alcohol Use.*

If you feel you need to talk with someone about problems with tobacco, inhalants, alcohol or drugs, counselors from the Worker's Assistant Program of Texas are available by calling this toll free number: 1-877-9-NO-DRUG (1-877-966-3784).

PROOF

This research study has been reviewed and approved by the Institutional Review Board --- Human Subjects in Research, Texas A&M University. For research-related questions regarding subjects' rights, the Institutional Review Board may be contacted through Ms. Angelia Raines, Director of Research Compliance, Office of the Vice President for Research at (979) 458-4067 or email at araines@vprmail.tamu.edu.

DIRECTIONS

- DO NOT write your name anywhere on this booklet.
- Use a NUMBER 2 PENCIL only.
- Fill in only ONE BUBBLE for each part of a question.
- Be sure to read each question carefully.

FOR OFFICE USE ONLY

0	0	0	0	0	0
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9

EXAMPLE QUESTION

IN THE PAST WEEK, on how many DAYS have you used:

	Never heard of it	Not used it	1-2 days	3-4 days	5-7 days
a. Cigarettes	○	○	○	○	●
b. Smokeless Tobacco	○	○	●	○	○
c. Beer	○	●	○	○	○

CORRECT MARK ● INCORRECT MARKS ✓ ✗ ⊙ ◒

○○○

1. Are you:

Male ○ Female ○

2. What grade are you in?

7 ○ 8 ○ 9 ○ 10 ○ 11 ○ 12 ○

3. Do you live with both of your parents?

Yes ○ No ○

4. How old are you?

11 or younger ○ 12 ○ 13 ○ 14 ○ 15 ○ 16 ○ 17 ○ 18 ○ 19+ ○

5. Are you:

White ○ African American ○ Mexican American ○ Asian American ○ Native American ○ Other ○

6. On average what grades do you get?
(DARKEN ONE BUBBLE ONLY)

Mostly A's ○ Mostly B's ○ Mostly C's ○ Mostly D's ○ Mostly F's ○

7. How long have you attended school in this District?

1 year or less ○ 2-3 years ○ 4 or more years ○

8. Do you have a job?

Yes ○ No ○

9. Do you get an allowance?

Yes ○ No ○

10. Did either of your parents graduate from college?

Yes ○ No ○ Don't Know ○

11. During the current school year, do you qualify for a free or reduced price school lunch?

○ Yes

○ No

○ Don't Know

PROOF

12. Do you regularly participate in any of the following extra-curricular activities? (DARKEN ONE BUBBLE FOR EACH LINE: a-m.)

	Yes	No	
a.	◯	◯	School Athletics
b.	◯	◯	School Band/Orchestra
c.	◯	◯	School Choir
d.	◯	◯	Drama, Speech, or Art Clubs
e.	◯	◯	Drill Team or Cheerleading Squad
f.	◯	◯	Student Government
g.	◯	◯	Student Newspaper or Yearbook
h.	◯	◯	Academic Clubs or Societies (math, science, foreign language, etc.)
i.	◯	◯	Academic Competition Groups (UIL, science bowl, etc.)
j.	◯	◯	Service Clubs at School (Key Club, Peer Mediators, PALS)
k.	◯	◯	Other School Clubs or Student Groups
l.	◯	◯	Athletic Teams OUTSIDE of School
m.	◯	◯	Other Clubs or Groups OUTSIDE of School

13. How safe do you feel when you are:
(DARKEN ONE BUBBLE FOR EACH LINE: a-c.)

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Don't Know
a. in your home	◯	◯	◯	◯	◯
b. out in your neighborhood	◯	◯	◯	◯	◯
c. at school	◯	◯	◯	◯	◯

14. How many of your FRIENDS would you say:
(DARKEN ONE BUBBLE FOR EACH LINE: a-e.)

	None	A Few	Some	Most	All
a. Feel close to their parents?	◯	◯	◯	◯	◯
b. Sometimes carry weapons like a knife or gun?	◯	◯	◯	◯	◯
c. Care about making good grades?	◯	◯	◯	◯	◯
d. Belong to a gang or are interested in becoming a gang member?	◯	◯	◯	◯	◯
e. Wish they could drop out of school?	◯	◯	◯	◯	◯

PROOF

15. Do one or both of your parents usually attend school-sponsored open houses or PTA meetings? ◯ Yes ◯ No

16. How recently, if ever, have you used the following TOBACCO, ALCOHOL, and INHALANT products even one time:
(DARKEN ONE BUBBLE FOR EACH LINE: a-g.)

	Never heard of/ Never used it	Used at least once In the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Cigarettes?	◯	◯	◯	◯
b. Smokeless Tobacco?	◯	◯	◯	◯
c. Beer?	◯	◯	◯	◯
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	◯	◯	◯	◯
e. Wine?	◯	◯	◯	◯
f. Liquor (vodka, rum, whiskey, etc.)?	◯	◯	◯	◯
g. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	◯	◯	◯	◯

17. How recently, if ever, have you used the following DRUGS even one time:
(DARKEN ONE BUBBLE FOR EACH LINE: a-k.)

	Never heard of/ Never used it	Used at least once In the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Marijuana?	◯	◯	◯	◯
b. Cocaine (not crack)?	◯	◯	◯	◯
c. Crack?	◯	◯	◯	◯
d. Oxaril?	◯	◯	◯	◯
e. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	◯	◯	◯	◯
f. Uppers?	◯	◯	◯	◯
g. Downers?	◯	◯	◯	◯
h. Rohypnol (roches, roofies, etc.)?	◯	◯	◯	◯
i. Steroids?	◯	◯	◯	◯
j. Ecstasy?	◯	◯	◯	◯
k. Heroin (black tar, cheese, chiva, brown heroin)?	◯	◯	◯	◯

Bindery Fold Bindery Fold

Bindery Cut Bindery Cut

SERIAL

PLEASE DO NOT WRITE IN THIS AREA

18. IN THE PAST 30 DAYS, how many times, if any, have you used:
(DARKEN ONE BUBBLE FOR EACH LINE: a-f.)

	Never heard of/ Not used it	1 - 2 Times	3 - 10 Times	11+ Times
a. Tobacco?	○	○	○	○
b. Alcohol?	○	○	○	○
c. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	○	○	○	○
d. Marijuana?	○	○	○	○
e. Cocaine (not crack)?	○	○	○	○
f. Crack?	○	○	○	○

19. About how many of your close friends use:
(DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Never heard of/ None	A few	Some	Most	All
a. Cigarettes?	○	○	○	○	○
b. Smokeless Tobacco?	○	○	○	○	○
c. Beer?	○	○	○	○	○
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	○	○	○	○	○
e. Wine?	○	○	○	○	○
f. Liquor (vodka, rum, whiskey, etc.)?	○	○	○	○	○
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	○	○	○	○	○
h. Marijuana?	○	○	○	○	○

20. If you wanted some, how difficult would it be to get:
(DARKEN ONE BUBBLE FOR EACH LINE: a-r.)

	Never heard of it	Impossible	Very difficult	Somewhat difficult	Somewhat easy	Very easy
a. Cigarettes?	○	○	○	○	○	○
b. Smokeless Tobacco?	○	○	○	○	○	○
c. Beer?	○	○	○	○	○	○
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	○	○	○	○	○	○
e. Wine?	○	○	○	○	○	○
f. Liquor (vodka, rum, whiskey, etc.)?	○	○	○	○	○	○
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	○	○	○	○	○	○
h. Marijuana?	○	○	○	○	○	○
i. Cocaine (not crack)?	○	○	○	○	○	○
j. Crack?	○	○	○	○	○	○
k. Oxaril?	○	○	○	○	○	○
l. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	○	○	○	○	○	○
m. Uppers?	○	○	○	○	○	○
n. Downers?	○	○	○	○	○	○
o. Rohypnol (roches, roofies, etc.)?	○	○	○	○	○	○
p. Steroids?	○	○	○	○	○	○
q. Ecstasy?	○	○	○	○	○	○
r. Heroin (black tar, cheese, chiva, brown heroin)?	○	○	○	○	○	○

21. How old were you when you first used:
(DARKEN ONE BUBBLE FOR EACH LINE: a-r.)

	Never used it	9 or younger	10	11	12	13	14	15	16	17	18 or older
a. Cigarettes?	○	○	○	○	○	○	○	○	○	○	○
b. Smokeless Tobacco?	○	○	○	○	○	○	○	○	○	○	○
c. Beer?	○	○	○	○	○	○	○	○	○	○	○
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	○	○	○	○	○	○	○	○	○	○	○
e. Wine?	○	○	○	○	○	○	○	○	○	○	○
f. Liquor (vodka, rum, whiskey, etc.)?	○	○	○	○	○	○	○	○	○	○	○
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	○	○	○	○	○	○	○	○	○	○	○
h. Marijuana?	○	○	○	○	○	○	○	○	○	○	○
i. Cocaine (not crack)?	○	○	○	○	○	○	○	○	○	○	○
j. Crack?	○	○	○	○	○	○	○	○	○	○	○
k. Oxaril?	○	○	○	○	○	○	○	○	○	○	○
l. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	○	○	○	○	○	○	○	○	○	○	○
m. Uppers?	○	○	○	○	○	○	○	○	○	○	○
n. Downers?	○	○	○	○	○	○	○	○	○	○	○
o. Rohypnol (roches, roofies, etc.)?	○	○	○	○	○	○	○	○	○	○	○
p. Steroids?	○	○	○	○	○	○	○	○	○	○	○
q. Ecstasy?	○	○	○	○	○	○	○	○	○	○	○
r. Heroin (black tar, cheese, chiva, brown heroin)?	○	○	○	○	○	○	○	○	○	○	○

PROOF

Press Cut Bindery Fold Press Cut Bindery Fold

Press Cut Press Cut

Bindery Fold Bindery Fold

Bindery Cut Bindery Cut

SERIAL # ○○○○○○○○○○○○○○○○○○○○○○○○

PLEASE DO NOT WRITE IN THIS AREA

22. How often do you normally use:
(DARKEN ONE BUBBLE FOR EACH LINE: a-r.)

	Never used it	Every day	Several times a week	Several times a month	About once a month	About once a year	Less than once a year
a. Cigarettes?	○	○	○	○	○	○	○
b. Smokeless Tobacco?	○	○	○	○	○	○	○
c. Beer?	○	○	○	○	○	○	○
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	○	○	○	○	○	○	○
e. Wine?	○	○	○	○	○	○	○
f. Liquor (vodka, rum, whiskey, etc.)?	○	○	○	○	○	○	○
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	○	○	○	○	○	○	○
h. Marijuana?	○	○	○	○	○	○	○
i. Cocaine (not crack)?	○	○	○	○	○	○	○
j. Crack?	○	○	○	○	○	○	○
k. Oxaril?	○	○	○	○	○	○	○
l. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	○	○	○	○	○	○	○
m. Uppers?	○	○	○	○	○	○	○
n. Downers?	○	○	○	○	○	○	○
o. Rohypnol (roches, roofies, etc.)?	○	○	○	○	○	○	○
p. Steroids?	○	○	○	○	○	○	○
q. Ecstasy?	○	○	○	○	○	○	○
r. Heroin (black tar, cheese, chiva, brown heroin)?	○	○	○	○	○	○	○

23. When you drink alcoholic beverages, how many drinks do you usually have AT ONE TIME, on average:
(DARKEN ONE BUBBLE FOR EACH LINE: a-d.)

	Never drink this beverage	12 or more drinks	9 - 11 drinks	5 - 8 drinks	3 - 4 drinks	2 drinks	1 drink	Less than 1 drink
a. Beer	○	○	○	○	○	○	○	○
b. Wine Coolers (hard lemonade, hard sodas, etc.)	○	○	○	○	○	○	○	○
c. Wine	○	○	○	○	○	○	○	○
d. Liquor (vodka, rum, whiskey, etc.)	○	○	○	○	○	○	○	○

24. IN THE PAST 30 DAYS, on how many days have you had 5 or more drinks of alcohol AT ONE TIME?

	Never had 5 or more drinks at one time	None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
a. Alcohol	○	○	○	○	○	○	○

25. How often do you get alcoholic beverages from the following sources?
(DARKEN ONE BUBBLE FOR EACH LINE: a-e.)

	Do Not Drink	Never	Seldom	Most of the time	Always
a. At home	○	○	○	○	○
b. From friends	○	○	○	○	○
c. From a store	○	○	○	○	○
d. At parties	○	○	○	○	○
e. Other source	○	○	○	○	○

26. How often do you use marijuana in the following ways?
(DARKEN ONE BUBBLE FOR EACH LINE: a-e.)

	Never	Seldom	Half the time	Most of the time	Always	Don't Know
a. Joints	○	○	○	○	○	○
b. Blunts	○	○	○	○	○	○
c. Bongs or water pipes	○	○	○	○	○	○
d. Pipes	○	○	○	○	○	○
e. Other ways	○	○	○	○	○	○

PROOF

Bindery Fold Press Cut

Bindery Fold Press Cut

Press Cut Press Cut

27. How recently, if ever, have you used methamphetamine (speed, crystal meth, ice, or crank) even one time?	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Methamphetamine (speed, crystal meth, ice, or crank)	○	○	○	○

28. How recently, if ever, have you taken the following PRESCRIPTION DRUGS only for the experience or feeling it caused even one time: (DARKEN ONE BUBBLE FOR EACH LINE: a-e.)	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Codeine cough syrup (Lean, Nods, AC/DC)?	○	○	○	○
b. OxyContin, Percodan, or Percocet?	○	○	○	○
c. Vicodin, Lortab, or Lorcet?	○	○	○	○
d. Valium or Diazepam?	○	○	○	○
e. Xanax or Alprazolam?	○	○	○	○

29. How recently, if ever, have you taken the following OVER-THE-COUNTER DRUGS only for the experience or feeling it caused even one time:	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. DXM, Triple C's, Skittles, or Coricidin?	○	○	○	○

30. How dangerous do you think it is for kids your age to use: (DARKEN ONE BUBBLE FOR EACH LINE: a-j.)	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not Dangerous At All	Don't Know
a. Tobacco?	○	○	○	○	○
b. Alcohol?	○	○	○	○	○
c. Inhalants (whiteout, spray paint, glue, gas, etc.)?	○	○	○	○	○
d. Marijuana?	○	○	○	○	○
e. Cocaine (not crack)?	○	○	○	○	○
f. Crack?	○	○	○	○	○
g. Ecstasy?	○	○	○	○	○
h. Steroids?	○	○	○	○	○
i. Heroin (black tar, cheese, chiva, brown heroin)?	○	○	○	○	○
j. Methamphetamine?	○	○	○	○	○

PROOF

31. SINCE SCHOOL BEGAN IN THE FALL, on how many DAYS have you. . . (DARKEN ONE BUBBLE FOR EACH LINE: a-g.)	None	1-3 days	4-9 days	10+ days
a. missed a whole day of school because you "skipped" or "cut"?	○	○	○	○
b. missed a whole day of school because you were ill?	○	○	○	○
c. missed a whole day of school for some other reason?	○	○	○	○
d. been sent by a teacher to someone like the Principal, Dean, or Guidance Counselor because of your conduct or attitude?	○	○	○	○
e. had someone from your home be called to school because of your conduct or attitude?	○	○	○	○
f. gotten into trouble with your teachers because of your drinking?	○	○	○	○
g. gotten into trouble with your teachers because of your drug use?	○	○	○	○

32. DURING THE PAST 12 MONTHS, how many times (if any) have you... (DARKEN ONE BUBBLE FOR EACH LINE: a-h.)	None	1-3 times	4-9 times	10+ times
a. gotten into difficulties of any kind with your friends because of your drinking?	○	○	○	○
b. driven a car when you've had a good bit to drink?	○	○	○	○
c. been criticized by someone you were dating because of drinking?	○	○	○	○
d. gotten into trouble with the police because of drinking?	○	○	○	○
e. gotten into difficulties of any kind with your friends because of your drug use?	○	○	○	○
f. driven a car when you've felt high from drugs?	○	○	○	○
g. been criticized by someone you were dating because of drug use?	○	○	○	○
h. gotten into trouble with the police because of drug use?	○	○	○	○

33. SINCE SCHOOL BEGAN IN THE FALL, on how many DAYS (if any) have you attended at least one class while "high," "drunk" or "stoned" on. . .
(DARKEN ONE BUBBLE FOR EACH LINE: a-d.)

	None	1-3 days	4-9 days	10+ days
a. beer, wine coolers, wine, or hard liquor?	○	○	○	○
b. marijuana?	○	○	○	○
c. inhalants?	○	○	○	○
d. some other drug(s)?	○	○	○	○

34. Alcohol or other drugs are sometimes used at teenage parties. Thinking of the parties you attended this school year. . .
(DARKEN ONE BUBBLE FOR EACH LINE: a-b.)

	Never	Seldom	Half the time	Most of the time	Always	Don't Know	Didn't attend any parties
a. how often was alcohol used?	○	○	○	○	○	○	○
b. how often were marijuana and/or other drugs used?	○	○	○	○	○	○	○

35. SINCE SCHOOL BEGAN IN THE FALL, have you sought help, other than from family or friends, for problems in any way connected with your use (if any) of alcohol, marijuana, or other drugs? Yes ○ No ○

36. If you had a drug or alcohol problem and needed help, who would you go to?
(DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Yes	No
a. A counselor or program in school?	○	○
b. Another adult in school (such as a nurse or teacher)?	○	○
c. A counselor or program outside of school?	○	○
d. Your parents?	○	○
e. A medical doctor?	○	○
f. Your friends?	○	○
g. Another adult (such as relative, clergyman, or other family friend)?	○	○
h. I wouldn't go to anyone.	○	○

37. SINCE SCHOOL BEGAN IN THE FALL, have you gotten any information on drugs or alcohol from the following SCHOOL sources?
(DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Yes	No
a. A school health class?	○	○
b. An assembly program at school?	○	○
c. A school guidance counselor?	○	○
d. A science class?	○	○
e. A social study class?	○	○
f. A student group or club meeting at school?	○	○
g. An invited school guest?	○	○
h. Another source at school?	○	○

38. SINCE SCHOOL BEGAN IN THE FALL, have you gotten any information on drugs or alcohol from the following sources?
(DARKEN ONE BUBBLE FOR EACH LINE: a-d.)

	Yes	No
a. A website or online chat group?	○	○
b. Books, magazines, posters, or pamphlets?	○	○
c. TV, radio, or other audio/video?	○	○
d. Your parents?	○	○

39. How do your parents feel about kids your age. . . (DARKEN ONE BUBBLE FOR EACH LINE: a-c.)

	Strongly Disapprove	Mildly Disapprove	Neither Approve nor Disapprove	Mildly Approve	Strongly Approve	Don't Know
a. using tobacco?	○	○	○	○	○	○
b. drinking alcohol?	○	○	○	○	○	○
c. using marijuana?	○	○	○	○	○	○

40. IN THE PAST SCHOOL YEAR, have you been tested for drug use by someone at school? ○ Yes ○ No

41. IN THE PAST YEAR, have you purchased a Texas Lottery ticket? ○ Yes ○ No

PROOF

Bindery Fold Bindery Fold

Bindery Cut Bindery Cut

SUPPLEMENTAL SURVEY QUESTIONS

S-1 A	S-2 A	S-3 A	S-4 A	S-5 A	S-6 A	S-7 A	S-8 A	S-9 A	S-10 A
B	B	B	B	B	B	B	B	B	B
C	C	C	C	C	C	C	C	C	C
D	D	D	D	D	D	D	D	D	D
E	E	E	E	E	E	E	E	E	E
F	F	F	F	F	F	F	F	F	F
G	G	G	G	G	G	G	G	G	G
H	H	H	H	H	H	H	H	H	H
I	I	I	I	I	I	I	I	I	I
J	J	J	J	J	J	J	J	J	J

S-11 A	S-12 A	S-13 A	S-14 A	S-15 A	S-16 A	S-17 A	S-18 A	S-19 A	S-20 A
B	B	B	B	B	B	B	B	B	B
C	C	C	C	C	C	C	C	C	C
D	D	D	D	D	D	D	D	D	D
E	E	E	E	E	E	E	E	E	E
F	F	F	F	F	F	F	F	F	F
G	G	G	G	G	G	G	G	G	G
H	H	H	H	H	H	H	H	H	H
I	I	I	I	I	I	I	I	I	I
J	J	J	J	J	J	J	J	J	J

S-21 A	S-22 A	S-23 A	S-24 A	S-25 A	S-26 A	S-27 A	S-28 A	S-29 A	S-30 A
B	B	B	B	B	B	B	B	B	B
C	C	C	C	C	C	C	C	C	C
D	D	D	D	D	D	D	D	D	D
E	E	E	E	E	E	E	E	E	E
F	F	F	F	F	F	F	F	F	F
G	G	G	G	G	G	G	G	G	G
H	H	H	H	H	H	H	H	H	H
I	I	I	I	I	I	I	I	I	I
J	J	J	J	J	J	J	J	J	J

PROOF

THANK YOU FOR BEING PART OF THIS IMPORTANT PROJECT

Press Cut Bindery Fold

Press Cut Bindery Fold

SERIAL #

PLEASE DO NOT WRITE IN THIS AREA

Mark Reflex® forms by Pearson MM96596-10 ... Printed in U.S.A.

Press Cut Press Cut

Appendix B

Prevalence Tables
(Border and Non-Border Student Combined)

Table B1: Prevalence and Recency of Substance Use, by Grade: All Texas Secondary Students, 1988-2008

	Ever Used 1988	Ever Used 1990	Ever Used 1992	Ever Used 1994	Ever Used 1996	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1988	Past Month 1990	Past Month 1992	Past Month 1994	Past Month 1996	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Tobacco [1]	-	56.2%	54.3%	54.5%	55.2%	54.7%	51.1%	44.9%	39.4%	35.4%	31.7%	-	22.9%	20.9%	24.2%	26.2%	26.3%	22.4%	18.2%	17.0%	15.2%	12.9%
Grade 7	-	42.4%	42.8%	40.1%	41.3%	40.2%	33.0%	28.2%	23.0%	18.7%	16.6%	-	15.9%	14.8%	15.8%	17.0%	15.6%	10.9%	8.7%	6.9%	6.1%	4.8%
Grade 8	-	52.7%	50.0%	51.9%	51.9%	50.2%	45.0%	36.0%	30.6%	27.4%	22.7%	-	20.9%	17.1%	23.3%	22.6%	21.2%	17.2%	11.7%	10.5%	9.1%	6.4%
Grade 9	-	59.4%	57.5%	57.2%	57.7%	57.0%	51.8%	48.2%	38.5%	36.1%	30.0%	-	23.1%	23.1%	25.6%	27.5%	27.2%	22.6%	19.2%	15.7%	14.5%	10.7%
Grade 10	-	58.0%	58.3%	59.6%	60.1%	59.9%	57.5%	49.5%	45.2%	40.4%	36.2%	-	23.1%	21.9%	26.9%	29.6%	29.8%	25.2%	20.5%	21.2%	17.7%	15.6%
Grade 11	-	61.5%	58.6%	60.7%	61.4%	61.7%	62.4%	53.3%	50.9%	44.8%	41.3%	-	27.0%	24.1%	26.5%	30.8%	32.4%	30.5%	23.5%	24.1%	21.8%	19.0%
Grade 12	-	66.5%	62.3%	62.7%	63.3%	63.5%	62.4%	58.7%	53.6%	49.9%	47.8%	-	29.7%	26.9%	30.5%	33.6%	36.0%	32.7%	29.8%	27.9%	26.2%	24.0%
Alcohol	75.5%	81.0%	75.6%	74.1%	73.3%	72.1%	70.7%	71.0%	67.9%	65.9%	62.9%	42.8%	43.6%	37.0%	39.4%	37.3%	38.0%	36.1%	34.5%	32.6%	31.5%	30.4%
Grade 7	58.5%	68.7%	58.2%	57.6%	56.4%	54.7%	51.0%	52.8%	50.7%	47.0%	44.9%	28.0%	29.2%	23.5%	24.0%	23.1%	22.5%	19.4%	17.8%	16.8%	16.2%	16.9%
Grade 8	68.7%	76.7%	70.9%	69.3%	68.0%	66.8%	64.7%	64.0%	61.1%	59.7%	55.9%	31.6%	36.6%	30.4%	34.3%	31.6%	30.6%	29.7%	26.0%	23.6%	22.9%	22.4%
Grade 9	75.9%	81.3%	78.0%	76.2%	76.1%	74.3%	72.0%	73.7%	67.9%	67.8%	63.5%	41.0%	41.9%	38.5%	41.0%	38.2%	38.9%	36.2%	36.4%	32.5%	31.7%	29.4%
Grade 10	83.0%	85.1%	82.4%	81.1%	79.0%	78.5%	77.7%	77.3%	74.5%	72.7%	68.8%	49.2%	48.0%	41.5%	44.5%	42.1%	44.0%	41.1%	39.9%	38.8%	36.8%	34.2%
Grade 11	84.5%	87.9%	83.9%	82.8%	82.2%	81.0%	81.2%	79.2%	77.2%	75.1%	72.1%	55.1%	51.6%	44.4%	48.3%	45.7%	46.6%	46.0%	41.8%	42.0%	40.3%	38.0%
Grade 12	86.4%	90.4%	86.1%	85.5%	84.6%	82.8%	83.2%	83.4%	80.7%	77.9%	76.0%	57.5%	60.3%	49.9%	52.0%	50.8%	51.8%	50.6%	51.0%	47.4%	46.3%	45.2%
Inhalants [2]	-	-	-	-	-	-	-	-	-	-	9.3%	-	-	-	-	-	-	-	-	-	-	2.7%
Grade 7	-	-	-	-	-	-	-	-	-	-	10.7%	-	-	-	-	-	-	-	-	-	-	3.9%
Grade 8	-	-	-	-	-	-	-	-	-	-	10.6%	-	-	-	-	-	-	-	-	-	-	3.5%
Grade 9	-	-	-	-	-	-	-	-	-	-	9.4%	-	-	-	-	-	-	-	-	-	-	2.5%
Grade 10	-	-	-	-	-	-	-	-	-	-	9.6%	-	-	-	-	-	-	-	-	-	-	2.3%
Grade 11	-	-	-	-	-	-	-	-	-	-	7.7%	-	-	-	-	-	-	-	-	-	-	1.6%
Grade 12	-	-	-	-	-	-	-	-	-	-	7.1%	-	-	-	-	-	-	-	-	-	-	2.1%
Any Illicit Drug	39.1%	25.1%	22.4%	27.8%	33.7%	36.1%	33.7%	33.6%	31.5%	28.0%	26.4%	17.1%	9.5%	8.4%	13.7%	17.7%	17.0%	15.4%	16.0%	14.4%	12.6%	11.7%
Grade 7	25.0%	11.1%	11.4%	14.6%	19.0%	18.4%	14.5%	14.9%	13.2%	10.9%	11.6%	12.8%	5.6%	5.0%	7.4%	10.2%	8.5%	6.6%	6.8%	5.4%	4.8%	5.2%
Grade 8	33.0%	17.6%	15.0%	23.5%	28.4%	29.1%	24.7%	25.0%	21.3%	18.5%	16.8%	16.6%	7.7%	5.1%	12.4%	15.6%	14.2%	11.9%	10.6%	9.4%	7.8%	6.9%
Grade 9	36.0%	25.6%	23.9%	30.2%	37.3%	38.3%	33.5%	35.9%	30.6%	28.1%	25.2%	15.4%	10.3%	9.9%	15.9%	20.7%	18.7%	16.0%	18.0%	14.3%	12.7%	11.6%
Grade 10	42.9%	27.8%	28.1%	32.7%	39.0%	44.3%	40.7%	40.3%	40.0%	34.0%	32.0%	18.4%	10.0%	10.3%	16.4%	20.4%	20.9%	18.1%	20.2%	18.8%	15.7%	14.8%
Grade 11	49.1%	33.7%	29.2%	35.0%	41.5%	45.1%	48.1%	45.3%	44.1%	39.8%	37.2%	20.6%	11.2%	11.2%	15.5%	20.5%	20.7%	21.1%	21.4%	20.6%	18.3%	16.1%
Grade 12	54.3%	39.9%	31.8%	36.3%	42.5%	47.2%	48.4%	45.7%	45.5%	42.8%	39.7%	20.2%	13.5%	10.3%	16.0%	20.5%	20.8%	21.6%	21.2%	20.4%	19.2%	17.4%
Marijuana	31.5%	22.6%	19.7%	25.3%	31.2%	34.5%	32.2%	32.3%	29.8%	26.4%	24.6%	11.5%	7.8%	6.8%	12.0%	15.9%	15.2%	13.7%	14.4%	12.6%	11.0%	10.0%
Grade 7	18.8%	9.4%	9.9%	12.7%	16.6%	16.7%	13.2%	13.4%	11.7%	9.4%	9.5%	7.6%	4.6%	3.9%	6.3%	8.7%	7.1%	5.6%	5.7%	4.4%	3.9%	4.0%
Grade 8	26.6%	15.1%	11.9%	21.1%	25.5%	27.1%	23.2%	23.3%	19.3%	17.0%	14.9%	11.7%	5.9%	4.0%	10.6%	13.7%	12.4%	10.4%	9.4%	7.8%	6.9%	5.7%
Grade 9	28.1%	23.1%	21.2%	27.8%	34.9%	36.6%	31.8%	34.4%	28.9%	26.1%	23.1%	10.5%	8.2%	8.3%	14.3%	18.8%	16.9%	14.2%	15.8%	12.5%	11.0%	9.8%
Grade 10	34.4%	24.2%	24.5%	29.9%	36.1%	42.6%	39.1%	38.9%	38.3%	32.3%	30.1%	12.4%	8.1%	8.3%	14.2%	18.4%	19.0%	16.1%	18.5%	17.0%	13.4%	12.7%
Grade 11	40.7%	31.2%	26.0%	32.0%	39.1%	43.8%	46.5%	44.0%	42.3%	38.2%	35.4%	14.3%	9.7%	8.7%	13.9%	18.8%	18.8%	18.9%	19.6%	18.0%	16.2%	14.2%
Grade 12	45.7%	37.5%	29.3%	34.0%	40.5%	46.0%	47.0%	44.8%	44.4%	41.6%	38.6%	13.9%	11.5%	8.4%	14.3%	18.5%	19.0%	19.6%	19.5%	18.4%	17.3%	15.3%
Cocaine/Crack	6.7%	5.8%	5.0%	5.6%	7.1%	9.3%	9.0%	8.7%	7.9%	7.9%	6.8%	2.3%	1.6%	1.5%	1.7%	2.4%	3.5%	3.1%	3.2%	3.2%	2.9%	2.2%
Grade 7	4.0%	1.8%	2.3%	2.8%	3.6%	4.4%	3.9%	3.8%	3.2%	3.1%	2.9%	1.1%	0.8%	1.0%	1.0%	1.2%	1.7%	1.4%	1.7%	1.3%	1.0%	1.0%
Grade 8	5.2%	3.9%	3.4%	4.7%	5.6%	7.3%	6.7%	5.6%	4.8%	4.9%	4.1%	2.7%	1.5%	0.8%	1.4%	2.0%	2.9%	2.5%	2.0%	2.0%	1.7%	1.4%
Grade 9	5.0%	6.2%	6.1%	5.9%	8.0%	9.8%	8.5%	9.6%	7.1%	7.5%	6.1%	1.5%	1.5%	2.0%	2.0%	2.9%	3.8%	2.9%	3.5%	3.0%	2.9%	2.3%
Grade 10	7.0%	6.1%	6.1%	6.5%	8.1%	11.4%	10.0%	10.2%	10.0%	9.4%	8.1%	2.2%	1.4%	1.7%	2.0%	2.7%	4.2%	3.7%	4.3%	3.9%	3.4%	2.5%
Grade 11	8.8%	7.8%	5.6%	6.9%	8.5%	11.8%	14.2%	11.8%	12.0%	11.6%	9.8%	2.9%	1.6%	1.6%	2.0%	2.7%	4.5%	4.8%	4.4%	5.0%	4.3%	2.9%
Grade 12	11.6%	10.2%	7.5%	8.3%	10.6%	13.2%	13.4%	12.7%	11.9%	12.9%	11.3%	4.2%	2.9%	1.8%	2.4%	3.6%	4.6%	4.0%	3.7%	4.5%	4.5%	3.3%
Hallucinogens [3]	6.6%	4.6%	4.9%	5.9%	7.4%	7.3%	5.4%	4.5%	4.8%	4.7%	4.4%	2.4%	1.6%	1.5%	1.9%	2.4%	2.5%	1.8%	1.2%	1.6%	1.4%	1.5%
Grade 7	3.4%	1.3%	1.7%	2.3%	2.4%	2.5%	1.5%	1.1%	1.2%	1.2%	1.2%	1.2%	0.8%	0.7%	0.7%	0.9%	1.0%	0.3%	0.3%	0.5%	0.5%	0.5%
Grade 8	4.2%	2.9%	2.2%	4.3%	4.7%	4.2%	2.5%	2.0%	2.7%	2.4%	2.1%	1.6%	1.2%	0.7%	1.4%	1.6%	1.6%	0.9%	0.7%	0.8%	0.7%	0.8%
Grade 9	5.7%	4.6%	6.0%	5.7%	8.0%	7.4%	5.4%	4.5%	4.3%	4.3%	3.8%	2.0%	1.7%	1.6%	1.9%	3.1%	2.9%	1.8%	1.4%	1.4%	1.4%	1.3%
Grade 10	6.7%	5.3%	6.0%	7.8%	9.5%	9.1%	6.4%	5.2%	6.3%	6.5%	6.0%	2.2%	2.1%	2.0%	2.7%	3.0%	3.3%	2.5%	1.5%	2.2%	2.0%	2.2%
Grade 11	9.3%	6.2%	6.9%	8.0%	10.3%	10.5%	9.2%	7.5%	7.6%	7.1%	6.5%	3.6%	1.7%	2.2%	2.6%	2.7%	3.5%	2.9%	2.4%	2.2%	2.0%	2.0%
Grade 12	11.7%	8.8%	8.2%	9.8%	12.5%	12.3%	9.5%	7.8%	8.2%	8.4%	7.7%	4.2%	2.5%	2.0%	2.6%	3.5%	3.4%	2.9%	1.3%	2.4%	2.4%	2.6%

1. Due to differences in methodology, 1988 figures can not be compared in this category.
2. In 2008, the question of specific-inhalant types was deleted and only generic-inhalant question was surveyed in the secondary school survey. The 2008 figures, thus, can not be compared properly to the previous survey figures.
3. Since 2004, the question wording has been changed slightly to list 'Mushrooms' as an example of hallucinogens.

Table B1: Prevalence and Recency of Use: 1988-2008 (cont.)

	Ever Used 1988	Ever Used 1990	Ever Used 1992	Ever Used 1994	Ever Used 1996	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1988	Past Month 1990	Past Month 1992	Past Month 1994	Past Month 1996	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Uppers	17.1%	7.2%	6.5%	7.0%	7.9%	8.2%	6.7%	7.3%	6.0%	5.7%	5.3%	5.8%	2.1%	1.8%	2.3%	2.6%	3.1%	2.7%	3.3%	2.5%	2.3%	2.1%
Grade 7	10.5%	3.0%	2.2%	2.5%	2.8%	3.0%	1.7%	1.7%	1.2%	0.9%	1.4%	4.5%	1.4%	1.1%	1.1%	1.1%	1.3%	0.6%	0.6%	0.4%	0.5%	0.7%
Grade 8	12.3%	5.2%	5.0%	5.5%	5.4%	5.6%	3.6%	3.2%	2.7%	2.5%	2.2%	5.4%	2.2%	1.6%	2.3%	2.1%	2.2%	1.6%	1.3%	1.0%	0.9%	0.8%
Grade 9	14.5%	7.8%	6.5%	7.6%	8.3%	8.7%	7.2%	8.3%	5.0%	5.0%	4.4%	4.9%	2.7%	1.9%	2.6%	3.0%	3.5%	3.2%	4.0%	2.2%	1.9%	1.8%
Grade 10	20.3%	8.6%	8.0%	9.2%	10.7%	10.8%	8.7%	8.5%	7.9%	7.6%	6.9%	7.0%	2.1%	2.1%	3.0%	3.3%	4.2%	3.4%	4.4%	3.2%	3.4%	2.9%
Grade 11	22.9%	8.9%	9.4%	9.6%	10.7%	10.8%	10.8%	12.8%	10.6%	9.8%	8.4%	6.8%	1.7%	2.4%	2.3%	3.0%	4.1%	4.4%	5.7%	4.5%	4.1%	3.1%
Grade 12	25.0%	11.1%	9.6%	9.9%	12.1%	12.0%	9.5%	11.3%	10.7%	10.2%	9.9%	6.8%	2.3%	2.3%	2.6%	3.4%	3.8%	3.4%	4.3%	4.2%	3.9%	3.5%
Downers	13.3%	4.4%	4.5%	4.5%	5.6%	6.6%	5.8%	7.1%	5.9%	5.9%	5.5%	3.9%	1.2%	1.2%	1.4%	1.8%	2.6%	2.6%	3.4%	2.6%	2.5%	2.2%
Grade 7	11.5%	2.2%	2.3%	2.1%	2.1%	2.5%	1.5%	1.4%	0.9%	0.9%	1.5%	4.0%	1.0%	1.0%	0.7%	0.9%	1.0%	0.6%	0.6%	0.4%	0.4%	0.6%
Grade 8	12.1%	3.8%	4.0%	4.0%	3.9%	4.3%	2.9%	3.0%	2.5%	2.3%	1.9%	5.5%	1.7%	1.1%	1.5%	1.6%	1.7%	1.2%	1.3%	0.9%	0.9%	0.8%
Grade 9	11.8%	4.8%	4.0%	5.0%	6.3%	7.1%	6.6%	7.8%	5.2%	5.2%	4.5%	3.8%	1.4%	0.9%	1.8%	2.1%	2.9%	3.5%	3.7%	2.2%	2.1%	1.9%
Grade 10	14.3%	4.9%	5.9%	5.6%	7.3%	8.8%	7.4%	8.6%	7.7%	8.0%	7.4%	3.9%	1.0%	1.5%	1.7%	2.2%	3.4%	3.1%	4.9%	3.4%	3.8%	2.9%
Grade 11	15.4%	5.1%	6.1%	5.4%	7.2%	8.9%	9.9%	12.2%	10.5%	10.4%	8.7%	3.2%	0.8%	1.9%	1.2%	2.0%	3.4%	3.9%	5.6%	4.7%	4.4%	3.5%
Grade 12	15.3%	6.5%	5.5%	6.0%	8.5%	9.4%	8.0%	11.4%	10.8%	10.9%	10.8%	2.7%	1.3%	1.0%	1.7%	2.6%	3.2%	3.5%	4.8%	4.7%	4.3%	4.0%
Rohypnol	NA	NA	NA	NA	NA	6.7%	4.5%	4.9%	3.5%	2.6%	2.4%	NA	NA	NA	NA	NA	2.6%	1.7%	1.8%	1.3%	1.0%	0.9%
Grade 7	NA	NA	NA	NA	NA	4.1%	2.4%	2.7%	1.7%	1.2%	1.4%	NA	NA	NA	NA	NA	1.9%	1.1%	1.1%	0.6%	0.5%	0.5%
Grade 8	NA	NA	NA	NA	NA	6.0%	4.3%	4.6%	3.4%	2.3%	1.8%	NA	NA	NA	NA	NA	2.7%	1.9%	1.9%	1.3%	0.8%	0.8%
Grade 9	NA	NA	NA	NA	NA	7.3%	4.9%	6.5%	4.0%	3.0%	2.8%	NA	NA	NA	NA	NA	3.2%	2.0%	2.7%	1.5%	1.2%	1.2%
Grade 10	NA	NA	NA	NA	NA	7.9%	5.0%	5.2%	4.2%	3.4%	3.4%	NA	NA	NA	NA	NA	2.9%	1.8%	2.0%	1.7%	1.2%	1.3%
Grade 11	NA	NA	NA	NA	NA	7.4%	5.8%	4.8%	4.0%	3.0%	2.6%	NA	NA	NA	NA	NA	2.3%	1.8%	1.3%	1.6%	1.1%	0.8%
Grade 12	NA	NA	NA	NA	NA	7.7%	4.8%	5.2%	3.5%	2.9%	2.6%	NA	NA	NA	NA	NA	2.4%	1.3%	1.3%	1.1%	0.9%	1.0%
Steroids	NA	1.7%	1.7%	1.9%	2.1%	2.1%	2.3%	2.3%	2.0%	1.5%	1.5%	NA	* %	* %	0.5%	0.6%	0.7%	0.8%	0.7%	0.7%	0.6%	0.5%
Grade 7	NA	1.5%	1.8%	1.7%	2.0%	2.3%	2.3%	2.0%	1.6%	1.3%	1.4%	NA	0.5%	0.8%	0.5%	0.7%	0.7%	1.0%	0.7%	0.5%	0.5%	0.5%
Grade 8	NA	1.6%	1.3%	2.0%	2.1%	2.4%	2.5%	1.9%	2.2%	1.5%	1.5%	NA	0.7%	* %	0.6%	0.6%	0.8%	0.8%	0.6%	0.8%	0.5%	0.5%
Grade 9	NA	1.4%	1.9%	1.9%	2.0%	2.0%	2.0%	2.5%	1.9%	1.3%	1.3%	NA	* %	0.5%	0.6%	0.6%	0.6%	0.7%	0.8%	0.7%	0.5%	0.4%
Grade 10	NA	1.8%	1.9%	1.8%	2.0%	1.9%	2.1%	2.5%	1.8%	1.7%	1.8%	NA	* %	* %	* %	0.5%	0.6%	0.7%	0.7%	0.7%	0.7%	0.8%
Grade 11	NA	1.9%	1.4%	1.7%	2.3%	2.1%	2.7%	2.7%	2.1%	1.5%	1.6%	NA	* %	* %	* %	0.8%	0.8%	0.8%	0.5%	0.7%	0.7%	0.5%
Grade 12	NA	2.2%	1.6%	2.2%	2.3%	2.3%	2.2%	2.4%	2.4%	1.8%	1.7%	NA	* %	* %	0.5%	0.6%	0.8%	0.7%	0.9%	0.9%	0.8%	0.7%
Ecstasy	NA	4.1%	2.6%	2.5%	5.4%	4.5%	4.5%	8.6%	5.5%	5.2%	5.1%	NA	1.3%	0.6%	0.7%	1.5%	1.4%	1.9%	3.1%	1.8%	1.8%	1.8%
Grade 7	NA	0.9%	1.5%	1.2%	1.7%	1.4%	1.5%	3.6%	1.8%	1.5%	1.4%	NA	0.3%	0.5%	0.5%	0.7%	0.5%	0.6%	1.4%	0.7%	0.5%	0.7%
Grade 8	NA	1.6%	0.8%	1.7%	3.4%	2.8%	2.5%	5.6%	4.1%	3.0%	2.3%	NA	0.7%	0.4%	0.6%	1.2%	1.1%	1.1%	2.1%	1.2%	1.0%	0.9%
Grade 9	NA	3.8%	2.4%	2.3%	5.7%	4.4%	4.7%	9.3%	4.9%	5.1%	4.4%	NA	1.4%	0.6%	0.6%	2.1%	1.6%	2.0%	3.8%	1.6%	1.9%	1.6%
Grade 10	NA	4.4%	2.7%	3.4%	6.7%	5.4%	5.5%	9.2%	6.4%	6.8%	6.6%	NA	1.6%	0.7%	0.9%	1.8%	1.7%	2.3%	3.3%	2.1%	2.4%	2.4%
Grade 11	NA	6.2%	3.7%	3.4%	7.5%	6.4%	7.5%	12.6%	8.3%	7.6%	7.9%	NA	1.6%	0.9%	0.8%	1.6%	2.0%	3.2%	4.6%	3.2%	2.5%	2.5%
Grade 12	NA	9.1%	5.8%	4.0%	9.4%	7.7%	6.7%	12.7%	9.1%	8.9%	9.4%	NA	2.5%	0.6%	1.0%	1.8%	2.0%	3.0%	3.6%	2.8%	2.9%	3.4%
Heroin	1.4%	NA	NA	NA	NA	2.4%	1.6%	1.7%	1.6%	1.5%	1.4%	* %	NA	NA	NA	NA	0.7%	0.5%	0.5%	0.5%	0.5%	0.5%
Grade 7	1.4%	NA	NA	NA	NA	2.6%	1.8%	1.7%	1.6%	1.1%	1.3%	* %	NA	NA	NA	NA	0.9%	0.7%	0.6%	0.6%	0.5%	0.5%
Grade 8	2.2%	NA	NA	NA	NA	2.8%	1.9%	1.9%	1.9%	1.7%	1.3%	0.7%	NA	NA	NA	NA	0.9%	0.7%	0.5%	0.7%	0.5%	0.4%
Grade 9	0.9%	NA	NA	NA	NA	2.3%	1.6%	1.8%	1.6%	1.8%	1.3%	* %	NA	NA	NA	NA	0.6%	0.6%	0.5%	0.6%	0.6%	0.5%
Grade 10	1.1%	NA	NA	NA	NA	2.1%	1.4%	1.2%	1.7%	1.5%	1.5%	* %	NA	NA	NA	NA	0.7%	0.4%	0.4%	0.5%	0.6%	0.5%
Grade 11	1.3%	NA	NA	NA	NA	2.3%	1.5%	1.9%	1.4%	1.6%	1.4%	* %	NA	NA	NA	NA	0.6%	0.2%	0.5%	0.7%	0.4%	0.5%
Grade 12	1.5%	NA	NA	NA	NA	2.3%	1.5%	1.7%	1.5%	1.4%	1.8%	* %	NA	NA	NA	NA	0.6%	0.4%	0.3%	0.2%	0.5%	0.4%
Methamphetamine	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.5%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.8%
Grade 7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.3%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.7%
Grade 8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.7%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.6%
Grade 9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.9%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.7%
Grade 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.6%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.1%
Grade 11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.9%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.8%
Grade 12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.8%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.2%

NA: Not Available

* %: Less than 0.5%

Table B2: Prevalence and Recency of Substance Use, by Grade: All Texas Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	31.7%	12.9%	5.0%	13.8%	68.3%
Grade 7	16.6%	4.8%	2.1%	9.7%	83.4%
Grade 8	22.7%	6.4%	3.5%	12.8%	77.3%
Grade 9	30.0%	10.7%	5.5%	13.8%	70.0%
Grade 10	36.2%	15.6%	5.5%	15.1%	63.8%
Grade 11	41.3%	19.0%	6.8%	15.5%	58.7%
Grade 12	47.8%	24.0%	7.4%	16.4%	52.2%
Alcohol	62.9%	30.4%	11.3%	21.2%	37.1%
Grade 7	44.9%	16.9%	5.5%	22.5%	55.1%
Grade 8	55.9%	22.4%	9.9%	23.6%	44.1%
Grade 9	63.5%	29.4%	12.1%	22.0%	36.5%
Grade 10	68.8%	34.2%	13.4%	21.2%	31.2%
Grade 11	72.1%	38.0%	14.5%	19.6%	27.9%
Grade 12	76.0%	45.2%	13.2%	17.6%	24.0%
Inhalants	9.3%	2.7%	1.6%	5.0%	90.7%
Grade 7	10.7%	3.9%	1.8%	5.0%	89.3%
Grade 8	10.6%	3.5%	2.0%	5.1%	89.4%
Grade 9	9.4%	2.5%	1.8%	5.1%	90.6%
Grade 10	9.6%	2.3%	1.8%	5.5%	90.4%
Grade 11	7.7%	1.6%	1.3%	4.8%	92.3%
Grade 12	7.1%	2.1%	1.0%	4.0%	92.9%
Any Illicit Drug	26.4%	11.7%	4.9%	9.8%	73.6%
Grade 7	11.6%	5.2%	1.8%	4.6%	88.4%
Grade 8	16.8%	6.9%	2.8%	7.1%	83.2%
Grade 9	25.2%	11.6%	4.6%	9.0%	74.8%
Grade 10	32.0%	14.8%	6.0%	11.2%	68.0%
Grade 11	37.2%	16.1%	7.4%	13.7%	62.8%
Grade 12	39.7%	17.4%	7.5%	14.8%	60.3%
Marijuana	24.6%	10.0%	4.9%	9.7%	75.4%
Grade 7	9.5%	4.0%	1.6%	3.9%	90.5%
Grade 8	14.9%	5.7%	2.6%	6.6%	85.1%
Grade 9	23.1%	9.8%	4.4%	8.9%	76.9%
Grade 10	30.1%	12.7%	6.2%	11.2%	69.9%
Grade 11	35.4%	14.2%	7.4%	13.8%	64.6%
Grade 12	38.6%	15.3%	7.9%	15.4%	61.4%
Cocaine or Crack	6.8%	2.2%	1.4%	3.2%	93.2%
Grade 7	2.9%	1.0%	0.7%	1.2%	97.1%
Grade 8	4.1%	1.4%	0.7%	2.0%	95.9%
Grade 9	6.1%	2.3%	1.2%	2.6%	93.9%
Grade 10	8.1%	2.5%	1.8%	3.8%	91.9%
Grade 11	9.8%	2.9%	1.9%	5.0%	90.2%
Grade 12	11.3%	3.3%	2.7%	5.3%	88.7%
Cocaine	6.5%	2.1%	1.3%	3.1%	93.5%
Grade 7	2.3%	0.9%	0.5%	0.9%	97.7%
Grade 8	3.4%	1.2%	0.6%	1.6%	96.6%
Grade 9	5.7%	2.1%	1.1%	2.5%	94.3%
Grade 10	7.9%	2.5%	1.7%	3.7%	92.1%
Grade 11	9.7%	2.9%	1.7%	5.1%	90.3%
Grade 12	11.3%	3.2%	2.8%	5.3%	88.7%
Crack	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 7	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 8	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 9	1.8%	0.6%	0.4%	0.8%	98.2%
Grade 10	1.8%	0.5%	0.3%	1.0%	98.2%
Grade 11	1.4%	0.3%	0.3%	0.8%	98.6%
Grade 12	1.9%	0.7%	0.3%	0.9%	98.1%

Table B2: Prevalence and Recency of Use: All Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	4.4%	1.5%	0.9%	2.0%	95.6%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	2.1%	0.8%	0.3%	1.0%	97.9%
Grade 9	3.8%	1.3%	0.9%	1.6%	96.2%
Grade 10	6.0%	2.2%	1.0%	2.8%	94.0%
Grade 11	6.5%	2.0%	1.4%	3.1%	93.5%
Grade 12	7.7%	2.6%	2.0%	3.1%	92.3%
Uppers	5.3%	2.1%	1.2%	2.0%	94.7%
Grade 7	1.4%	0.7%	0.2%	0.5%	98.6%
Grade 8	2.2%	0.8%	0.5%	0.9%	97.8%
Grade 9	4.4%	1.8%	1.0%	1.6%	95.6%
Grade 10	6.9%	2.9%	1.6%	2.4%	93.1%
Grade 11	8.4%	3.1%	2.0%	3.3%	91.6%
Grade 12	9.9%	3.5%	2.6%	3.8%	90.1%
Downers	5.5%	2.2%	1.3%	2.0%	94.5%
Grade 7	1.5%	0.6%	0.4%	0.5%	98.5%
Grade 8	1.9%	0.8%	0.3%	0.8%	98.1%
Grade 9	4.5%	1.9%	1.0%	1.6%	95.5%
Grade 10	7.4%	2.9%	1.9%	2.6%	92.6%
Grade 11	8.7%	3.5%	1.9%	3.3%	91.3%
Grade 12	10.8%	4.0%	2.5%	4.3%	89.2%
Rohypnol	2.4%	0.9%	0.5%	1.0%	97.6%
Grade 7	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 8	1.8%	0.8%	0.3%	0.7%	98.2%
Grade 9	2.8%	1.2%	0.6%	1.0%	97.2%
Grade 10	3.4%	1.3%	0.7%	1.4%	96.6%
Grade 11	2.6%	0.8%	0.5%	1.3%	97.4%
Grade 12	2.6%	1.0%	0.4%	1.2%	97.4%
Steroids	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 7	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 8	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 9	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 10	1.8%	0.8%	0.3%	0.7%	98.2%
Grade 11	1.6%	0.5%	0.4%	0.7%	98.4%
Grade 12	1.7%	0.7%	0.4%	0.6%	98.3%
Ecstasy	5.1%	1.8%	1.2%	2.1%	94.9%
Grade 7	1.4%	0.7%	0.2%	0.5%	98.6%
Grade 8	2.3%	0.9%	0.5%	0.9%	97.7%
Grade 9	4.4%	1.6%	1.1%	1.7%	95.6%
Grade 10	6.6%	2.4%	1.2%	3.0%	93.4%
Grade 11	7.9%	2.5%	1.9%	3.5%	92.1%
Grade 12	9.4%	3.4%	2.1%	3.9%	90.6%
Heroin	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 9	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 10	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 11	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 12	1.8%	0.4%	0.6%	0.8%	98.2%
Methamphetamine	3.5%	0.8%	0.8%	1.9%	96.5%
Grade 7	2.3%	0.7%	0.3%	1.3%	97.7%
Grade 8	2.7%	0.6%	0.5%	1.6%	97.3%
Grade 9	2.9%	0.7%	0.8%	1.4%	97.1%
Grade 10	4.6%	1.1%	0.9%	2.6%	95.4%
Grade 11	3.9%	0.8%	0.9%	2.2%	96.1%
Grade 12	4.8%	1.2%	0.9%	2.7%	95.2%

Table B3: Prevalence and Recency of Substance Use, by Grade: Texas Male Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	34.5%	15.0%	5.3%	14.2%	65.5%
Grade 7	17.9%	5.3%	2.4%	10.2%	82.1%
Grade 8	24.8%	6.8%	3.9%	14.1%	75.2%
Grade 9	32.7%	11.9%	5.4%	15.4%	67.3%
Grade 10	39.0%	18.3%	5.7%	15.0%	61.0%
Grade 11	45.6%	22.8%	7.8%	15.0%	54.4%
Grade 12	51.9%	29.3%	7.3%	15.3%	48.1%
Alcohol	61.7%	30.3%	10.5%	20.9%	38.3%
Grade 7	45.6%	16.8%	5.8%	23.0%	54.4%
Grade 8	54.4%	21.5%	9.6%	23.3%	45.6%
Grade 9	61.7%	28.1%	11.4%	22.2%	38.3%
Grade 10	66.4%	33.9%	12.1%	20.4%	33.6%
Grade 11	70.8%	38.9%	13.3%	18.6%	29.2%
Grade 12	75.2%	47.5%	11.2%	16.5%	24.8%
Inhalants	8.6%	2.3%	1.6%	4.7%	91.4%
Grade 7	9.8%	3.0%	2.1%	4.7%	90.2%
Grade 8	8.3%	2.6%	1.5%	4.2%	91.7%
Grade 9	8.2%	2.0%	1.4%	4.8%	91.8%
Grade 10	9.3%	2.2%	1.4%	5.7%	90.7%
Grade 11	8.2%	1.8%	1.6%	4.8%	91.8%
Grade 12	7.8%	2.3%	1.0%	4.5%	92.2%
Any Illicit Drug	28.5%	13.1%	5.2%	10.2%	71.5%
Grade 7	12.6%	5.4%	2.1%	5.1%	87.4%
Grade 8	17.9%	7.5%	2.9%	7.5%	82.1%
Grade 9	26.7%	12.1%	4.8%	9.8%	73.3%
Grade 10	34.4%	16.3%	6.4%	11.7%	65.6%
Grade 11	40.2%	18.2%	8.0%	14.0%	59.8%
Grade 12	43.9%	21.7%	7.5%	14.7%	56.1%
Marijuana	27.2%	11.5%	5.3%	10.4%	72.8%
Grade 7	11.0%	4.2%	2.1%	4.7%	89.0%
Grade 8	16.5%	6.6%	2.7%	7.2%	83.5%
Grade 9	25.3%	10.6%	4.5%	10.2%	74.7%
Grade 10	33.3%	14.2%	7.2%	11.9%	66.7%
Grade 11	38.9%	16.1%	8.3%	14.5%	61.1%
Grade 12	42.8%	19.4%	8.2%	15.2%	57.2%
Cocaine or Crack	7.0%	2.4%	1.3%	3.3%	93.0%
Grade 7	2.6%	0.9%	0.3%	1.4%	97.4%
Grade 8	4.2%	1.4%	0.6%	2.2%	95.8%
Grade 9	6.0%	2.2%	1.0%	2.8%	94.0%
Grade 10	8.7%	3.0%	1.6%	4.1%	91.3%
Grade 11	9.8%	3.3%	1.8%	4.7%	90.2%
Grade 12	12.2%	4.4%	2.5%	5.3%	87.8%
Cocaine	6.7%	2.3%	1.2%	3.2%	93.3%
Grade 7	2.1%	0.7%	0.3%	1.1%	97.9%
Grade 8	3.7%	1.2%	0.6%	1.9%	96.3%
Grade 9	5.7%	2.0%	0.9%	2.8%	94.3%
Grade 10	8.6%	2.9%	1.6%	4.1%	91.4%
Grade 11	9.6%	3.1%	1.7%	4.8%	90.4%
Grade 12	12.1%	4.4%	2.5%	5.2%	87.9%
Crack	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 7	1.3%	0.4%	0.1%	0.8%	98.7%
Grade 8	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 9	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 10	2.2%	0.6%	0.4%	1.2%	97.8%
Grade 11	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 12	2.5%	1.1%	0.3%	1.1%	97.5%

Table B3: Prevalence and Recency of Use: Male Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	5.5%	2.1%	1.2%	2.2%	94.5%
Grade 7	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 8	2.4%	0.9%	0.3%	1.2%	97.6%
Grade 9	4.6%	1.8%	1.1%	1.7%	95.4%
Grade 10	7.6%	3.0%	1.3%	3.3%	92.4%
Grade 11	8.6%	3.0%	1.9%	3.7%	91.4%
Grade 12	9.4%	4.0%	2.2%	3.2%	90.6%
Uppers	5.1%	2.1%	1.2%	1.8%	94.9%
Grade 7	1.1%	0.5%	0.1%	0.5%	98.9%
Grade 8	1.9%	0.7%	0.4%	0.8%	98.1%
Grade 9	4.0%	1.6%	0.8%	1.6%	96.0%
Grade 10	6.8%	2.7%	1.6%	2.5%	93.2%
Grade 11	8.4%	3.4%	1.9%	3.1%	91.6%
Grade 12	10.0%	4.0%	2.9%	3.1%	90.0%
Downers	5.6%	2.3%	1.3%	2.0%	94.4%
Grade 7	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 8	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 9	4.3%	1.7%	0.9%	1.7%	95.7%
Grade 10	7.5%	2.8%	1.7%	3.0%	92.5%
Grade 11	9.0%	4.0%	2.0%	3.0%	91.0%
Grade 12	12.0%	5.0%	3.0%	4.0%	88.0%
Rohypnol	2.5%	1.0%	0.5%	1.0%	97.5%
Grade 7	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 8	1.9%	1.0%	0.3%	0.6%	98.1%
Grade 9	2.6%	1.0%	0.5%	1.1%	97.4%
Grade 10	3.2%	1.3%	0.7%	1.2%	96.8%
Grade 11	2.6%	0.9%	0.6%	1.1%	97.4%
Grade 12	3.2%	1.3%	0.5%	1.4%	96.8%
Steroids	2.2%	0.8%	0.5%	0.9%	97.8%
Grade 7	1.9%	0.7%	0.4%	0.8%	98.1%
Grade 8	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 9	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 10	2.4%	1.3%	0.3%	0.8%	97.6%
Grade 11	2.5%	0.8%	0.7%	1.0%	97.5%
Grade 12	3.0%	1.3%	0.7%	1.0%	97.0%
Ecstasy	5.4%	2.1%	1.2%	2.1%	94.6%
Grade 7	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 8	2.0%	0.8%	0.5%	0.7%	98.0%
Grade 9	4.3%	1.6%	0.9%	1.8%	95.7%
Grade 10	6.9%	2.9%	1.2%	2.8%	93.1%
Grade 11	8.6%	3.0%	2.2%	3.4%	91.4%
Grade 12	10.6%	4.4%	2.4%	3.8%	89.4%
Heroin	1.5%	0.5%	0.4%	0.6%	98.5%
Grade 7	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 8	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 9	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 10	1.7%	0.6%	0.5%	0.6%	98.3%
Grade 11	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 12	2.5%	0.6%	1.0%	0.9%	97.5%
Methamphetamine	3.3%	1.0%	0.6%	1.7%	96.7%
Grade 7	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 8	2.0%	0.4%	0.4%	1.1%	98.1%
Grade 9	2.6%	0.7%	0.8%	1.2%	97.4%
Grade 10	4.6%	1.4%	0.6%	2.6%	95.4%
Grade 11	3.7%	1.0%	0.9%	1.8%	96.3%
Grade 12	5.5%	2.0%	0.9%	2.7%	94.5%

Table B4: Prevalence and Recency of Substance Use, by Grade: Texas Female Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	29.2%	10.9%	4.8%	13.5%	70.8%
Grade 7	15.5%	4.3%	1.9%	9.3%	84.5%
Grade 8	20.8%	5.9%	3.2%	11.7%	79.2%
Grade 9	27.6%	9.6%	5.6%	12.4%	72.4%
Grade 10	33.5%	13.2%	5.3%	15.0%	66.5%
Grade 11	37.3%	15.4%	6.0%	15.9%	62.7%
Grade 12	44.2%	19.1%	7.5%	17.6%	55.8%
Alcohol	64.1%	30.4%	12.1%	21.6%	35.9%
Grade 7	44.3%	17.1%	5.1%	22.1%	55.7%
Grade 8	57.3%	23.3%	10.2%	23.8%	42.7%
Grade 9	65.4%	30.8%	12.8%	21.8%	34.6%
Grade 10	70.9%	34.5%	14.5%	21.9%	29.1%
Grade 11	73.3%	36.9%	15.7%	20.7%	26.7%
Grade 12	76.6%	43.0%	15.1%	18.5%	23.4%
Inhalants	9.9%	3.0%	1.8%	5.1%	90.1%
Grade 7	11.5%	4.7%	1.6%	5.2%	88.5%
Grade 8	12.6%	4.4%	2.3%	5.9%	87.4%
Grade 9	10.4%	3.1%	1.9%	5.4%	89.6%
Grade 10	9.9%	2.4%	2.1%	5.4%	90.1%
Grade 11	7.2%	1.4%	1.0%	4.8%	92.8%
Grade 12	6.5%	1.9%	1.1%	3.5%	93.5%
Any Illicit Drug	24.5%	10.4%	4.7%	9.4%	75.5%
Grade 7	10.7%	5.0%	1.5%	4.2%	89.3%
Grade 8	15.8%	6.3%	2.7%	6.8%	84.2%
Grade 9	23.8%	11.1%	4.5%	8.2%	76.2%
Grade 10	29.9%	13.3%	5.8%	10.8%	70.1%
Grade 11	34.4%	14.0%	6.8%	13.6%	65.6%
Grade 12	35.9%	13.5%	7.5%	14.9%	64.1%
Marijuana	22.1%	8.7%	4.4%	9.0%	77.9%
Grade 7	8.1%	3.8%	1.2%	3.1%	91.9%
Grade 8	13.2%	4.8%	2.5%	5.9%	86.8%
Grade 9	21.2%	9.2%	4.3%	7.7%	78.8%
Grade 10	27.2%	11.4%	5.2%	10.6%	72.8%
Grade 11	31.9%	12.3%	6.6%	13.0%	68.1%
Grade 12	34.7%	11.5%	7.7%	15.5%	65.3%
Cocaine or Crack	6.7%	2.0%	1.6%	3.1%	93.3%
Grade 7	3.2%	1.2%	0.9%	1.1%	96.8%
Grade 8	4.0%	1.4%	0.8%	1.8%	96.0%
Grade 9	6.1%	2.4%	1.4%	2.3%	93.9%
Grade 10	7.5%	2.1%	2.0%	3.4%	92.5%
Grade 11	9.9%	2.6%	1.9%	5.4%	90.1%
Grade 12	10.5%	2.2%	2.9%	5.4%	89.5%
Cocaine	6.3%	1.9%	1.5%	2.9%	93.7%
Grade 7	2.6%	1.0%	0.7%	0.9%	97.4%
Grade 8	3.2%	1.1%	0.7%	1.4%	96.8%
Grade 9	5.7%	2.2%	1.2%	2.3%	94.3%
Grade 10	7.3%	2.1%	1.9%	3.3%	92.7%
Grade 11	9.8%	2.6%	1.9%	5.3%	90.2%
Grade 12	10.5%	2.1%	3.0%	5.4%	89.5%
Crack	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 7	1.5%	0.5%	0.5%	0.5%	98.5%
Grade 8	2.1%	0.6%	0.5%	1.0%	97.9%
Grade 9	2.0%	0.6%	0.5%	0.9%	98.0%
Grade 10	1.5%	0.3%	0.3%	0.9%	98.5%
Grade 11	1.2%	0.2%	0.2%	0.8%	98.8%
Grade 12	1.4%	0.4%	0.3%	0.7%	98.6%

Table B4: Prevalence and Recency of Use: Female Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.4%	1.0%	0.7%	1.7%	96.6%
Grade 7	1.1%	0.4%	0.4%	0.3%	98.9%
Grade 8	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 9	3.0%	0.9%	0.7%	1.4%	97.0%
Grade 10	4.5%	1.4%	0.8%	2.3%	95.5%
Grade 11	4.7%	1.1%	1.0%	2.6%	95.3%
Grade 12	6.1%	1.4%	1.8%	2.9%	93.9%
Uppers	5.5%	2.1%	1.2%	2.2%	94.5%
Grade 7	1.7%	0.9%	0.3%	0.5%	98.3%
Grade 8	2.4%	1.0%	0.4%	1.0%	97.6%
Grade 9	4.9%	2.0%	1.1%	1.8%	95.1%
Grade 10	7.1%	3.1%	1.6%	2.4%	92.9%
Grade 11	8.4%	2.8%	2.1%	3.5%	91.6%
Grade 12	9.9%	3.1%	2.3%	4.5%	90.1%
Downers	5.5%	2.1%	1.2%	2.2%	94.5%
Grade 7	1.8%	0.8%	0.5%	0.5%	98.2%
Grade 8	1.9%	0.8%	0.4%	0.7%	98.1%
Grade 9	4.7%	2.0%	1.1%	1.6%	95.3%
Grade 10	7.3%	3.0%	2.0%	2.3%	92.7%
Grade 11	8.4%	3.0%	1.8%	3.6%	91.6%
Grade 12	9.8%	3.1%	2.1%	4.6%	90.2%
Rohypnol	2.4%	0.9%	0.5%	1.0%	97.6%
Grade 7	1.3%	0.4%	0.4%	0.5%	98.7%
Grade 8	1.7%	0.6%	0.4%	0.7%	98.3%
Grade 9	3.0%	1.5%	0.5%	1.0%	97.0%
Grade 10	3.6%	1.3%	0.7%	1.6%	96.4%
Grade 11	2.6%	0.6%	0.6%	1.4%	97.4%
Grade 12	2.1%	0.7%	0.3%	1.1%	97.9%
Steroids	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.1%	0.3%	0.3%	0.5%	98.9%
Grade 9	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 10	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 11	0.9%	0.2%	0.1%	0.6%	99.1%
Grade 12	0.6%	0.1%	0.1%	0.4%	99.4%
Ecstasy	4.9%	1.6%	1.1%	2.2%	95.1%
Grade 7	1.5%	1.0%	0.1%	0.4%	98.5%
Grade 8	2.7%	1.0%	0.5%	1.2%	97.3%
Grade 9	4.5%	1.7%	1.1%	1.7%	95.5%
Grade 10	6.2%	1.9%	1.3%	3.0%	93.8%
Grade 11	7.3%	2.0%	1.6%	3.7%	92.7%
Grade 12	8.3%	2.4%	2.0%	3.9%	91.7%
Heroin	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 7	1.7%	0.6%	0.2%	0.9%	98.3%
Grade 8	1.5%	0.4%	0.4%	0.7%	98.5%
Grade 9	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 10	1.3%	0.3%	0.1%	0.9%	98.7%
Grade 11	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 12	1.3%	0.3%	0.2%	0.8%	98.7%
Methamphetamine	3.7%	0.7%	0.8%	2.1%	96.4%
Grade 7	2.9%	0.8%	0.4%	1.7%	97.1%
Grade 8	3.3%	0.8%	0.6%	1.9%	96.7%
Grade 9	3.1%	0.7%	0.7%	1.7%	96.9%
Grade 10	4.6%	0.9%	1.2%	2.6%	95.4%
Grade 11	4.1%	0.7%	0.9%	2.5%	95.9%
Grade 12	4.2%	0.5%	1.0%	2.6%	95.8%

Table B5: Prevalence and Recency of Substance Use, by Grade: Texas Anglo Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	31.6%	15.2%	5.7%	10.7%	68.4%
Grade 7	13.0%	2.7%	2.1%	8.2%	87.0%
Grade 8	20.2%	6.6%	4.2%	9.4%	79.8%
Grade 9	27.2%	11.7%	4.9%	10.6%	72.8%
Grade 10	37.4%	19.7%	6.0%	11.7%	62.6%
Grade 11	42.6%	23.0%	8.1%	11.5%	57.4%
Grade 12	50.5%	28.7%	8.5%	13.3%	49.5%
Alcohol	59.9%	28.9%	11.9%	19.1%	40.1%
Grade 7	37.9%	10.5%	6.0%	21.4%	62.1%
Grade 8	49.3%	17.3%	10.7%	21.3%	50.7%
Grade 9	59.5%	25.7%	13.1%	20.7%	40.5%
Grade 10	65.6%	33.5%	14.3%	17.8%	34.4%
Grade 11	70.1%	38.6%	14.6%	16.9%	29.9%
Grade 12	77.4%	48.7%	12.3%	16.4%	22.6%
Inhalants	8.3%	1.9%	1.6%	4.8%	91.7%
Grade 7	7.9%	2.7%	1.3%	3.9%	92.1%
Grade 8	9.4%	2.6%	2.1%	4.7%	90.6%
Grade 9	7.8%	1.7%	1.8%	4.3%	92.2%
Grade 10	9.7%	1.4%	1.7%	6.6%	90.3%
Grade 11	7.7%	1.2%	1.4%	5.1%	92.3%
Grade 12	7.3%	1.9%	1.0%	4.4%	92.7%
Any Illicit Drug	23.2%	10.5%	4.9%	7.8%	76.8%
Grade 7	6.2%	2.1%	1.2%	2.9%	93.8%
Grade 8	11.6%	4.4%	2.4%	4.8%	88.4%
Grade 9	19.0%	8.6%	4.2%	6.2%	81.0%
Grade 10	28.0%	13.0%	6.3%	8.7%	72.0%
Grade 11	35.5%	17.2%	7.6%	10.7%	64.5%
Grade 12	40.1%	18.1%	7.8%	14.2%	59.9%
Marijuana	21.6%	9.0%	5.0%	7.6%	78.4%
Grade 7	4.8%	1.5%	1.1%	2.2%	95.2%
Grade 8	9.9%	3.6%	2.2%	4.1%	90.1%
Grade 9	16.8%	7.3%	3.8%	5.7%	83.2%
Grade 10	26.2%	10.9%	6.3%	9.0%	73.8%
Grade 11	33.6%	15.2%	8.0%	10.4%	66.4%
Grade 12	39.4%	15.8%	8.7%	14.9%	60.6%
Cocaine or Crack	5.2%	1.3%	1.4%	2.5%	94.8%
Grade 7	1.3%	0.3%	0.2%	0.8%	98.7%
Grade 8	2.6%	0.8%	0.4%	1.4%	97.4%
Grade 9	2.8%	0.9%	0.8%	1.1%	97.2%
Grade 10	6.0%	1.5%	1.5%	3.0%	94.0%
Grade 11	8.2%	1.9%	2.0%	4.3%	91.8%
Grade 12	10.8%	2.4%	3.5%	4.9%	89.2%
Cocaine	4.9%	1.2%	1.3%	2.4%	95.1%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	2.1%	0.6%	0.4%	1.1%	97.9%
Grade 9	2.5%	0.8%	0.6%	1.1%	97.5%
Grade 10	5.9%	1.5%	1.5%	2.9%	94.1%
Grade 11	8.1%	1.8%	2.0%	4.3%	91.9%
Grade 12	10.8%	2.3%	3.6%	4.9%	89.2%
Crack	1.3%	0.3%	0.3%	0.7%	98.7%
Grade 7	0.8%	0.1%	0.1%	0.6%	99.2%
Grade 8	1.4%	0.3%	0.3%	0.8%	98.6%
Grade 9	0.9%	0.2%	0.3%	0.4%	99.1%
Grade 10	1.6%	0.4%	0.3%	0.9%	98.4%
Grade 11	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 12	1.8%	0.5%	0.3%	1.0%	98.2%

Table B5: Prevalence and Recency of Use: Anglo Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	6.1%	2.1%	1.5%	2.5%	93.9%
Grade 7	1.3%	0.4%	0.4%	0.5%	98.7%
Grade 8	2.3%	0.9%	0.4%	1.0%	97.7%
Grade 9	4.4%	1.5%	1.0%	1.9%	95.6%
Grade 10	8.3%	3.0%	1.8%	3.5%	91.7%
Grade 11	9.9%	3.1%	2.2%	4.6%	90.1%
Grade 12	10.8%	3.6%	3.3%	3.9%	89.2%
Uppers	7.3%	2.6%	2.0%	2.7%	92.7%
Grade 7	0.9%	0.3%	0.3%	0.3%	99.1%
Grade 8	2.3%	1.1%	0.5%	0.7%	97.7%
Grade 9	5.2%	2.2%	1.1%	1.9%	94.8%
Grade 10	9.4%	3.9%	2.6%	2.9%	90.6%
Grade 11	12.3%	4.5%	3.1%	4.7%	87.7%
Grade 12	14.1%	4.0%	4.2%	5.9%	85.9%
Downers	7.1%	2.8%	1.8%	2.5%	92.9%
Grade 7	0.9%	0.4%	0.3%	0.2%	99.1%
Grade 8	1.6%	0.6%	0.5%	0.5%	98.4%
Grade 9	4.6%	2.0%	1.1%	1.5%	95.4%
Grade 10	9.3%	3.6%	2.7%	3.0%	90.7%
Grade 11	12.0%	5.0%	2.7%	4.3%	88.0%
Grade 12	14.6%	5.2%	4.1%	5.3%	85.4%
Rohypnol	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 7	0.4%	0.1%	0.1%	0.2%	99.6%
Grade 8	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 9	1.2%	0.6%	0.2%	0.4%	98.8%
Grade 10	2.5%	0.6%	0.5%	1.4%	97.5%
Grade 11	2.3%	0.7%	0.5%	1.1%	97.7%
Grade 12	2.0%	0.5%	0.3%	1.2%	98.0%
Steroids	1.9%	0.6%	0.4%	0.9%	98.1%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	1.4%	0.3%	0.1%	1.0%	98.6%
Grade 9	1.7%	0.5%	0.2%	1.0%	98.3%
Grade 10	2.7%	1.1%	0.3%	1.3%	97.3%
Grade 11	2.1%	0.6%	0.4%	1.1%	97.9%
Grade 12	2.4%	1.0%	0.5%	0.9%	97.6%
Ecstasy	5.7%	1.8%	1.6%	2.3%	94.3%
Grade 7	0.7%	0.3%	0.2%	0.2%	99.3%
Grade 8	2.0%	0.7%	0.5%	0.8%	98.0%
Grade 9	3.4%	1.5%	1.0%	0.9%	96.6%
Grade 10	7.3%	2.2%	1.7%	3.4%	92.7%
Grade 11	9.8%	2.7%	3.0%	4.1%	90.2%
Grade 12	11.5%	3.8%	2.8%	4.9%	88.5%
Heroin	1.3%	0.3%	0.3%	0.7%	98.7%
Grade 7	0.8%	0.1%	0.1%	0.6%	99.2%
Grade 8	1.2%	0.3%	0.3%	0.6%	98.8%
Grade 9	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 10	1.5%	0.3%	0.3%	0.9%	98.5%
Grade 11	1.1%	0.3%	0.4%	0.4%	98.9%
Grade 12	2.1%	0.4%	0.5%	1.2%	97.9%
Methamphetamine	3.5%	0.8%	0.9%	1.9%	96.5%
Grade 7	1.3%	0.4%	0.2%	0.8%	98.7%
Grade 8	2.0%	0.1%	0.7%	1.2%	98.0%
Grade 9	2.6%	0.7%	0.8%	1.1%	97.5%
Grade 10	5.1%	1.2%	1.2%	2.7%	94.9%
Grade 11	4.2%	1.1%	0.9%	2.3%	95.8%
Grade 12	6.2%	1.1%	1.5%	3.6%	93.8%

Table B6: Prevalence and Recency of Substance Use, by Grade: Texas African American Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	23.0%	6.6%	2.7%	13.7%	77.0%
Grade 7	17.3%	4.3%	1.7%	11.3%	82.7%
Grade 8	18.1%	2.4%	1.5%	14.2%	81.9%
Grade 9	24.2%	7.0%	3.6%	13.6%	75.8%
Grade 10	22.0%	6.8%	3.0%	12.2%	78.0%
Grade 11	26.5%	6.6%	3.3%	16.6%	73.5%
Grade 12	31.5%	13.5%	3.3%	14.7%	68.5%
Alcohol	60.2%	25.3%	10.6%	24.3%	39.8%
Grade 7	47.1%	20.2%	4.1%	22.8%	52.9%
Grade 8	57.9%	20.7%	10.3%	26.9%	42.1%
Grade 9	61.1%	25.0%	11.5%	24.6%	38.9%
Grade 10	63.7%	24.8%	10.7%	28.2%	36.3%
Grade 11	68.2%	28.6%	14.1%	25.5%	31.8%
Grade 12	64.9%	34.7%	13.5%	16.7%	35.1%
Inhalants	6.0%	2.1%	0.8%	3.1%	94.0%
Grade 7	9.1%	3.6%	1.0%	4.5%	90.9%
Grade 8	8.1%	2.1%	1.3%	4.7%	91.9%
Grade 9	5.7%	2.0%	0.4%	3.3%	94.3%
Grade 10	3.6%	1.1%	0.6%	1.9%	96.4%
Grade 11	4.6%	1.1%	0.9%	2.6%	95.4%
Grade 12	4.8%	2.7%	0.7%	1.4%	95.2%
Any Illicit Drug	25.4%	10.7%	4.4%	10.3%	74.6%
Grade 7	13.4%	6.4%	2.0%	5.0%	86.6%
Grade 8	14.3%	5.2%	1.6%	7.5%	85.7%
Grade 9	24.9%	10.3%	4.0%	10.6%	75.1%
Grade 10	33.3%	14.6%	7.0%	11.7%	66.7%
Grade 11	34.7%	11.8%	6.0%	16.9%	65.3%
Grade 12	35.0%	17.6%	6.3%	11.1%	65.0%
Marijuana	24.6%	9.7%	4.4%	10.5%	75.4%
Grade 7	11.4%	5.2%	2.0%	4.2%	88.6%
Grade 8	13.3%	4.2%	1.7%	7.4%	86.7%
Grade 9	24.2%	9.2%	3.8%	11.2%	75.8%
Grade 10	32.2%	13.6%	7.0%	11.6%	67.8%
Grade 11	34.6%	10.8%	6.0%	17.8%	65.4%
Grade 12	34.6%	16.5%	6.6%	11.5%	65.4%
Cocaine or Crack	2.0%	0.9%	0.5%	0.6%	98.0%
Grade 7	1.1%	0.5%	0.6%	0.0%	98.9%
Grade 8	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 9	1.6%	0.9%	0.2%	0.5%	98.4%
Grade 10	2.7%	0.7%	0.8%	1.2%	97.3%
Grade 11	1.2%	0.6%	0.4%	0.2%	98.8%
Grade 12	4.4%	2.3%	1.1%	1.0%	95.6%
Cocaine	1.8%	0.8%	0.5%	0.5%	98.2%
Grade 7	1.1%	0.5%	0.5%	0.1%	98.9%
Grade 8	0.8%	0.2%	0.2%	0.4%	99.2%
Grade 9	1.4%	0.6%	0.3%	0.5%	98.6%
Grade 10	2.4%	0.7%	0.8%	0.9%	97.6%
Grade 11	1.2%	0.6%	0.3%	0.3%	98.8%
Grade 12	4.5%	2.3%	1.1%	1.1%	95.5%
Crack	1.0%	0.6%	0.2%	0.2%	99.0%
Grade 7	0.6%	0.5%	0.0%	0.1%	99.4%
Grade 8	0.8%	0.5%	0.1%	0.2%	99.2%
Grade 9	0.8%	0.6%	0.2%	0.0%	99.2%
Grade 10	0.9%	0.2%	0.3%	0.4%	99.1%
Grade 11	0.6%	0.1%	0.4%	0.1%	99.4%
Grade 12	2.8%	2.1%	0.1%	0.6%	97.2%

Table B6: Prevalence and Recency of Use: African American Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	1.8%	0.9%	0.2%	0.7%	98.2%
Grade 7	0.8%	0.7%	0.0%	0.1%	99.2%
Grade 8	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 9	1.8%	1.1%	0.1%	0.6%	98.2%
Grade 10	1.9%	0.6%	0.1%	1.2%	98.1%
Grade 11	1.2%	0.5%	0.3%	0.4%	98.8%
Grade 12	4.9%	2.7%	0.4%	1.8%	95.1%
Uppers	2.3%	1.1%	0.6%	0.6%	97.7%
Grade 7	2.9%	1.3%	0.5%	1.1%	97.1%
Grade 8	1.0%	0.4%	0.3%	0.3%	99.0%
Grade 9	1.6%	0.4%	0.6%	0.6%	98.4%
Grade 10	3.1%	1.5%	0.6%	1.0%	96.9%
Grade 11	1.3%	0.8%	0.2%	0.3%	98.7%
Grade 12	4.6%	2.6%	1.4%	0.6%	95.4%
Downers	2.9%	1.3%	0.6%	1.0%	97.1%
Grade 7	2.7%	0.7%	1.0%	1.0%	97.3%
Grade 8	1.1%	0.6%	0.2%	0.3%	98.9%
Grade 9	1.8%	0.7%	0.2%	0.9%	98.2%
Grade 10	4.6%	1.9%	1.0%	1.7%	95.4%
Grade 11	2.5%	1.4%	0.3%	0.8%	97.5%
Grade 12	5.5%	2.8%	0.9%	1.8%	94.5%
Rohypnol	1.1%	0.5%	0.2%	0.4%	98.9%
Grade 7	1.2%	0.6%	0.5%	0.1%	98.8%
Grade 8	0.4%	0.3%	0.0%	0.1%	99.6%
Grade 9	0.7%	0.2%	0.0%	0.5%	99.3%
Grade 10	1.9%	0.8%	0.5%	0.6%	98.1%
Grade 11	0.8%	0.3%	0.2%	0.3%	99.2%
Grade 12	1.8%	1.0%	0.2%	0.6%	98.2%
Steroids	1.5%	0.4%	0.5%	0.6%	98.5%
Grade 7	1.5%	0.7%	0.2%	0.6%	98.5%
Grade 8	2.0%	0.3%	0.8%	0.9%	98.0%
Grade 9	1.0%	0.2%	0.3%	0.5%	99.0%
Grade 10	1.1%	0.6%	0.1%	0.4%	98.9%
Grade 11	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 12	1.9%	0.4%	0.8%	0.7%	98.1%
Ecstasy	3.3%	1.5%	0.5%	1.3%	96.7%
Grade 7	1.6%	0.8%	0.1%	0.7%	98.4%
Grade 8	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 9	3.7%	1.9%	0.3%	1.5%	96.3%
Grade 10	3.6%	1.5%	0.9%	1.2%	96.4%
Grade 11	3.9%	1.5%	0.8%	1.6%	96.1%
Grade 12	6.8%	3.2%	1.1%	2.5%	93.2%
Heroin	0.9%	0.4%	0.4%	0.1%	99.1%
Grade 7	0.4%	0.2%	0.0%	0.2%	99.6%
Grade 8	0.6%	0.4%	0.0%	0.2%	99.4%
Grade 9	0.6%	0.4%	0.2%	0.0%	99.4%
Grade 10	0.8%	0.3%	0.3%	0.2%	99.2%
Grade 11	0.8%	0.0%	0.1%	0.7%	99.2%
Grade 12	2.8%	0.9%	1.7%	0.2%	97.2%
Methamphetamine	1.9%	0.7%	0.5%	0.7%	98.1%
Grade 7	1.8%	0.4%	0.2%	1.2%	98.3%
Grade 8	1.8%	0.7%	0.5%	0.6%	98.2%
Grade 9	1.5%	0.6%	0.4%	0.5%	98.5%
Grade 10	2.4%	0.5%	1.1%	0.8%	97.6%
Grade 11	1.0%	0.3%	0.4%	0.3%	99.0%
Grade 12	3.3%	2.4%	0.0%	0.9%	96.7%

Table B7: Prevalence and Recency of Substance Use, by Grade: Texas Hispanic Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	35.0%	13.1%	5.6%	16.3%	65.0%
Grade 7	19.5%	6.5%	2.5%	10.5%	80.5%
Grade 8	26.6%	7.6%	3.7%	15.3%	73.4%
Grade 9	34.2%	11.3%	6.7%	16.2%	65.8%
Grade 10	40.0%	15.2%	6.1%	18.7%	60.0%
Grade 11	45.7%	19.8%	7.2%	18.7%	54.3%
Grade 12	51.8%	23.6%	7.9%	20.3%	48.2%
Alcohol	66.6%	33.7%	11.1%	21.8%	33.4%
Grade 7	49.9%	21.2%	5.4%	23.3%	50.1%
Grade 8	60.7%	27.5%	9.2%	24.0%	39.3%
Grade 9	67.5%	34.0%	11.8%	21.7%	32.5%
Grade 10	73.7%	38.3%	13.7%	21.7%	26.3%
Grade 11	75.5%	40.9%	14.8%	19.8%	24.5%
Grade 12	78.1%	45.8%	13.9%	18.4%	21.9%
Inhalants	11.1%	3.6%	1.9%	5.6%	88.9%
Grade 7	13.4%	4.8%	2.5%	6.1%	86.6%
Grade 8	12.2%	4.7%	2.0%	5.5%	87.8%
Grade 9	11.6%	3.4%	2.0%	6.2%	88.4%
Grade 10	11.5%	3.5%	2.3%	5.7%	88.5%
Grade 11	8.7%	2.1%	1.3%	5.3%	91.3%
Grade 12	7.6%	2.1%	1.1%	4.4%	92.4%
Any Illicit Drug	29.7%	13.2%	5.1%	11.4%	70.3%
Grade 7	15.5%	7.2%	2.3%	6.0%	84.5%
Grade 8	21.9%	9.7%	3.5%	8.7%	78.1%
Grade 9	30.0%	14.3%	5.3%	10.4%	70.0%
Grade 10	35.0%	16.1%	5.5%	13.4%	65.0%
Grade 11	40.7%	17.0%	7.5%	16.2%	59.3%
Grade 12	41.3%	17.2%	7.4%	16.7%	58.7%
Marijuana	27.3%	11.1%	4.9%	11.3%	72.7%
Grade 7	12.7%	5.5%	2.0%	5.2%	87.3%
Grade 8	19.5%	7.9%	3.3%	8.3%	80.5%
Grade 9	27.7%	11.9%	5.2%	10.6%	72.3%
Grade 10	32.8%	13.7%	5.6%	13.5%	67.2%
Grade 11	38.1%	14.8%	7.1%	16.2%	61.9%
Grade 12	39.4%	14.8%	7.6%	17.0%	60.6%
Cocaine or Crack	10.0%	3.5%	1.8%	4.7%	90.0%
Grade 7	4.8%	1.7%	1.1%	2.0%	95.2%
Grade 8	6.4%	2.2%	1.2%	3.0%	93.6%
Grade 9	10.1%	3.9%	1.8%	4.4%	89.9%
Grade 10	11.8%	4.2%	2.3%	5.3%	88.2%
Grade 11	14.7%	4.9%	2.1%	7.7%	85.3%
Grade 12	14.4%	4.7%	2.6%	7.1%	85.6%
Cocaine	9.5%	3.3%	1.7%	4.5%	90.5%
Grade 7	3.9%	1.4%	0.9%	1.6%	96.1%
Grade 8	5.6%	2.0%	1.0%	2.6%	94.4%
Grade 9	9.6%	3.6%	1.7%	4.3%	90.4%
Grade 10	11.5%	4.1%	2.2%	5.2%	88.5%
Grade 11	14.5%	4.8%	2.0%	7.7%	85.5%
Grade 12	14.3%	4.7%	2.5%	7.1%	85.7%
Crack	2.2%	0.7%	0.4%	1.1%	97.8%
Grade 7	2.0%	0.7%	0.5%	0.8%	98.0%
Grade 8	2.4%	0.8%	0.4%	1.2%	97.6%
Grade 9	2.7%	0.9%	0.4%	1.4%	97.3%
Grade 10	2.3%	0.6%	0.3%	1.4%	97.7%
Grade 11	1.8%	0.3%	0.4%	1.1%	98.2%
Grade 12	1.7%	0.6%	0.3%	0.8%	98.3%

Table B7: Prevalence and Recency of Use: Hispanic Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.7%	1.2%	0.6%	1.9%	96.3%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	2.3%	0.8%	0.3%	1.2%	97.7%
Grade 9	3.8%	1.3%	0.9%	1.6%	96.2%
Grade 10	5.2%	1.9%	0.7%	2.6%	94.8%
Grade 11	5.0%	1.3%	1.0%	2.7%	95.0%
Grade 12	5.2%	1.4%	1.1%	2.7%	94.8%
Uppers	4.5%	1.8%	0.9%	1.8%	95.5%
Grade 7	1.4%	0.8%	0.1%	0.5%	98.6%
Grade 8	2.3%	0.8%	0.4%	1.1%	97.7%
Grade 9	4.9%	2.0%	1.0%	1.9%	95.1%
Grade 10	5.5%	2.1%	1.3%	2.1%	94.5%
Grade 11	7.1%	2.6%	1.5%	3.0%	92.9%
Grade 12	7.2%	3.1%	1.5%	2.6%	92.8%
Downers	5.1%	2.0%	1.0%	2.1%	94.9%
Grade 7	1.6%	0.8%	0.2%	0.6%	98.4%
Grade 8	2.4%	0.9%	0.3%	1.2%	97.6%
Grade 9	5.4%	2.2%	1.2%	2.0%	94.6%
Grade 10	6.5%	2.5%	1.5%	2.5%	93.5%
Grade 11	7.6%	2.7%	1.7%	3.2%	92.4%
Grade 12	8.7%	3.0%	1.6%	4.1%	91.3%
Rohypnol	3.7%	1.5%	0.7%	1.5%	96.3%
Grade 7	2.3%	0.7%	0.5%	1.1%	97.7%
Grade 8	3.0%	1.4%	0.5%	1.1%	97.0%
Grade 9	4.7%	2.2%	0.9%	1.6%	95.3%
Grade 10	4.9%	2.1%	1.0%	1.8%	95.1%
Grade 11	3.6%	1.1%	0.7%	1.8%	96.4%
Grade 12	3.5%	1.4%	0.5%	1.6%	96.5%
Steroids	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	1.3%	0.6%	0.3%	0.4%	98.7%
Grade 9	1.1%	0.4%	0.1%	0.6%	98.9%
Grade 10	1.1%	0.4%	0.3%	0.4%	98.9%
Grade 11	1.2%	0.3%	0.5%	0.4%	98.8%
Grade 12	1.1%	0.5%	0.1%	0.5%	98.9%
Ecstasy	5.2%	1.9%	1.0%	2.3%	94.8%
Grade 7	1.8%	1.0%	0.2%	0.6%	98.2%
Grade 8	3.1%	1.2%	0.7%	1.2%	96.9%
Grade 9	5.2%	1.6%	1.2%	2.4%	94.8%
Grade 10	6.8%	2.8%	1.0%	3.0%	93.2%
Grade 11	7.6%	2.5%	1.4%	3.7%	92.4%
Grade 12	8.3%	2.9%	2.0%	3.4%	91.7%
Heroin	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 7	2.1%	0.9%	0.3%	0.9%	97.9%
Grade 8	1.6%	0.4%	0.4%	0.8%	98.4%
Grade 9	1.6%	0.6%	0.2%	0.8%	98.4%
Grade 10	1.6%	0.7%	0.2%	0.7%	98.4%
Grade 11	1.9%	0.7%	0.2%	1.0%	98.1%
Grade 12	1.2%	0.3%	0.2%	0.7%	98.8%
Methamphetamine	3.7%	1.0%	0.7%	2.1%	96.3%
Grade 7	3.3%	0.9%	0.5%	1.9%	96.7%
Grade 8	3.3%	1.0%	0.4%	1.9%	96.7%
Grade 9	3.5%	0.7%	0.8%	2.0%	96.5%
Grade 10	4.5%	1.4%	0.6%	2.5%	95.5%
Grade 11	4.3%	0.8%	1.1%	2.4%	95.7%
Grade 12	3.8%	1.0%	0.5%	2.3%	96.2%

Table B8: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Who Reported Earning A's/B's, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	27.7%	10.5%	4.6%	12.7%	72.3%
Grade 7	13.4%	3.3%	1.6%	8.5%	86.6%
Grade 8	18.6%	4.4%	2.9%	11.4%	81.4%
Grade 9	24.0%	7.5%	4.4%	12.1%	76.0%
Grade 10	31.6%	12.6%	5.2%	13.8%	68.4%
Grade 11	37.8%	16.3%	6.7%	14.8%	62.2%
Grade 12	45.0%	21.4%	7.4%	16.2%	55.0%
Alcohol	60.3%	27.4%	11.2%	21.7%	39.7%
Grade 7	41.5%	14.0%	5.2%	22.3%	58.5%
Grade 8	52.5%	19.5%	9.3%	23.6%	47.5%
Grade 9	60.1%	24.9%	12.2%	23.0%	39.9%
Grade 10	65.9%	31.5%	12.6%	21.8%	34.1%
Grade 11	70.2%	35.2%	14.9%	20.1%	29.8%
Grade 12	74.9%	43.0%	13.5%	18.4%	25.1%
Inhalants	7.7%	2.0%	1.3%	4.3%	92.3%
Grade 7	8.7%	3.1%	1.5%	4.1%	91.3%
Grade 8	9.1%	2.8%	1.6%	4.7%	90.9%
Grade 9	7.5%	1.6%	1.3%	4.6%	92.5%
Grade 10	7.9%	1.8%	1.2%	4.9%	92.1%
Grade 11	6.2%	1.3%	1.0%	4.0%	93.8%
Grade 12	6.1%	1.5%	1.0%	3.6%	93.9%
Any Illicit Drug	22.0%	9.0%	4.2%	8.8%	78.0%
Grade 7	8.1%	3.3%	1.3%	3.5%	91.9%
Grade 8	12.9%	4.5%	2.3%	6.1%	87.1%
Grade 9	18.7%	7.8%	3.5%	7.5%	81.3%
Grade 10	27.0%	11.6%	5.3%	10.2%	73.0%
Grade 11	32.9%	13.6%	6.5%	12.8%	67.1%
Grade 12	36.6%	15.2%	7.3%	14.1%	63.4%
Marijuana	20.3%	7.6%	4.1%	8.5%	79.7%
Grade 7	6.4%	2.3%	1.2%	2.8%	93.6%
Grade 8	11.0%	3.5%	1.9%	5.5%	89.0%
Grade 9	16.6%	6.4%	3.3%	6.9%	83.4%
Grade 10	25.2%	9.8%	5.3%	10.1%	74.8%
Grade 11	31.0%	12.0%	6.5%	12.6%	69.0%
Grade 12	35.5%	13.5%	7.5%	14.5%	64.5%
Cocaine or Crack	5.0%	1.4%	1.1%	2.6%	95.0%
Grade 7	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 8	2.8%	0.8%	0.6%	1.5%	97.2%
Grade 9	3.4%	1.1%	0.7%	1.6%	96.6%
Grade 10	6.0%	1.7%	1.3%	3.1%	94.0%
Grade 11	7.9%	2.1%	1.5%	4.3%	92.1%
Grade 12	9.4%	2.5%	2.3%	4.6%	90.6%
Cocaine	4.7%	1.3%	1.0%	2.4%	95.3%
Grade 7	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 8	2.2%	0.6%	0.4%	1.2%	97.8%
Grade 9	3.1%	0.9%	0.6%	1.5%	96.9%
Grade 10	5.9%	1.6%	1.3%	3.0%	94.1%
Grade 11	7.7%	2.0%	1.4%	4.3%	92.3%
Grade 12	9.4%	2.5%	2.3%	4.6%	90.6%
Crack	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 7	0.9%	0.2%	0.2%	0.5%	99.1%
Grade 8	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 9	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 10	1.3%	0.3%	0.2%	0.8%	98.7%
Grade 11	1.3%	0.3%	0.2%	0.7%	98.7%
Grade 12	1.5%	0.5%	0.2%	0.8%	98.5%

Table B8: Prevalence of Use: Students Who Reported Earning A's/B's, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.6%	1.1%	0.8%	1.6%	96.4%
Grade 7	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 8	1.5%	0.4%	0.2%	0.8%	98.5%
Grade 9	2.6%	0.7%	0.7%	1.2%	97.4%
Grade 10	4.9%	1.7%	0.8%	2.3%	95.1%
Grade 11	5.7%	1.6%	1.2%	2.8%	94.3%
Grade 12	6.8%	2.0%	2.1%	2.7%	93.2%
Uppers	4.5%	1.6%	1.1%	1.8%	95.5%
Grade 7	0.9%	0.4%	0.2%	0.4%	99.1%
Grade 8	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 9	3.3%	1.3%	0.7%	1.3%	96.7%
Grade 10	5.9%	2.4%	1.4%	2.1%	94.1%
Grade 11	7.6%	2.5%	1.9%	3.2%	92.4%
Grade 12	9.0%	3.0%	2.2%	3.8%	91.0%
Downers	4.6%	1.7%	1.0%	1.9%	95.4%
Grade 7	1.0%	0.5%	0.2%	0.3%	99.0%
Grade 8	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 9	3.3%	1.2%	0.8%	1.3%	96.7%
Grade 10	6.2%	2.3%	1.5%	2.4%	93.8%
Grade 11	7.6%	2.7%	1.7%	3.2%	92.4%
Grade 12	9.9%	3.4%	2.1%	4.3%	90.1%
Rohypnol	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 7	0.9%	0.2%	0.2%	0.5%	99.1%
Grade 8	1.1%	0.3%	0.3%	0.5%	98.9%
Grade 9	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 10	2.4%	0.7%	0.5%	1.2%	97.6%
Grade 11	1.8%	0.5%	0.3%	1.0%	98.2%
Grade 12	2.1%	0.6%	0.3%	1.1%	97.9%
Steroids	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 7	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 8	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 9	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 10	1.7%	0.7%	0.3%	0.7%	98.3%
Grade 11	1.5%	0.4%	0.4%	0.7%	98.5%
Grade 12	1.4%	0.6%	0.4%	0.4%	98.6%
Ecstasy	4.0%	1.3%	0.9%	1.8%	96.0%
Grade 7	0.9%	0.4%	0.1%	0.3%	99.1%
Grade 8	1.6%	0.5%	0.4%	0.7%	98.4%
Grade 9	2.8%	0.9%	0.7%	1.2%	97.2%
Grade 10	5.1%	1.8%	1.0%	2.4%	94.9%
Grade 11	6.7%	1.7%	1.7%	3.3%	93.3%
Grade 12	8.1%	2.6%	2.0%	3.5%	91.9%
Heroin	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 7	1.0%	0.3%	0.1%	0.5%	99.0%
Grade 8	0.9%	0.2%	0.2%	0.5%	99.1%
Grade 9	0.8%	0.2%	0.1%	0.5%	99.2%
Grade 10	1.0%	0.4%	0.2%	0.5%	99.0%
Grade 11	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 12	1.5%	0.3%	0.4%	0.8%	98.5%
Methamphetamine	2.6%	0.6%	0.5%	1.5%	97.4%
Grade 7	1.7%	0.4%	0.3%	1.0%	98.3%
Grade 8	2.0%	0.5%	0.4%	1.1%	98.0%
Grade 9	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 10	3.6%	0.8%	0.5%	2.3%	96.4%
Grade 11	3.1%	0.6%	0.7%	1.9%	96.9%
Grade 12	3.9%	0.9%	0.8%	2.2%	96.1%

Table B9: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Who Reported Earning C's, D's, or F's, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	47.1%	22.0%	7.1%	18.0%	52.9%
Grade 7	29.9%	10.9%	4.6%	14.4%	70.1%
Grade 8	39.3%	14.2%	5.8%	19.2%	60.7%
Grade 9	49.5%	20.7%	9.4%	19.4%	50.5%
Grade 10	51.0%	25.6%	6.9%	18.5%	49.0%
Grade 11	54.5%	29.1%	7.7%	17.7%	45.5%
Grade 12	63.6%	38.1%	7.5%	18.1%	36.4%
Alcohol	73.4%	41.9%	11.9%	19.6%	26.6%
Grade 7	58.1%	28.8%	6.3%	23.1%	41.9%
Grade 8	69.4%	34.5%	11.6%	23.3%	30.6%
Grade 9	75.1%	44.2%	12.3%	18.7%	24.9%
Grade 10	78.4%	43.5%	15.7%	19.2%	21.6%
Grade 11	79.7%	48.5%	13.2%	18.0%	20.3%
Grade 12	81.9%	57.2%	11.7%	13.0%	18.1%
Inhalants	15.4%	5.2%	3.0%	7.2%	84.6%
Grade 7	18.5%	6.7%	3.4%	8.4%	81.5%
Grade 8	16.5%	6.8%	3.4%	6.3%	83.5%
Grade 9	15.1%	5.3%	2.9%	6.9%	84.9%
Grade 10	15.1%	3.9%	3.7%	7.5%	84.9%
Grade 11	13.0%	3.0%	2.4%	7.6%	87.0%
Grade 12	13.1%	5.4%	1.4%	6.4%	86.9%
Any Illicit Drug	43.2%	22.1%	7.5%	13.6%	56.8%
Grade 7	25.2%	12.7%	3.9%	8.6%	74.8%
Grade 8	32.2%	16.7%	4.5%	11.0%	67.8%
Grade 9	46.3%	23.9%	8.6%	13.8%	53.7%
Grade 10	48.5%	25.6%	8.4%	14.5%	51.5%
Grade 11	53.2%	25.6%	10.5%	17.1%	46.8%
Grade 12	57.7%	29.8%	9.1%	18.8%	42.3%
Marijuana	41.0%	19.2%	7.7%	14.2%	59.0%
Grade 7	21.8%	10.5%	3.3%	7.9%	78.2%
Grade 8	30.1%	14.5%	5.2%	10.4%	69.9%
Grade 9	44.6%	20.9%	8.4%	15.3%	55.4%
Grade 10	46.5%	22.7%	8.8%	14.9%	53.5%
Grade 11	51.6%	22.5%	11.0%	18.1%	48.4%
Grade 12	55.6%	25.2%	10.2%	20.2%	44.4%
Cocaine or Crack	13.9%	5.3%	2.9%	5.7%	86.1%
Grade 7	7.5%	3.1%	1.9%	2.5%	92.5%
Grade 8	9.6%	4.0%	1.4%	4.2%	90.4%
Grade 9	14.9%	6.3%	2.8%	5.8%	85.1%
Grade 10	15.1%	5.4%	3.6%	6.2%	84.9%
Grade 11	16.9%	5.9%	3.1%	7.9%	83.1%
Grade 12	21.5%	7.4%	5.3%	8.8%	78.5%
Cocaine	13.3%	5.0%	2.8%	5.5%	86.7%
Grade 7	6.3%	2.5%	1.7%	2.1%	93.7%
Grade 8	8.6%	3.6%	1.4%	3.5%	91.4%
Grade 9	14.3%	6.0%	2.7%	5.6%	85.7%
Grade 10	14.9%	5.2%	3.6%	6.1%	85.1%
Grade 11	16.9%	5.9%	3.1%	7.9%	83.1%
Grade 12	21.5%	7.4%	5.2%	8.9%	78.5%
Crack	3.6%	1.2%	0.7%	1.6%	96.4%
Grade 7	3.4%	1.4%	0.9%	1.1%	96.6%
Grade 8	3.7%	1.3%	0.6%	1.8%	96.3%
Grade 9	4.3%	1.4%	0.8%	2.1%	95.7%
Grade 10	3.6%	1.0%	0.7%	2.0%	96.4%
Grade 11	2.1%	0.4%	0.5%	1.2%	97.9%
Grade 12	4.2%	2.2%	0.8%	1.1%	95.8%

Table B9: Students Who Reported Earning C's, D's, or F's, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	7.5%	3.2%	1.3%	3.0%	92.5%
Grade 7	2.8%	1.2%	0.5%	1.1%	97.2%
Grade 8	4.3%	2.2%	0.5%	1.6%	95.7%
Grade 9	7.5%	3.5%	1.3%	2.7%	92.5%
Grade 10	9.7%	3.5%	1.8%	4.3%	90.3%
Grade 11	9.7%	3.4%	2.0%	4.3%	90.3%
Grade 12	12.5%	6.2%	1.4%	4.9%	87.5%
Uppers	8.4%	3.8%	1.9%	2.7%	91.6%
Grade 7	3.4%	1.8%	0.4%	1.2%	96.6%
Grade 8	4.1%	1.9%	0.6%	1.7%	95.9%
Grade 9	8.3%	3.5%	1.7%	3.0%	91.7%
Grade 10	10.6%	4.3%	2.8%	3.4%	89.4%
Grade 11	11.4%	5.7%	2.4%	3.4%	88.6%
Grade 12	14.8%	6.4%	4.4%	4.0%	85.2%
Downers	9.1%	4.1%	2.2%	2.9%	90.9%
Grade 7	3.4%	1.3%	0.8%	1.3%	96.6%
Grade 8	4.2%	1.7%	0.9%	1.6%	95.8%
Grade 9	8.7%	4.0%	1.6%	3.1%	91.3%
Grade 10	11.7%	5.0%	3.1%	3.5%	88.3%
Grade 11	12.6%	6.2%	2.7%	3.6%	87.4%
Grade 12	16.6%	7.2%	5.0%	4.5%	83.4%
Rohypnol	5.7%	2.7%	1.0%	1.9%	94.3%
Grade 7	3.6%	1.7%	0.8%	1.0%	96.4%
Grade 8	4.6%	2.8%	0.4%	1.4%	95.4%
Grade 9	6.8%	3.3%	1.2%	2.3%	93.2%
Grade 10	7.0%	3.4%	1.4%	2.3%	93.0%
Grade 11	5.8%	1.9%	1.4%	2.4%	94.2%
Grade 12	5.5%	2.7%	0.8%	2.0%	94.5%
Steroids	2.2%	0.7%	0.4%	1.0%	97.8%
Grade 7	2.1%	0.8%	0.5%	0.8%	97.9%
Grade 8	1.8%	0.8%	0.2%	0.8%	98.2%
Grade 9	1.6%	0.3%	0.3%	1.0%	98.4%
Grade 10	2.3%	1.0%	0.4%	1.0%	97.7%
Grade 11	2.3%	0.9%	0.4%	1.0%	97.7%
Grade 12	3.5%	0.8%	0.5%	2.2%	96.5%
Ecstasy	9.4%	4.1%	1.8%	3.5%	90.6%
Grade 7	3.6%	2.0%	0.5%	1.1%	96.4%
Grade 8	5.5%	2.5%	1.1%	1.9%	94.5%
Grade 9	9.6%	4.2%	2.0%	3.5%	90.4%
Grade 10	11.5%	4.3%	2.2%	5.0%	88.5%
Grade 11	12.1%	5.3%	2.4%	4.4%	87.9%
Grade 12	16.9%	7.8%	3.1%	5.9%	83.1%
Heroin	3.1%	1.1%	0.7%	1.3%	96.9%
Grade 7	2.9%	1.3%	0.4%	1.1%	97.1%
Grade 8	3.0%	1.0%	0.8%	1.3%	97.0%
Grade 9	2.8%	1.2%	0.6%	1.0%	97.2%
Grade 10	3.3%	0.9%	0.6%	1.8%	96.7%
Grade 11	2.8%	1.1%	0.4%	1.3%	97.2%
Grade 12	4.0%	1.2%	1.6%	1.2%	96.0%
Methamphetamine	6.8%	1.8%	1.5%	3.5%	93.2%
Grade 7	5.0%	1.8%	0.5%	2.7%	95.0%
Grade 8	5.2%	1.0%	0.9%	3.3%	94.8%
Grade 9	6.5%	1.5%	1.7%	3.3%	93.5%
Grade 10	8.2%	2.2%	2.2%	3.8%	91.8%
Grade 11	7.0%	1.8%	1.9%	3.3%	93.0%
Grade 12	9.8%	2.9%	1.7%	5.3%	90.2%

Table B10: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Who Lived with Both Parents, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	26.6%	10.6%	4.5%	11.5%	73.4%
Grade 7	11.8%	3.3%	1.7%	6.8%	88.2%
Grade 8	17.4%	5.1%	2.7%	9.6%	82.6%
Grade 9	24.6%	8.4%	4.8%	11.4%	75.4%
Grade 10	30.2%	12.8%	4.4%	13.0%	69.8%
Grade 11	37.3%	16.3%	6.8%	14.2%	62.7%
Grade 12	44.1%	21.4%	7.6%	15.1%	55.9%
Alcohol	58.1%	27.3%	10.4%	20.4%	41.9%
Grade 7	39.5%	13.9%	4.6%	21.0%	60.5%
Grade 8	50.2%	19.7%	8.9%	21.6%	49.8%
Grade 9	58.1%	26.0%	11.1%	21.0%	41.9%
Grade 10	63.7%	31.1%	12.3%	20.3%	36.3%
Grade 11	68.8%	35.6%	13.8%	19.4%	31.2%
Grade 12	73.6%	42.6%	12.9%	18.1%	26.4%
Inhalants	8.0%	2.3%	1.4%	4.3%	92.0%
Grade 7	9.0%	3.1%	1.5%	4.4%	91.0%
Grade 8	8.7%	2.9%	1.5%	4.3%	91.3%
Grade 9	8.1%	2.0%	1.5%	4.6%	91.9%
Grade 10	8.5%	2.3%	1.5%	4.7%	91.5%
Grade 11	6.9%	1.5%	1.2%	4.2%	93.1%
Grade 12	6.4%	1.9%	1.1%	3.4%	93.6%
Any Illicit Drug	21.0%	9.2%	4.0%	7.8%	79.0%
Grade 7	8.2%	3.9%	1.3%	3.0%	91.8%
Grade 8	12.5%	5.3%	1.9%	5.3%	87.5%
Grade 9	19.9%	8.8%	3.7%	7.4%	80.1%
Grade 10	24.6%	11.3%	4.4%	8.9%	75.4%
Grade 11	31.7%	13.5%	6.6%	11.6%	68.3%
Grade 12	34.1%	14.7%	6.7%	12.7%	65.9%
Marijuana	19.1%	7.6%	3.9%	7.6%	80.9%
Grade 7	6.4%	3.0%	1.0%	2.4%	93.6%
Grade 8	10.6%	4.1%	1.8%	4.7%	89.4%
Grade 9	17.5%	7.1%	3.5%	6.9%	82.5%
Grade 10	22.4%	9.2%	4.2%	9.0%	77.6%
Grade 11	29.5%	11.3%	6.8%	11.4%	70.5%
Grade 12	32.9%	12.9%	7.1%	12.9%	67.1%
Cocaine or Crack	5.7%	1.9%	1.1%	2.7%	94.3%
Grade 7	2.2%	0.7%	0.7%	0.8%	97.8%
Grade 8	3.4%	1.1%	0.7%	1.6%	96.6%
Grade 9	5.1%	2.0%	0.9%	2.2%	94.9%
Grade 10	6.4%	2.2%	1.3%	2.9%	93.6%
Grade 11	8.9%	2.8%	1.5%	4.6%	91.1%
Grade 12	9.3%	2.7%	2.1%	4.5%	90.7%
Cocaine	5.3%	1.7%	1.1%	2.5%	94.7%
Grade 7	1.7%	0.5%	0.6%	0.6%	98.3%
Grade 8	2.8%	0.9%	0.5%	1.4%	97.2%
Grade 9	4.7%	1.8%	0.8%	2.1%	95.3%
Grade 10	6.1%	2.2%	1.2%	2.7%	93.9%
Grade 11	8.6%	2.7%	1.5%	4.4%	91.4%
Grade 12	9.3%	2.7%	2.0%	4.6%	90.7%
Crack	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 7	1.1%	0.3%	0.3%	0.5%	98.9%
Grade 8	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 9	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 10	1.6%	0.4%	0.2%	1.0%	98.4%
Grade 11	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 12	1.3%	0.5%	0.2%	0.6%	98.7%

Table B10: Prevalence of Use: Students Who Lived with Both Parents, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.5%	1.2%	0.8%	1.5%	96.5%
Grade 7	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 8	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 9	2.8%	0.9%	0.6%	1.3%	97.2%
Grade 10	4.5%	1.8%	0.8%	1.9%	95.5%
Grade 11	5.9%	1.8%	1.3%	2.8%	94.1%
Grade 12	6.3%	1.9%	2.0%	2.4%	93.7%
Uppers	4.1%	1.6%	1.0%	1.5%	95.9%
Grade 7	1.2%	0.6%	0.2%	0.4%	98.8%
Grade 8	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 9	3.3%	1.4%	0.6%	1.3%	96.7%
Grade 10	4.5%	2.0%	1.2%	1.3%	95.5%
Grade 11	7.3%	2.5%	1.9%	2.9%	92.7%
Grade 12	8.4%	2.9%	2.1%	3.4%	91.6%
Downers	4.2%	1.6%	1.0%	1.6%	95.8%
Grade 7	1.1%	0.4%	0.3%	0.4%	98.9%
Grade 8	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 9	3.4%	1.3%	0.8%	1.3%	96.6%
Grade 10	4.8%	1.9%	1.2%	1.7%	95.2%
Grade 11	7.1%	2.7%	1.7%	2.7%	92.9%
Grade 12	9.1%	3.1%	2.4%	3.6%	90.9%
Rohypnol	1.9%	0.7%	0.4%	0.8%	98.1%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	1.3%	0.7%	0.2%	0.4%	98.7%
Grade 9	2.0%	0.9%	0.4%	0.7%	98.0%
Grade 10	2.5%	1.0%	0.6%	0.9%	97.5%
Grade 11	2.3%	0.6%	0.4%	1.3%	97.7%
Grade 12	2.3%	0.8%	0.4%	1.1%	97.7%
Steroids	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 7	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 8	1.2%	0.3%	0.3%	0.6%	98.8%
Grade 9	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 10	1.5%	0.6%	0.4%	0.5%	98.5%
Grade 11	1.5%	0.5%	0.4%	0.6%	98.5%
Grade 12	1.5%	0.6%	0.5%	0.4%	98.5%
Ecstasy	3.9%	1.4%	0.9%	1.6%	96.1%
Grade 7	1.1%	0.6%	0.3%	0.2%	98.9%
Grade 8	1.8%	0.8%	0.3%	0.7%	98.2%
Grade 9	3.2%	1.1%	0.7%	1.4%	96.8%
Grade 10	5.0%	1.9%	0.9%	2.2%	95.0%
Grade 11	6.4%	1.9%	1.7%	2.8%	93.6%
Grade 12	7.4%	2.7%	1.7%	3.0%	92.6%
Heroin	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 7	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 8	1.1%	0.4%	0.1%	0.6%	98.9%
Grade 9	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 10	1.0%	0.3%	0.1%	0.6%	99.0%
Grade 11	1.3%	0.5%	0.1%	0.7%	98.7%
Grade 12	1.3%	0.2%	0.4%	0.7%	98.7%
Methamphetamine	2.6%	0.7%	0.5%	1.4%	97.4%
Grade 7	1.9%	0.5%	0.3%	1.1%	98.2%
Grade 8	2.0%	0.6%	0.4%	0.9%	98.0%
Grade 9	2.1%	0.5%	0.5%	1.1%	97.9%
Grade 10	3.4%	1.0%	0.5%	1.9%	96.6%
Grade 11	3.3%	0.6%	0.8%	2.0%	96.7%
Grade 12	3.4%	0.9%	0.6%	1.8%	96.6%

Table B11: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Not Living with Both Parents, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	40.1%	16.5%	6.0%	17.6%	59.9%
Grade 7	25.4%	7.3%	3.2%	14.9%	74.6%
Grade 8	31.7%	8.4%	5.0%	18.3%	68.3%
Grade 9	39.0%	14.4%	6.7%	17.9%	61.0%
Grade 10	44.7%	19.7%	7.2%	17.8%	55.3%
Grade 11	48.1%	23.5%	7.0%	17.6%	51.9%
Grade 12	53.6%	28.0%	6.9%	18.7%	46.4%
Alcohol	71.0%	35.4%	12.9%	22.7%	29.0%
Grade 7	54.8%	22.5%	7.0%	25.3%	45.2%
Grade 8	65.5%	27.1%	11.5%	26.9%	34.5%
Grade 9	72.9%	35.1%	14.1%	23.7%	27.1%
Grade 10	76.1%	38.9%	14.9%	22.3%	23.9%
Grade 11	77.7%	41.9%	15.8%	20.0%	22.3%
Grade 12	79.6%	49.0%	13.8%	16.8%	20.4%
Inhalants	11.3%	3.2%	2.1%	6.0%	88.7%
Grade 7	13.8%	5.2%	2.5%	6.1%	86.2%
Grade 8	13.7%	4.6%	2.6%	6.5%	86.3%
Grade 9	11.4%	3.3%	2.1%	6.0%	88.6%
Grade 10	11.2%	2.2%	2.2%	6.8%	88.8%
Grade 11	9.0%	1.8%	1.4%	5.8%	91.0%
Grade 12	8.3%	2.4%	1.0%	4.9%	91.7%
Any Illicit Drug	35.3%	15.8%	6.5%	13.0%	64.7%
Grade 7	17.7%	7.5%	2.9%	7.3%	82.3%
Grade 8	23.9%	9.6%	4.2%	10.1%	76.1%
Grade 9	34.1%	16.3%	6.3%	11.5%	65.9%
Grade 10	42.9%	19.9%	8.4%	14.6%	57.1%
Grade 11	46.5%	20.5%	8.6%	17.4%	53.5%
Grade 12	48.8%	21.8%	8.7%	18.3%	51.2%
Marijuana	33.6%	14.0%	6.5%	13.1%	66.4%
Grade 7	15.1%	5.9%	2.6%	6.6%	84.9%
Grade 8	21.8%	8.2%	4.1%	9.5%	78.2%
Grade 9	32.5%	14.3%	6.0%	12.2%	67.5%
Grade 10	41.3%	17.9%	8.9%	14.5%	58.7%
Grade 11	45.3%	19.0%	8.5%	17.8%	54.7%
Grade 12	47.7%	19.2%	9.2%	19.3%	52.3%
Cocaine or Crack	8.7%	2.7%	1.9%	4.1%	91.3%
Grade 7	4.1%	1.6%	0.6%	1.9%	95.9%
Grade 8	5.3%	1.8%	0.8%	2.7%	94.7%
Grade 9	7.7%	2.7%	1.7%	3.3%	92.3%
Grade 10	10.5%	2.9%	2.7%	4.9%	89.5%
Grade 11	11.5%	3.2%	2.3%	6.0%	88.5%
Grade 12	14.3%	4.1%	3.7%	6.5%	85.7%
Cocaine	8.4%	2.6%	1.9%	3.9%	91.6%
Grade 7	3.5%	1.4%	0.6%	1.5%	96.5%
Grade 8	4.4%	1.6%	0.7%	2.1%	95.6%
Grade 9	7.3%	2.6%	1.5%	3.2%	92.7%
Grade 10	10.4%	2.9%	2.6%	4.9%	89.6%
Grade 11	11.5%	3.2%	2.2%	6.1%	88.5%
Grade 12	14.3%	4.0%	3.8%	6.5%	85.7%
Crack	2.2%	0.6%	0.5%	1.1%	97.8%
Grade 7	1.9%	0.7%	0.4%	0.8%	98.1%
Grade 8	2.4%	0.6%	0.3%	1.5%	97.6%
Grade 9	2.3%	0.6%	0.5%	1.2%	97.7%
Grade 10	2.2%	0.6%	0.5%	1.1%	97.8%
Grade 11	1.4%	0.3%	0.4%	0.7%	98.6%
Grade 12	2.9%	1.2%	0.4%	1.3%	97.1%

Table B11: Prevalence of Use: Students Not Living with Both Parents, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	5.8%	2.1%	1.1%	2.6%	94.2%
Grade 7	1.7%	0.6%	0.4%	0.7%	98.3%
Grade 8	2.9%	1.1%	0.4%	1.4%	97.1%
Grade 9	5.4%	2.1%	1.2%	2.1%	94.6%
Grade 10	7.9%	2.6%	1.4%	3.9%	92.1%
Grade 11	7.5%	2.3%	1.6%	3.6%	92.5%
Grade 12	10.0%	3.9%	1.9%	4.2%	90.0%
Uppers	7.3%	2.9%	1.7%	2.7%	92.7%
Grade 7	1.9%	0.9%	0.2%	0.8%	98.1%
Grade 8	3.3%	1.2%	0.7%	1.4%	96.7%
Grade 9	6.2%	2.6%	1.4%	2.2%	93.8%
Grade 10	10.3%	4.2%	2.4%	3.7%	89.7%
Grade 11	10.4%	4.1%	2.2%	4.1%	89.6%
Grade 12	12.5%	4.5%	3.3%	4.7%	87.5%
Downers	7.7%	3.2%	1.7%	2.8%	92.3%
Grade 7	2.1%	1.1%	0.3%	0.7%	97.9%
Grade 8	2.9%	1.3%	0.7%	0.9%	97.1%
Grade 9	6.3%	2.8%	1.4%	2.1%	93.7%
Grade 10	11.2%	4.5%	2.7%	4.0%	88.8%
Grade 11	11.2%	4.6%	2.3%	4.3%	88.8%
Grade 12	13.6%	5.2%	2.9%	5.5%	86.4%
Rohypnol	3.3%	1.3%	0.6%	1.4%	96.7%
Grade 7	1.9%	0.8%	0.3%	0.8%	98.1%
Grade 8	2.5%	1.1%	0.4%	1.0%	97.5%
Grade 9	4.1%	1.8%	0.8%	1.5%	95.9%
Grade 10	4.8%	1.7%	1.0%	2.1%	95.2%
Grade 11	3.1%	1.1%	0.7%	1.3%	96.9%
Grade 12	3.2%	1.2%	0.5%	1.5%	96.8%
Steroids	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 7	1.4%	0.6%	0.3%	0.5%	98.6%
Grade 8	1.9%	0.7%	0.2%	1.0%	98.1%
Grade 9	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 10	2.2%	1.0%	0.2%	1.0%	97.8%
Grade 11	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 12	2.1%	0.8%	0.3%	1.0%	97.9%
Ecstasy	7.1%	2.5%	1.6%	3.0%	92.9%
Grade 7	1.9%	0.9%	0.2%	0.8%	98.1%
Grade 8	3.2%	1.0%	0.9%	1.3%	96.8%
Grade 9	6.4%	2.6%	1.6%	2.2%	93.6%
Grade 10	8.6%	3.0%	1.7%	3.9%	91.4%
Grade 11	10.4%	3.5%	2.3%	4.6%	89.6%
Grade 12	12.7%	4.5%	2.8%	5.4%	87.3%
Heroin	2.0%	0.7%	0.4%	0.9%	98.0%
Grade 7	1.8%	0.8%	0.2%	0.8%	98.2%
Grade 8	1.7%	0.4%	0.5%	0.8%	98.3%
Grade 9	1.7%	0.7%	0.3%	0.7%	98.3%
Grade 10	2.3%	0.8%	0.4%	1.1%	97.7%
Grade 11	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 12	2.7%	0.8%	0.9%	1.0%	97.3%
Methamphetamine	4.9%	1.2%	1.1%	2.6%	95.1%
Grade 7	3.3%	1.0%	0.5%	1.8%	96.7%
Grade 8	3.8%	0.7%	0.6%	2.5%	96.2%
Grade 9	4.2%	1.1%	1.2%	1.9%	95.8%
Grade 10	6.3%	1.3%	1.5%	3.5%	93.8%
Grade 11	4.9%	1.2%	1.2%	2.5%	95.1%
Grade 12	7.1%	1.7%	1.4%	4.0%	92.9%

Table B12: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Who Would Seek Help from Adults for Substance Abuse Problems, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	28.9%	11.2%	4.6%	13.1%	71.1%
Grade 7	13.6%	3.3%	1.6%	8.7%	86.4%
Grade 8	19.6%	5.0%	3.0%	11.6%	80.4%
Grade 9	27.1%	9.0%	4.9%	13.2%	72.9%
Grade 10	32.9%	13.4%	4.9%	14.6%	67.1%
Grade 11	39.0%	17.1%	6.8%	15.1%	61.0%
Grade 12	46.2%	22.7%	7.3%	16.2%	53.8%
Alcohol	60.8%	28.0%	11.0%	21.8%	39.2%
Grade 7	41.6%	14.0%	5.3%	22.3%	58.4%
Grade 8	52.2%	19.4%	8.9%	23.9%	47.8%
Grade 9	61.9%	26.9%	11.9%	23.1%	38.1%
Grade 10	67.1%	31.9%	12.8%	22.4%	32.9%
Grade 11	71.1%	36.2%	14.7%	20.2%	28.9%
Grade 12	75.4%	44.5%	13.2%	17.7%	24.6%
Inhalants	7.7%	2.0%	1.3%	4.4%	92.3%
Grade 7	8.4%	2.6%	1.6%	4.2%	91.6%
Grade 8	8.8%	2.6%	1.4%	4.8%	91.2%
Grade 9	8.0%	2.0%	1.4%	4.6%	92.0%
Grade 10	8.1%	1.8%	1.5%	4.8%	91.9%
Grade 11	6.7%	1.4%	1.1%	4.2%	93.3%
Grade 12	6.0%	1.4%	0.9%	3.7%	94.0%
Any Illicit Drug	23.1%	9.8%	4.2%	9.1%	76.9%
Grade 7	8.6%	3.4%	1.3%	3.9%	91.4%
Grade 8	13.7%	5.1%	2.2%	6.4%	86.3%
Grade 9	21.7%	9.4%	4.1%	8.2%	78.3%
Grade 10	28.2%	12.5%	5.3%	10.4%	71.8%
Grade 11	34.0%	14.2%	6.6%	13.2%	66.0%
Grade 12	37.4%	16.1%	6.7%	14.6%	62.6%
Marijuana	21.5%	8.4%	4.1%	9.0%	78.5%
Grade 7	6.6%	2.5%	1.0%	3.1%	93.4%
Grade 8	12.0%	4.1%	2.1%	5.8%	88.0%
Grade 9	20.1%	7.9%	3.9%	8.3%	79.9%
Grade 10	26.5%	10.8%	5.2%	10.5%	73.5%
Grade 11	32.4%	12.7%	6.7%	13.0%	67.6%
Grade 12	36.1%	14.4%	6.7%	15.0%	63.9%
Cocaine or Crack	5.6%	1.6%	1.2%	2.8%	94.4%
Grade 7	2.1%	0.6%	0.5%	1.0%	97.9%
Grade 8	3.1%	0.9%	0.6%	1.6%	96.9%
Grade 9	4.9%	1.8%	0.9%	2.2%	95.1%
Grade 10	6.7%	1.9%	1.4%	3.4%	93.3%
Grade 11	8.3%	2.3%	1.5%	4.5%	91.7%
Grade 12	9.8%	2.5%	2.3%	5.0%	90.2%
Cocaine	5.3%	1.5%	1.1%	2.7%	94.7%
Grade 7	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 8	2.6%	0.7%	0.5%	1.4%	97.4%
Grade 9	4.6%	1.7%	0.8%	2.1%	95.4%
Grade 10	6.5%	1.8%	1.5%	3.2%	93.5%
Grade 11	8.2%	2.2%	1.6%	4.4%	91.8%
Grade 12	9.8%	2.5%	2.3%	5.0%	90.2%
Crack	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 7	0.9%	0.2%	0.3%	0.4%	99.1%
Grade 8	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 9	1.2%	0.3%	0.3%	0.6%	98.8%
Grade 10	1.4%	0.2%	0.3%	0.9%	98.6%
Grade 11	1.1%	0.2%	0.2%	0.7%	98.9%
Grade 12	1.6%	0.4%	0.3%	0.9%	98.4%

Table B12: Students Who Would Seek Help from Adults, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.7%	1.2%	0.8%	1.7%	96.3%
Grade 7	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 8	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 9	3.2%	1.0%	0.7%	1.5%	96.8%
Grade 10	4.8%	1.5%	0.9%	2.4%	95.2%
Grade 11	5.7%	1.7%	1.3%	2.7%	94.3%
Grade 12	6.7%	2.2%	1.7%	2.8%	93.3%
Uppers	4.5%	1.6%	1.1%	1.8%	95.5%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	1.8%	0.6%	0.4%	0.8%	98.2%
Grade 9	3.4%	1.3%	0.8%	1.3%	96.6%
Grade 10	5.6%	2.1%	1.4%	2.1%	94.4%
Grade 11	7.3%	2.8%	1.8%	2.7%	92.7%
Grade 12	8.9%	3.0%	2.1%	3.8%	91.1%
Downers	4.6%	1.7%	1.1%	1.8%	95.4%
Grade 7	1.1%	0.4%	0.3%	0.4%	98.9%
Grade 8	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 9	3.5%	1.3%	0.9%	1.3%	96.5%
Grade 10	5.9%	2.0%	1.6%	2.3%	94.1%
Grade 11	7.3%	3.0%	1.6%	2.7%	92.7%
Grade 12	9.4%	3.4%	2.0%	4.0%	90.6%
Rohypnol	1.9%	0.7%	0.3%	0.9%	98.1%
Grade 7	1.0%	0.3%	0.3%	0.4%	99.0%
Grade 8	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 9	2.2%	0.9%	0.4%	0.9%	97.8%
Grade 10	2.7%	0.9%	0.5%	1.3%	97.3%
Grade 11	2.1%	0.5%	0.5%	1.1%	97.9%
Grade 12	2.2%	0.9%	0.2%	1.1%	97.8%
Steroids	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 7	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 8	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 9	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 10	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 11	1.2%	0.3%	0.3%	0.6%	98.8%
Grade 12	1.3%	0.5%	0.4%	0.4%	98.7%
Ecstasy	4.2%	1.4%	0.9%	1.9%	95.8%
Grade 7	1.0%	0.5%	0.2%	0.3%	99.0%
Grade 8	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 9	3.7%	1.2%	1.0%	1.5%	96.3%
Grade 10	5.5%	2.0%	0.9%	2.6%	94.5%
Grade 11	6.2%	2.0%	1.3%	2.9%	93.8%
Grade 12	8.4%	2.7%	1.9%	3.8%	91.6%
Heroin	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 7	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 8	0.9%	0.2%	0.2%	0.5%	99.1%
Grade 9	1.0%	0.2%	0.3%	0.5%	99.0%
Grade 10	1.1%	0.4%	0.1%	0.6%	98.9%
Grade 11	1.0%	0.4%	0.1%	0.5%	99.0%
Grade 12	1.5%	0.3%	0.5%	0.7%	98.5%
Methamphetamine	2.9%	0.6%	0.6%	1.7%	97.2%
Grade 7	1.8%	0.4%	0.2%	1.2%	98.2%
Grade 8	2.0%	0.4%	0.4%	1.2%	98.0%
Grade 9	2.3%	0.4%	0.6%	1.3%	97.7%
Grade 10	4.0%	0.9%	0.8%	2.3%	96.0%
Grade 11	3.3%	0.7%	0.8%	1.8%	96.8%
Grade 12	4.2%	0.9%	0.9%	2.4%	95.8%

Table B13: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Who Would Not Seek Help from Adults for Substance Abuse Problems, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	42.8%	20.1%	7.0%	15.7%	57.2%
Grade 7	29.1%	11.6%	4.0%	13.5%	70.9%
Grade 8	35.0%	12.0%	6.1%	16.9%	65.0%
Grade 9	40.5%	16.8%	7.9%	15.8%	59.5%
Grade 10	47.6%	24.1%	7.8%	15.7%	52.4%
Grade 11	49.6%	26.5%	7.8%	15.3%	50.4%
Grade 12	54.6%	30.2%	8.1%	16.3%	45.4%
Alcohol	71.7%	40.2%	12.8%	18.7%	28.3%
Grade 7	58.8%	28.6%	6.9%	23.3%	41.2%
Grade 8	69.0%	33.8%	13.3%	21.9%	31.0%
Grade 9	70.7%	39.5%	12.5%	18.7%	29.3%
Grade 10	76.1%	44.2%	16.2%	15.7%	23.9%
Grade 11	76.2%	44.7%	14.5%	17.0%	23.8%
Grade 12	78.6%	49.4%	12.6%	16.6%	21.4%
Inhalants	15.0%	5.1%	2.8%	7.1%	85.0%
Grade 7	21.1%	9.5%	2.8%	8.8%	78.9%
Grade 8	18.9%	7.9%	4.0%	7.0%	81.1%
Grade 9	13.9%	4.3%	2.9%	6.7%	86.1%
Grade 10	15.2%	3.5%	3.5%	8.2%	84.8%
Grade 11	11.5%	2.5%	1.9%	7.1%	88.5%
Grade 12	10.1%	3.4%	1.5%	5.2%	89.9%
Any Illicit Drug	39.0%	19.5%	7.4%	12.1%	61.0%
Grade 7	24.0%	12.8%	3.6%	7.6%	76.0%
Grade 8	28.3%	13.8%	4.4%	10.1%	71.7%
Grade 9	38.4%	19.6%	7.0%	11.8%	61.6%
Grade 10	44.7%	22.4%	8.4%	13.9%	55.3%
Grade 11	49.2%	24.0%	10.7%	14.5%	50.8%
Grade 12	48.8%	23.5%	10.8%	14.5%	51.2%
Marijuana	35.9%	16.2%	7.7%	12.0%	64.1%
Grade 7	20.5%	10.2%	3.5%	6.8%	79.5%
Grade 8	24.7%	10.8%	4.7%	9.2%	75.3%
Grade 9	34.0%	16.6%	6.5%	10.9%	66.0%
Grade 10	42.0%	18.9%	8.8%	14.3%	58.0%
Grade 11	46.4%	20.3%	11.1%	15.0%	53.6%
Grade 12	47.2%	20.0%	11.9%	15.3%	52.8%
Cocaine or Crack	11.2%	4.4%	2.3%	4.5%	88.8%
Grade 7	6.4%	3.1%	1.0%	2.3%	93.6%
Grade 8	7.0%	2.7%	1.4%	2.9%	93.0%
Grade 9	9.2%	4.3%	1.5%	3.4%	90.8%
Grade 10	12.1%	4.7%	2.7%	4.7%	87.9%
Grade 11	15.5%	5.3%	2.9%	7.3%	84.5%
Grade 12	17.3%	6.2%	4.6%	6.5%	82.7%
Cocaine	10.6%	4.1%	2.2%	4.3%	89.4%
Grade 7	5.2%	2.5%	0.9%	1.8%	94.8%
Grade 8	5.7%	2.2%	1.1%	2.4%	94.3%
Grade 9	8.6%	3.7%	1.7%	3.2%	91.4%
Grade 10	12.0%	4.7%	2.5%	4.8%	88.0%
Grade 11	15.2%	5.2%	2.6%	7.4%	84.8%
Grade 12	17.2%	6.2%	4.4%	6.6%	82.8%
Crack	3.5%	1.6%	0.5%	1.4%	96.5%
Grade 7	3.2%	1.7%	0.4%	1.1%	96.8%
Grade 8	4.0%	1.3%	0.9%	1.8%	96.0%
Grade 9	3.9%	1.8%	0.6%	1.5%	96.1%
Grade 10	3.5%	1.5%	0.7%	1.3%	96.5%
Grade 11	2.5%	0.7%	0.7%	1.1%	97.5%
Grade 12	3.5%	2.1%	0.4%	1.0%	96.5%

Table B13: Students Who Would Not Seek Help from Adults, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	7.3%	2.8%	1.4%	3.1%	92.7%
Grade 7	2.3%	0.7%	0.3%	1.3%	97.7%
Grade 8	4.1%	1.5%	0.8%	1.8%	95.9%
Grade 9	6.2%	2.6%	1.2%	2.4%	93.8%
Grade 10	10.0%	4.2%	1.6%	4.2%	90.0%
Grade 11	9.7%	3.7%	1.7%	4.3%	90.3%
Grade 12	11.6%	3.8%	3.1%	4.7%	88.4%
Uppers	9.0%	3.8%	2.1%	3.1%	91.0%
Grade 7	3.0%	2.0%	0.0%	1.0%	97.0%
Grade 8	3.5%	1.9%	0.5%	1.1%	96.5%
Grade 9	7.9%	3.4%	1.5%	3.0%	92.1%
Grade 10	11.6%	5.5%	2.7%	3.4%	88.4%
Grade 11	13.3%	4.3%	3.2%	5.8%	86.7%
Grade 12	14.7%	5.5%	4.6%	4.6%	85.3%
Downers	9.3%	3.9%	2.2%	3.2%	90.7%
Grade 7	2.9%	1.7%	0.3%	0.9%	97.1%
Grade 8	2.9%	1.4%	0.7%	0.8%	97.1%
Grade 9	7.5%	3.5%	1.4%	2.6%	92.5%
Grade 10	12.2%	6.1%	2.7%	3.4%	87.8%
Grade 11	14.4%	5.0%	3.5%	5.9%	85.6%
Grade 12	16.4%	5.8%	4.6%	6.0%	83.6%
Rohypnol	4.0%	1.9%	0.8%	1.3%	96.0%
Grade 7	2.8%	1.5%	0.3%	1.0%	97.2%
Grade 8	3.3%	2.0%	0.7%	0.6%	96.7%
Grade 9	4.2%	2.3%	0.9%	1.0%	95.8%
Grade 10	5.2%	2.6%	1.3%	1.3%	94.8%
Grade 11	4.4%	1.4%	1.0%	2.0%	95.6%
Grade 12	3.9%	1.1%	0.9%	1.9%	96.1%
Steroids	2.7%	1.3%	0.3%	1.1%	97.3%
Grade 7	2.9%	1.6%	0.3%	1.0%	97.1%
Grade 8	2.6%	1.2%	0.3%	1.1%	97.4%
Grade 9	1.9%	0.7%	0.3%	0.9%	98.1%
Grade 10	2.9%	1.6%	0.2%	1.1%	97.1%
Grade 11	2.6%	1.2%	0.7%	0.7%	97.4%
Grade 12	3.7%	1.5%	0.5%	1.7%	96.3%
Ecstasy	8.8%	3.5%	2.0%	3.3%	91.2%
Grade 7	3.9%	2.2%	0.1%	1.6%	96.1%
Grade 8	4.7%	1.9%	1.0%	1.8%	95.3%
Grade 9	6.8%	3.2%	1.3%	2.3%	93.2%
Grade 10	10.2%	3.9%	2.4%	3.9%	89.8%
Grade 11	14.5%	3.9%	4.7%	5.9%	85.5%
Grade 12	12.9%	5.8%	2.5%	4.6%	87.1%
Heroin	2.8%	1.0%	0.6%	1.2%	97.2%
Grade 7	2.7%	1.2%	0.3%	1.2%	97.3%
Grade 8	2.7%	0.9%	0.3%	1.5%	97.3%
Grade 9	2.6%	1.6%	0.3%	0.7%	97.4%
Grade 10	2.6%	0.7%	0.8%	1.1%	97.4%
Grade 11	2.7%	0.7%	0.8%	1.2%	97.3%
Grade 12	3.3%	0.8%	1.3%	1.2%	96.7%
Methamphetamine	6.0%	1.8%	1.2%	3.0%	94.0%
Grade 7	4.8%	1.8%	0.9%	2.1%	95.2%
Grade 8	6.0%	1.6%	1.0%	3.4%	94.0%
Grade 9	5.2%	1.7%	1.3%	2.2%	94.8%
Grade 10	7.0%	2.0%	1.5%	3.5%	93.0%
Grade 11	5.7%	1.3%	1.4%	3.0%	94.3%
Grade 12	7.5%	2.5%	1.1%	3.9%	92.5%

Table B14: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Living in School District Three Years or Less, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	34.2%	13.4%	5.1%	15.7%	65.8%
Grade 7	20.5%	6.0%	2.6%	11.9%	79.5%
Grade 8	27.3%	7.6%	3.5%	16.2%	72.7%
Grade 9	36.0%	13.6%	7.0%	15.4%	64.0%
Grade 10	38.4%	16.0%	5.2%	17.2%	61.6%
Grade 11	42.9%	20.1%	6.6%	16.2%	57.1%
Grade 12	54.3%	26.5%	6.7%	21.1%	45.7%
Alcohol	64.4%	30.9%	11.0%	22.5%	35.6%
Grade 7	48.6%	20.7%	5.0%	22.9%	51.4%
Grade 8	59.7%	24.8%	10.7%	24.2%	40.3%
Grade 9	65.5%	32.5%	11.6%	21.4%	34.5%
Grade 10	71.5%	34.2%	13.8%	23.5%	28.5%
Grade 11	74.2%	38.8%	14.7%	20.7%	25.8%
Grade 12	77.2%	43.8%	12.1%	21.3%	22.8%
Inhalants	10.7%	3.2%	2.0%	5.5%	89.3%
Grade 7	11.4%	4.2%	2.5%	4.7%	88.6%
Grade 8	11.8%	3.8%	2.2%	5.8%	88.2%
Grade 9	10.5%	3.1%	2.2%	5.2%	89.5%
Grade 10	11.3%	2.7%	2.2%	6.4%	88.7%
Grade 11	8.1%	2.0%	1.3%	4.8%	91.9%
Grade 12	10.1%	2.4%	1.5%	6.2%	89.9%
Any Illicit Drug	29.7%	13.7%	4.9%	11.1%	70.3%
Grade 7	14.7%	6.9%	1.8%	6.0%	85.3%
Grade 8	20.8%	9.3%	2.7%	8.8%	79.2%
Grade 9	31.1%	14.8%	5.5%	10.8%	68.9%
Grade 10	37.5%	17.3%	6.9%	13.3%	62.5%
Grade 11	41.1%	18.7%	7.6%	14.8%	58.9%
Grade 12	44.5%	19.6%	7.8%	17.1%	55.5%
Marijuana	27.7%	11.9%	5.2%	10.6%	72.3%
Grade 7	12.4%	5.9%	1.6%	4.9%	87.6%
Grade 8	18.3%	7.6%	2.8%	7.9%	81.7%
Grade 9	29.1%	12.7%	5.3%	11.1%	70.9%
Grade 10	35.7%	15.4%	7.3%	13.0%	64.3%
Grade 11	39.6%	16.5%	8.2%	14.9%	60.4%
Grade 12	43.3%	18.1%	8.5%	16.7%	56.7%
Cocaine or Crack	7.3%	2.5%	1.5%	3.3%	92.7%
Grade 7	3.4%	1.3%	0.5%	1.6%	96.6%
Grade 8	5.0%	2.1%	0.5%	2.4%	95.0%
Grade 9	7.6%	3.2%	1.4%	3.0%	92.4%
Grade 10	9.0%	2.7%	2.2%	4.1%	91.0%
Grade 11	10.0%	3.2%	2.0%	4.8%	90.0%
Grade 12	12.6%	2.7%	3.4%	6.5%	87.4%
Cocaine	6.9%	2.4%	1.4%	3.1%	93.1%
Grade 7	2.8%	1.2%	0.4%	1.2%	97.2%
Grade 8	4.3%	1.9%	0.5%	1.9%	95.7%
Grade 9	7.3%	3.0%	1.4%	2.9%	92.7%
Grade 10	8.8%	2.6%	2.2%	4.0%	91.2%
Grade 11	9.8%	3.1%	2.0%	4.7%	90.2%
Grade 12	12.6%	2.8%	3.2%	6.6%	87.4%
Crack	2.0%	0.7%	0.3%	1.0%	98.0%
Grade 7	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 8	2.3%	0.9%	0.2%	1.2%	97.7%
Grade 9	2.2%	1.0%	0.3%	0.9%	97.8%
Grade 10	2.5%	0.7%	0.5%	1.3%	97.5%
Grade 11	1.4%	0.2%	0.3%	0.9%	98.6%
Grade 12	1.8%	0.6%	0.1%	1.1%	98.2%

Table B14: Students in School District Three Years or Less, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	4.7%	1.7%	0.8%	2.2%	95.3%
Grade 7	1.3%	0.6%	0.2%	0.5%	98.7%
Grade 8	2.5%	1.3%	0.2%	1.0%	97.5%
Grade 9	4.2%	1.7%	0.7%	1.8%	95.8%
Grade 10	7.6%	2.6%	1.3%	3.7%	92.4%
Grade 11	6.7%	2.0%	1.2%	3.5%	93.3%
Grade 12	9.2%	2.9%	2.5%	3.8%	90.8%
Uppers	5.5%	2.2%	1.3%	2.0%	94.5%
Grade 7	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 8	2.6%	1.3%	0.4%	0.9%	97.4%
Grade 9	4.9%	2.2%	1.0%	1.7%	95.1%
Grade 10	8.0%	3.4%	2.1%	2.5%	92.0%
Grade 11	8.5%	3.4%	1.8%	3.3%	91.5%
Grade 12	12.4%	3.6%	4.0%	4.8%	87.6%
Downers	6.1%	2.4%	1.5%	2.2%	93.9%
Grade 7	2.0%	0.7%	0.4%	0.9%	98.0%
Grade 8	2.1%	0.7%	0.6%	0.8%	97.9%
Grade 9	4.8%	2.1%	1.2%	1.5%	95.2%
Grade 10	9.6%	3.6%	2.6%	3.4%	90.4%
Grade 11	9.0%	4.1%	1.7%	3.2%	91.0%
Grade 12	15.1%	5.8%	4.0%	5.3%	84.9%
Rohypnol	2.9%	1.2%	0.5%	1.2%	97.1%
Grade 7	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 8	2.6%	1.5%	0.4%	0.7%	97.4%
Grade 9	3.5%	1.6%	0.5%	1.4%	96.5%
Grade 10	3.7%	1.3%	0.6%	1.8%	96.3%
Grade 11	2.9%	1.0%	0.7%	1.2%	97.1%
Grade 12	3.4%	1.4%	0.3%	1.7%	96.6%
Steroids	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 7	1.6%	0.4%	0.5%	0.7%	98.4%
Grade 8	1.8%	0.4%	0.5%	0.9%	98.2%
Grade 9	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 10	2.4%	1.1%	0.2%	1.1%	97.6%
Grade 11	1.8%	0.4%	0.5%	0.9%	98.2%
Grade 12	1.3%	0.4%	0.1%	0.8%	98.7%
Ecstasy	5.9%	2.2%	1.1%	2.6%	94.1%
Grade 7	1.6%	0.9%	0.2%	0.5%	98.4%
Grade 8	2.9%	1.5%	0.5%	0.9%	97.1%
Grade 9	6.1%	2.6%	1.3%	2.2%	93.9%
Grade 10	7.7%	2.2%	1.4%	4.1%	92.3%
Grade 11	8.9%	3.4%	1.6%	3.9%	91.1%
Grade 12	13.6%	4.0%	2.4%	7.2%	86.4%
Heroin	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 7	1.8%	0.8%	0.2%	0.8%	98.2%
Grade 8	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 9	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 10	2.0%	0.5%	0.4%	1.1%	98.0%
Grade 11	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 12	2.0%	0.2%	0.5%	1.3%	98.0%
Methamphetamine	4.3%	1.0%	0.9%	2.4%	95.7%
Grade 7	2.7%	1.0%	0.2%	1.5%	97.3%
Grade 8	3.3%	0.8%	0.7%	1.9%	96.7%
Grade 9	3.9%	0.7%	1.1%	2.0%	96.1%
Grade 10	6.5%	1.3%	1.1%	4.1%	93.5%
Grade 11	4.5%	1.4%	1.2%	1.9%	95.5%
Grade 12	5.6%	0.6%	1.2%	3.8%	94.4%

Table B15: Prevalence and Recency of Substance Use, by Grade: Texas Secondary Students Living in School District More Than Three Years, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	30.7%	12.7%	5.0%	13.0%	69.3%
Grade 7	14.8%	4.2%	2.0%	8.6%	85.2%
Grade 8	20.6%	5.8%	3.5%	11.3%	79.4%
Grade 9	27.3%	9.5%	4.9%	12.9%	72.7%
Grade 10	34.8%	15.5%	5.6%	13.7%	65.2%
Grade 11	40.7%	18.6%	6.9%	15.2%	59.3%
Grade 12	46.7%	23.5%	7.5%	15.7%	53.3%
Alcohol	62.4%	30.2%	11.4%	20.8%	37.6%
Grade 7	43.3%	15.1%	5.7%	22.5%	56.7%
Grade 8	54.3%	21.3%	9.6%	23.4%	45.7%
Grade 9	62.8%	28.4%	12.3%	22.1%	37.2%
Grade 10	67.4%	34.2%	13.1%	20.1%	32.6%
Grade 11	71.3%	37.6%	14.4%	19.3%	28.7%
Grade 12	75.6%	45.2%	13.4%	17.0%	24.4%
Inhalants	8.7%	2.5%	1.5%	4.7%	91.3%
Grade 7	10.4%	3.7%	1.6%	5.1%	89.6%
Grade 8	10.0%	3.4%	1.8%	4.8%	90.0%
Grade 9	8.9%	2.3%	1.6%	5.0%	91.1%
Grade 10	8.8%	2.1%	1.6%	5.1%	91.2%
Grade 11	7.5%	1.4%	1.3%	4.8%	92.5%
Grade 12	6.5%	2.0%	0.9%	3.6%	93.5%
Any Illicit Drug	25.1%	10.9%	4.9%	9.3%	74.9%
Grade 7	10.1%	4.4%	1.9%	3.8%	89.9%
Grade 8	15.0%	5.8%	2.8%	6.4%	85.0%
Grade 9	22.6%	10.2%	4.3%	8.1%	77.4%
Grade 10	29.4%	13.6%	5.6%	10.2%	70.6%
Grade 11	35.8%	15.1%	7.3%	13.4%	64.2%
Grade 12	38.9%	16.9%	7.5%	14.5%	61.1%
Marijuana	23.3%	9.3%	4.7%	9.3%	76.7%
Grade 7	8.1%	3.1%	1.6%	3.4%	91.9%
Grade 8	13.2%	4.7%	2.6%	5.9%	86.8%
Grade 9	20.5%	8.6%	4.0%	7.9%	79.5%
Grade 10	27.5%	11.5%	5.6%	10.4%	72.5%
Grade 11	33.7%	13.3%	7.2%	13.2%	66.3%
Grade 12	37.7%	14.7%	7.8%	15.2%	62.3%
Cocaine or Crack	6.6%	2.1%	1.4%	3.1%	93.4%
Grade 7	2.7%	0.9%	0.7%	1.1%	97.3%
Grade 8	3.7%	1.1%	0.8%	1.8%	96.3%
Grade 9	5.4%	1.9%	1.1%	2.4%	94.6%
Grade 10	7.6%	2.5%	1.6%	3.5%	92.4%
Grade 11	9.7%	2.8%	1.7%	5.2%	90.3%
Grade 12	11.1%	3.4%	2.6%	5.1%	88.9%
Cocaine	6.3%	1.9%	1.4%	3.0%	93.7%
Grade 7	2.1%	0.7%	0.6%	0.8%	97.9%
Grade 8	3.1%	0.8%	0.7%	1.6%	96.9%
Grade 9	5.0%	1.7%	1.0%	2.3%	95.0%
Grade 10	7.5%	2.4%	1.6%	3.5%	92.5%
Grade 11	9.5%	2.7%	1.7%	5.1%	90.5%
Grade 12	11.1%	3.3%	2.7%	5.1%	88.9%
Crack	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	1.5%	0.4%	0.4%	0.7%	98.5%
Grade 9	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 10	1.6%	0.4%	0.2%	1.0%	98.4%
Grade 11	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 12	1.9%	0.8%	0.3%	0.8%	98.1%

Table B15: Students Living in School District More Than Three Years, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	4.2%	1.4%	1.0%	1.8%	95.8%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	1.9%	0.5%	0.4%	1.0%	98.1%
Grade 9	3.6%	1.2%	0.9%	1.5%	96.4%
Grade 10	5.1%	2.0%	0.9%	2.2%	94.9%
Grade 11	6.5%	2.0%	1.5%	3.0%	93.5%
Grade 12	7.4%	2.6%	1.9%	2.9%	92.6%
Uppers	5.2%	2.0%	1.2%	2.0%	94.8%
Grade 7	1.4%	0.8%	0.2%	0.4%	98.6%
Grade 8	2.0%	0.7%	0.4%	0.9%	98.0%
Grade 9	4.3%	1.6%	1.0%	1.7%	95.7%
Grade 10	6.4%	2.7%	1.5%	2.2%	93.6%
Grade 11	8.4%	3.0%	2.1%	3.3%	91.6%
Grade 12	9.4%	3.4%	2.4%	3.6%	90.6%
Downers	5.3%	2.1%	1.2%	2.0%	94.7%
Grade 7	1.3%	0.6%	0.3%	0.4%	98.7%
Grade 8	1.7%	0.7%	0.3%	0.7%	98.3%
Grade 9	4.4%	1.8%	0.9%	1.7%	95.6%
Grade 10	6.3%	2.7%	1.4%	2.2%	93.7%
Grade 11	8.5%	3.3%	1.9%	3.3%	91.5%
Grade 12	10.0%	3.6%	2.3%	4.1%	90.0%
Rohypnol	2.3%	0.8%	0.5%	1.0%	97.7%
Grade 7	1.4%	0.5%	0.4%	0.5%	98.6%
Grade 8	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 9	2.5%	1.1%	0.6%	0.8%	97.5%
Grade 10	3.3%	1.3%	0.8%	1.2%	96.7%
Grade 11	2.4%	0.7%	0.4%	1.3%	97.6%
Grade 12	2.4%	0.8%	0.4%	1.2%	97.6%
Steroids	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 9	1.2%	0.4%	0.1%	0.7%	98.8%
Grade 10	1.6%	0.7%	0.3%	0.6%	98.4%
Grade 11	1.6%	0.5%	0.4%	0.7%	98.4%
Grade 12	1.8%	0.7%	0.5%	0.6%	98.2%
Ecstasy	4.8%	1.7%	1.2%	1.9%	95.2%
Grade 7	1.3%	0.7%	0.2%	0.4%	98.7%
Grade 8	2.1%	0.6%	0.5%	1.0%	97.9%
Grade 9	3.7%	1.2%	1.0%	1.5%	96.3%
Grade 10	6.1%	2.5%	1.1%	2.5%	93.9%
Grade 11	7.4%	2.1%	2.0%	3.3%	92.6%
Grade 12	8.7%	3.2%	2.2%	3.3%	91.3%
Heroin	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 7	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 8	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 9	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 10	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 11	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 12	1.8%	0.5%	0.6%	0.7%	98.2%
Methamphetamine	3.2%	0.8%	0.7%	1.7%	96.8%
Grade 7	2.2%	0.5%	0.4%	1.3%	97.8%
Grade 8	2.4%	0.6%	0.4%	1.4%	97.6%
Grade 9	2.5%	0.7%	0.6%	1.2%	97.5%
Grade 10	3.8%	1.1%	0.8%	1.9%	96.2%
Grade 11	3.7%	0.6%	0.8%	2.2%	96.3%
Grade 12	4.7%	1.4%	0.9%	2.5%	95.3%

Appendix C

Alcohol Tables

Table C1. Prevalence and Recency of Use of Alcohol Products
Texas Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Beer					
All	47.7%	19.8%	9.3%	18.6%	52.3%
Grade 7	30.4%	9.3%	4.1%	17.0%	69.6%
Grade 8	39.9%	12.6%	7.2%	20.1%	60.1%
Grade 9	47.5%	18.1%	9.8%	19.6%	52.5%
Grade 10	53.5%	23.0%	11.3%	19.2%	46.5%
Grade 11	56.7%	25.9%	12.6%	18.2%	43.3%
Grade 12	62.3%	33.3%	11.6%	17.4%	37.7%
Wine Coolers (hard lemonade, hard sodas, etc.)					
All	46.5%	18.1%	10.5%	17.9%	53.5%
Grade 7	28.3%	10.1%	4.1%	14.1%	71.7%
Grade 8	39.6%	13.8%	8.0%	17.8%	60.4%
Grade 9	46.9%	17.9%	10.6%	18.4%	53.1%
Grade 10	52.8%	21.1%	12.6%	19.1%	47.2%
Grade 11	55.9%	22.7%	13.7%	19.5%	44.1%
Grade 12	58.8%	25.0%	15.0%	18.8%	41.2%
Wine					
All	42.1%	12.3%	9.3%	20.5%	57.9%
Grade 7	26.7%	7.7%	3.9%	15.1%	73.3%
Grade 8	36.1%	9.5%	7.4%	19.2%	63.9%
Grade 9	43.6%	12.5%	9.7%	21.4%	56.4%
Grade 10	46.3%	13.1%	10.9%	22.3%	53.7%
Grade 11	50.4%	15.0%	11.9%	23.5%	49.6%
Grade 12	52.2%	17.0%	13.3%	21.9%	47.8%
Liquor (vodka, rum, whiskey, etc.)					
All	43.6%	19.1%	10.0%	14.5%	56.4%
Grade 7	19.7%	6.8%	3.6%	9.3%	80.3%
Grade 8	31.7%	10.9%	6.8%	14.0%	68.3%
Grade 9	42.5%	16.9%	10.5%	15.1%	57.5%
Grade 10	52.1%	22.8%	12.4%	16.9%	47.9%
Grade 11	57.6%	27.0%	13.7%	16.9%	42.4%
Grade 12	63.6%	34.5%	14.2%	14.9%	36.4%

Table C2. Texas Secondary Student Responses to the Question, "How Often Do You Normally Use... ?": 2008

Beer?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	54.4%	45.6%	3.7%	21.8%	10.1%	10.0%
Grade 7	72.6%	27.4%	1.8%	9.9%	6.6%	9.1%
Grade 8	62.2%	37.8%	2.5%	15.1%	10.2%	10.0%
Grade 9	54.5%	45.5%	3.7%	20.3%	10.7%	10.8%
Grade 10	48.3%	51.7%	4.2%	26.8%	10.8%	9.9%
Grade 11	44.9%	55.1%	4.2%	29.3%	11.5%	10.1%
Grade 12	40.0%	60.0%	6.4%	32.8%	10.7%	10.1%

Wine Coolers (hard lemonade, hard sodas, etc.)?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	57.4%	42.6%	2.6%	19.4%	11.5%	9.0%
Grade 7	77.4%	22.6%	1.8%	7.9%	6.5%	6.4%
Grade 8	65.3%	34.7%	2.2%	13.8%	10.3%	8.3%
Grade 9	57.1%	42.9%	3.1%	19.4%	11.6%	8.7%
Grade 10	50.4%	49.6%	2.7%	23.6%	13.1%	10.1%
Grade 11	47.1%	52.9%	2.5%	25.9%	14.1%	10.3%
Grade 12	43.2%	56.8%	3.3%	28.1%	14.5%	10.9%

Wine?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	60.0%	40.0%	1.7%	13.9%	13.0%	11.4%
Grade 7	77.2%	22.8%	1.2%	6.8%	7.5%	7.3%
Grade 8	66.1%	33.9%	1.5%	10.7%	11.5%	10.3%
Grade 9	58.9%	41.1%	1.9%	14.0%	13.3%	11.8%
Grade 10	54.8%	45.2%	1.7%	16.0%	14.8%	12.9%
Grade 11	51.1%	48.9%	1.7%	17.6%	16.0%	13.5%
Grade 12	49.0%	51.0%	2.1%	19.8%	15.8%	13.3%

Liquor (vodka, rum, whiskey, etc.)?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	58.5%	41.5%	2.9%	21.0%	10.1%	7.4%
Grade 7	83.1%	16.9%	1.3%	6.1%	4.5%	4.9%
Grade 8	70.2%	29.8%	2.0%	12.4%	8.4%	7.1%
Grade 9	59.4%	40.6%	2.9%	19.5%	10.4%	7.8%
Grade 10	49.7%	50.3%	3.3%	26.1%	12.3%	8.6%
Grade 11	44.8%	55.2%	3.2%	30.5%	13.2%	8.4%
Grade 12	38.7%	61.3%	5.1%	35.4%	12.9%	8.0%

Table C3. Texas Secondary Student Responses to the Question, "In the Past 30 Days, on How Many Days Have You Had Five or More Drinks at One Time?": 2008

Any Alcohol Product	Never/None	1 to 2 Days	3 to 5 Days	6 to 9 Days	10 or More Days
All	79.4%	11.1%	4.9%	2.2%	2.4%
Grade 7	91.3%	5.1%	1.8%	0.7%	1.1%
Grade 8	86.7%	8.1%	2.7%	1.0%	1.5%
Grade 9	80.7%	10.9%	4.3%	1.9%	2.2%
Grade 10	75.9%	12.8%	5.9%	2.7%	2.7%
Grade 11	72.1%	14.5%	7.3%	3.3%	2.7%
Grade 12	66.0%	16.7%	8.8%	4.1%	4.3%

Table C4. Texas Secondary Student Responses to the Question, "When You Drink the Following Alcoholic Beverages, How Many Do You Usually Have at One Time on Average?": 2008

Beer	Never	Ever	5 or More	1 to 4	Less than 1
All	55.6%	44.4%	12.0%	23.4%	9.0%
Grade 7	80.7%	19.3%	2.9%	9.1%	7.3%
Grade 8	66.5%	33.5%	5.9%	16.9%	10.7%
Grade 9	56.2%	43.8%	11.3%	22.6%	9.9%
Grade 10	47.0%	53.0%	15.4%	28.1%	9.5%
Grade 11	42.2%	57.8%	18.5%	30.9%	8.4%
Grade 12	35.8%	64.2%	20.7%	36.0%	7.5%
Wine Coolers (hard lemonade, hard sodas, etc.)?	**Never**	**Ever**	**5 or More**	**1 to 4**	**Less than 1**
All	57.7%	42.3%	3.7%	22.4%	16.3%
Grade 7	72.9%	27.1%	2.0%	11.8%	13.3%
Grade 8	61.9%	38.1%	2.8%	18.8%	16.5%
Grade 9	55.7%	44.3%	3.6%	22.9%	17.8%
Grade 10	54.0%	46.0%	4.5%	25.5%	16.1%
Grade 11	50.2%	49.8%	4.6%	27.5%	17.7%
Grade 12	49.0%	51.0%	5.2%	29.6%	16.3%
Wine	**Never**	**Ever**	**5 or More**	**1 to 4**	**Less than 1**
All	54.3%	45.7%	9.6%	27.0%	9.1%
Grade 7	73.8%	26.2%	3.8%	13.7%	8.7%
Grade 8	61.2%	38.8%	6.1%	22.2%	10.4%
Grade 9	52.9%	47.1%	10.0%	27.6%	9.5%
Grade 10	47.3%	52.7%	12.5%	31.4%	8.8%
Grade 11	44.8%	55.2%	13.1%	33.4%	8.7%
Grade 12	42.2%	57.8%	13.2%	36.2%	8.4%
Liquor (vodka, rum, whiskey, etc.)?	**Never**	**Ever**	**5 or More**	**1 to 4**	**Less than 1**
All	51.6%	48.4%	13.1%	22.4%	12.9%
Grade 7	68.3%	31.7%	4.1%	14.1%	13.5%
Grade 8	57.8%	42.2%	7.0%	19.3%	15.8%
Grade 9	51.0%	49.0%	11.3%	23.9%	13.8%
Grade 10	46.5%	53.5%	16.7%	24.8%	12.0%
Grade 11	43.0%	57.0%	19.4%	26.4%	11.2%
Grade 12	39.4%	60.6%	22.6%	27.3%	10.7%

Appendix D

Tobacco Tables

Table D1. Prevalence and Recency of Use of Tobacco Products
Texas Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Cigarettes					
All	30.1%	11.5%	4.9%	13.7%	69.9%
Grade 7	15.9%	4.3%	2.1%	9.5%	84.1%
Grade 8	21.4%	5.7%	3.0%	12.7%	78.6%
Grade 9	28.4%	9.3%	5.2%	13.9%	71.6%
Grade 10	34.3%	13.8%	5.3%	15.2%	65.7%
Grade 11	39.3%	17.3%	6.5%	15.5%	60.7%
Grade 12	45.7%	21.8%	7.6%	16.3%	54.3%
Smokeless Tobacco					
All	9.6%	3.8%	1.8%	4.0%	90.4%
Grade 7	3.8%	1.2%	0.6%	2.0%	96.2%
Grade 8	6.4%	1.9%	1.4%	3.1%	93.6%
Grade 9	8.6%	3.4%	1.6%	3.6%	91.4%
Grade 10	11.4%	4.8%	2.2%	4.4%	88.6%
Grade 11	13.7%	5.0%	3.0%	5.7%	86.3%
Grade 12	15.7%	7.2%	2.5%	6.0%	84.3%

Table D2. Texas Secondary Student Responses to the Question, "How Often Do You Normally Use... ?": 2008

Cigarettes?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	72.8%	27.2%	5.3%	8.9%	4.6%	8.5%
Grade 7	85.9%	14.1%	1.5%	4.2%	2.9%	5.5%
Grade 8	81.1%	18.9%	2.2%	6.1%	3.5%	7.1%
Grade 9	74.5%	25.5%	3.6%	8.6%	4.8%	8.5%
Grade 10	68.5%	31.5%	6.5%	10.3%	5.3%	9.5%
Grade 11	64.7%	35.3%	8.7%	11.0%	5.5%	10.1%
Grade 12	58.2%	41.8%	11.0%	14.1%	5.8%	10.8%

Smokeless Tobacco?	Never	Ever	Weekly	Monthly	Yearly	Rarely
All	91.3%	8.7%	1.6%	2.4%	1.6%	3.0%
Grade 7	96.9%	3.1%	0.3%	0.9%	0.7%	1.2%
Grade 8	94.5%	5.5%	0.5%	1.8%	1.1%	2.0%
Grade 9	92.3%	7.7%	1.5%	2.5%	1.3%	2.4%
Grade 10	89.2%	10.8%	2.2%	3.3%	2.0%	3.4%
Grade 11	87.9%	12.1%	2.4%	3.0%	2.3%	4.4%
Grade 12	85.5%	14.5%	3.3%	3.3%	2.4%	5.6%

Appendix E

Problem Indicator Tables

Table E1. Texas Secondary Student Responses to the Question, "About How Many of Your Friends Use the Following Substances?": 2008

Tobacco (Cigarettes, Smokeless Tobacco)?	Never Heard Of/ None	A Few	Some	Most	All
All	42.9%	30.4%	16.2%	8.8%	1.7%
Grade 7	69.3%	20.8%	6.1%	2.8%	0.9%
Grade 8	55.0%	28.0%	11.3%	4.6%	1.0%
Grade 9	41.7%	33.6%	15.6%	7.3%	1.7%
Grade 10	33.1%	33.9%	19.9%	10.8%	2.2%
Grade 11	29.1%	33.5%	21.6%	13.9%	1.8%
Grade 12	23.7%	33.0%	25.0%	15.7%	2.6%

Alcohol (Beer, Wine Coolers, Wine, Liquor)?	Never Heard Of/ None	A Few	Some	Most	All
All	28.4%	22.9%	18.8%	20.8%	9.1%
Grade 7	54.9%	23.5%	10.6%	7.6%	3.4%
Grade 8	38.3%	25.6%	17.1%	13.3%	5.7%
Grade 9	25.0%	25.5%	20.8%	20.1%	8.6%
Grade 10	17.9%	22.5%	23.7%	25.2%	10.6%
Grade 11	16.5%	20.2%	20.8%	29.6%	12.9%
Grade 12	13.6%	18.3%	20.2%	32.8%	15.1%

Inhalants (Whiteout, Spray Paint, Glue, Gas, etc.)?	Never Heard Of/ None	A Few	Some	Most	All
All	81.1%	12.2%	4.2%	1.8%	0.7%
Grade 7	82.3%	10.9%	3.8%	2.1%	0.9%
Grade 8	78.8%	12.9%	5.0%	2.4%	0.9%
Grade 9	78.7%	13.8%	5.0%	1.8%	0.8%
Grade 10	80.9%	12.4%	4.4%	1.6%	0.6%
Grade 11	82.2%	12.0%	4.0%	1.4%	0.4%
Grade 12	85.1%	10.5%	2.7%	1.2%	0.5%

Marijuana?	Never Heard Of/ None	A Few	Some	Most	All
All	51.8%	19.2%	13.2%	11.5%	4.3%
Grade 7	77.3%	11.4%	5.0%	4.3%	1.9%
Grade 8	64.4%	15.3%	9.7%	7.5%	3.1%
Grade 9	49.4%	19.9%	13.3%	12.3%	5.1%
Grade 10	41.9%	21.1%	16.2%	15.5%	5.4%
Grade 11	37.6%	24.1%	17.6%	15.7%	5.0%
Grade 12	35.9%	24.6%	19.3%	14.8%	5.4%

Table E2. Texas Secondary Student Responses to the Question, "About How Many of Your Close Friends Use the Following Substances?": 1990-2008

Alcohol (Beer, Wine Coolers, Wine, Liquor)?

	NONE										MOST/ALL									
	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	14.6%	17.3%	18.8%	20.0%	19.8%	20.9%	22.9%	26.5%	27.4%	28.4%	41.4%	37.9%	39.5%	36.9%	37.7%	36.0%	33.2%	31.4%	30.8%	29.9%
Grade 7	32.3%	36.2%	39.3%	39.6%	41.4%	45.0%	48.0%	52.5%	54.0%	54.9%	20.8%	18.0%	18.3%	17.2%	17.5%	15.1%	12.7%	10.5%	10.8%	11.0%
Grade 8	19.7%	24.5%	23.5%	25.9%	26.3%	28.5%	31.9%	35.4%	37.4%	38.3%	30.3%	25.6%	30.6%	27.0%	27.3%	24.7%	21.1%	19.1%	18.8%	19.0%
Grade 9	12.5%	13.9%	15.4%	16.4%	15.5%	16.6%	18.0%	23.9%	22.7%	25.0%	42.4%	40.0%	41.9%	38.7%	40.0%	36.8%	36.6%	30.9%	31.3%	28.7%
Grade 10	8.5%	9.0%	10.1%	12.7%	12.0%	12.4%	14.0%	15.7%	17.0%	17.9%	47.0%	47.0%	48.1%	44.4%	45.9%	43.8%	41.4%	40.7%	39.3%	35.8%
Grade 11	6.2%	7.6%	9.8%	10.8%	9.7%	10.1%	10.9%	14.3%	15.0%	16.5%	54.0%	52.0%	51.2%	49.0%	49.2%	49.7%	42.5%	43.9%	43.0%	42.5%
Grade 12	4.6%	6.8%	7.8%	9.1%	8.5%	8.2%	9.4%	12.3%	12.7%	13.6%	60.7%	53.9%	56.4%	52.5%	53.9%	54.1%	50.9%	49.8%	48.1%	47.9%

Inhalants (Whiteout, Spray Paint, Glue, Gas, etc.)?

	NONE										MOST/ALL									
	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	82.8%	81.4%	79.3%	77.1%	79.5%	83.5%	84.2%	83.9%	83.1%	81.1%	1.6%	2.0%	2.7%	2.8%	2.5%	2.0%	1.7%	1.7%	3.3%	2.5%
Grade 7	82.0%	80.7%	78.0%	75.5%	76.1%	82.0%	83.1%	82.7%	83.5%	82.3%	2.4%	2.5%	4.1%	4.1%	4.2%	3.4%	2.3%	2.4%	3.4%	3.0%
Grade 8	77.7%	76.6%	73.8%	71.6%	74.0%	79.5%	81.7%	80.4%	80.7%	78.8%	2.8%	3.0%	4.1%	4.0%	3.8%	2.9%	2.0%	2.7%	3.7%	3.3%
Grade 9	79.5%	79.9%	77.7%	74.6%	77.4%	82.1%	82.3%	83.6%	80.7%	78.7%	2.4%	2.5%	2.6%	3.2%	2.6%	1.7%	2.4%	1.7%	3.8%	2.6%
Grade 10	83.8%	81.6%	79.9%	78.3%	81.0%	84.6%	85.2%	84.2%	82.0%	80.9%	1.0%	1.3%	1.7%	1.9%	1.6%	1.7%	1.1%	1.4%	3.4%	2.2%
Grade 11	88.2%	83.2%	84.0%	82.6%	85.1%	87.3%	87.1%	86.0%	85.8%	82.2%	0.6%	1.4%	1.5%	1.4%	1.2%	1.2%	0.7%	1.2%	2.7%	1.8%
Grade 12	87.7%	88.5%	85.3%	84.7%	86.7%	87.9%	87.8%	88.1%	87.6%	85.1%	0.6%	0.4%	1.3%	1.1%	1.1%	1.0%	1.0%	1.0%	2.8%	1.7%

Marijuana?

	NONE										MOST/ALL									
	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	58.4%	61.9%	49.9%	43.0%	44.5%	48.6%	46.5%	49.6%	52.0%	51.8%	7.7%	8.2%	16.5%	21.4%	20.5%	17.9%	19.2%	17.3%	16.4%	15.8%
Grade 7	73.9%	79.7%	70.3%	64.3%	68.4%	74.0%	73.9%	76.0%	78.0%	77.3%	4.8%	4.6%	8.8%	11.4%	10.1%	7.8%	7.1%	6.6%	7.1%	6.2%
Grade 8	66.7%	71.3%	55.3%	49.0%	51.8%	58.6%	56.2%	60.8%	62.8%	64.4%	6.8%	6.0%	15.3%	19.0%	18.2%	14.1%	14.4%	12.2%	11.9%	10.6%
Grade 9	54.5%	57.6%	44.6%	37.9%	39.8%	45.9%	41.0%	47.3%	48.6%	49.4%	10.0%	10.3%	20.7%	26.1%	24.2%	20.1%	24.1%	18.7%	18.1%	17.4%
Grade 10	54.8%	51.1%	42.3%	35.9%	34.9%	39.2%	36.3%	38.1%	41.4%	41.9%	7.1%	10.7%	19.2%	24.9%	25.2%	21.6%	24.1%	23.7%	20.8%	20.9%
Grade 11	50.4%	52.9%	41.4%	34.2%	34.1%	34.2%	33.0%	35.1%	38.1%	37.6%	9.5%	9.2%	18.2%	24.1%	23.2%	23.5%	24.6%	22.9%	21.5%	20.7%
Grade 12	46.2%	53.7%	40.6%	32.8%	33.2%	32.8%	33.4%	34.4%	36.7%	35.9%	8.5%	8.7%	17.2%	23.0%	22.6%	22.0%	21.8%	21.9%	20.9%	20.2%

Table E3. Texas Secondary Student Responses to the Question, "Thinking of the Parties You Attended This School Year, How Often Were the Following Used?": 2008

Alcohol

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know	Didn't Attend
All	42.3%	10.5%	7.3%	12.2%	15.8%	1.9%	10.0%
Grade 7	68.6%	8.9%	5.2%	4.1%	3.3%	1.9%	7.9%
Grade 8	57.0%	12.1%	6.8%	7.6%	6.5%	2.2%	7.8%
Grade 9	40.9%	12.5%	8.6%	12.8%	12.3%	2.5%	10.4%
Grade 10	31.8%	11.1%	8.5%	15.5%	19.8%	1.9%	11.4%
Grade 11	27.2%	8.7%	7.8%	16.5%	25.9%	1.6%	12.3%
Grade 12	23.7%	8.7%	6.5%	18.1%	31.5%	1.1%	10.4%

Marijuana and/or Other Drugs

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know	Didn't Attend
All	54.9%	10.6%	7.2%	7.1%	7.4%	2.9%	10.1%
Grade 7	78.4%	5.0%	2.7%	1.9%	2.2%	1.9%	7.9%
Grade 8	69.8%	8.3%	4.4%	3.8%	3.5%	2.4%	7.8%
Grade 9	54.9%	11.1%	6.9%	6.5%	6.6%	3.5%	10.6%
Grade 10	45.5%	12.5%	9.0%	8.6%	9.8%	2.9%	11.6%
Grade 11	38.6%	13.5%	10.3%	11.2%	10.6%	3.4%	12.3%
Grade 12	37.3%	14.0%	10.8%	11.6%	12.8%	3.1%	10.4%

Table E4. Texas Secondary Student Responses to the Question, "If You Wanted Some, How Difficult Would It Be for You to Get the Following?": 2008

Tobacco (Cigarettes, Smokeless Tobacco)?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	12.1%	16.5%	6.0%	9.0%	17.5%	38.9%
Grade 7	19.5%	31.9%	9.5%	10.3%	13.1%	15.6%
Grade 8	13.6%	23.7%	9.0%	11.6%	17.5%	24.5%
Grade 9	12.6%	16.1%	6.4%	10.8%	21.1%	32.9%
Grade 10	8.8%	11.5%	4.8%	8.9%	21.8%	44.3%
Grade 11	8.6%	8.3%	3.7%	7.4%	19.4%	52.6%
Grade 12	8.2%	4.0%	1.6%	3.7%	10.0%	72.5%

Alcohol (Beer, Wine Coolers, Wine, Liquor)?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	9.7%	10.4%	4.5%	9.3%	20.0%	46.0%
Grade 7	16.1%	21.6%	7.6%	10.5%	16.1%	28.1%
Grade 8	11.2%	13.9%	6.2%	10.5%	18.9%	39.3%
Grade 9	10.1%	9.2%	3.9%	9.5%	19.9%	47.4%
Grade 10	6.6%	6.5%	3.2%	8.4%	21.2%	54.0%
Grade 11	6.6%	5.4%	2.9%	8.0%	20.9%	56.2%
Grade 12	6.7%	3.7%	2.3%	8.9%	24.4%	54.0%

Inhalants (Whiteout, Spray Paint, Glue, Gas, etc.)?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.7%	18.1%	5.6%	6.8%	10.5%	38.4%
Grade 7	26.5%	28.2%	5.6%	5.3%	7.9%	26.6%
Grade 8	20.4%	23.6%	6.1%	6.1%	9.8%	34.0%
Grade 9	21.0%	17.5%	5.8%	7.1%	11.0%	37.6%
Grade 10	18.0%	15.2%	5.3%	7.4%	12.1%	42.0%
Grade 11	18.9%	12.2%	5.8%	8.0%	11.4%	43.8%
Grade 12	18.4%	9.3%	4.7%	7.2%	10.8%	49.6%

Marijuana?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	15.0%	27.1%	8.9%	10.2%	13.4%	25.4%
Grade 7	23.8%	47.4%	9.2%	5.8%	5.9%	7.9%
Grade 8	16.9%	38.9%	11.0%	9.5%	8.7%	15.0%
Grade 9	14.7%	26.6%	9.5%	10.9%	14.6%	23.7%
Grade 10	11.4%	19.3%	8.5%	11.4%	16.1%	33.2%
Grade 11	10.8%	14.7%	7.6%	11.5%	17.6%	37.8%
Grade 12	11.3%	11.0%	6.9%	12.4%	18.8%	39.6%

Cocaine?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.9%	34.3%	14.2%	12.4%	8.8%	11.4%
Grade 7	26.3%	52.5%	10.0%	5.1%	2.9%	3.2%
Grade 8	19.5%	45.1%	13.9%	8.6%	5.4%	7.5%
Grade 9	18.8%	34.3%	14.6%	12.4%	9.3%	10.6%
Grade 10	16.0%	27.8%	15.0%	14.8%	12.1%	14.2%
Grade 11	15.6%	22.5%	15.7%	16.9%	12.1%	17.2%
Grade 12	16.0%	18.7%	16.5%	18.6%	12.2%	18.1%

Table E4. Texas Secondary Student Responses to the Question, "If You Wanted Some, How Difficult Would It Be for You to Get the Following?": 2008 (Cont.)

Crack?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.8%	35.3%	15.4%	12.3%	7.5%	8.6%
Grade 7	27.5%	52.1%	9.8%	4.8%	2.8%	3.0%
Grade 8	20.8%	45.6%	13.7%	8.2%	5.0%	6.6%
Grade 9	20.8%	35.2%	15.6%	11.7%	8.1%	8.6%
Grade 10	18.2%	29.5%	16.9%	15.1%	9.6%	10.7%
Grade 11	17.9%	24.6%	18.0%	17.4%	10.1%	12.0%
Grade 12	19.2%	20.4%	19.8%	18.8%	9.8%	12.1%

Hallucinogens (LSD, PCP, Mushrooms, etc.)?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.5%	27.0%	12.4%	9.8%	6.5%	7.8%
Grade 7	54.0%	32.4%	6.7%	3.1%	1.7%	2.1%
Grade 8	42.9%	33.4%	10.0%	5.5%	3.4%	4.7%
Grade 9	36.4%	27.8%	13.0%	9.0%	6.7%	7.1%
Grade 10	29.5%	25.1%	13.8%	12.4%	8.6%	10.6%
Grade 11	27.4%	22.2%	14.8%	14.6%	9.7%	11.3%
Grade 12	25.4%	18.8%	17.0%	16.0%	10.0%	12.7%

Steroids?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.7%	36.4%	14.6%	10.5%	6.9%	7.8%
Grade 7	30.2%	50.2%	9.5%	4.2%	3.0%	3.0%
Grade 8	24.2%	46.2%	13.1%	7.5%	3.9%	5.1%
Grade 9	24.6%	36.6%	15.0%	10.2%	7.0%	6.7%
Grade 10	20.2%	32.6%	16.8%	12.6%	8.4%	9.4%
Grade 11	21.1%	26.3%	16.7%	14.7%	10.0%	11.1%
Grade 12	20.6%	22.7%	17.5%	15.7%	10.4%	13.2%

Ecstasy?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.8%	28.7%	11.8%	9.3%	7.6%	10.7%
Grade 7	54.0%	33.2%	5.9%	2.9%	1.7%	2.3%
Grade 8	38.5%	35.8%	10.2%	5.2%	4.2%	6.0%
Grade 9	30.1%	30.7%	12.9%	8.5%	8.1%	9.7%
Grade 10	22.7%	27.5%	13.6%	12.5%	9.4%	14.3%
Grade 11	21.5%	23.1%	14.0%	13.4%	11.7%	16.3%
Grade 12	20.4%	19.1%	15.3%	15.2%	11.9%	18.1%

Heroin (Black Tar, Cheese, Chiva, Brown Heroin)?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.3%	36.2%	14.4%	9.0%	5.2%	7.0%
Grade 7	38.6%	45.3%	7.7%	3.6%	2.0%	2.7%
Grade 8	29.8%	44.1%	11.5%	5.6%	3.6%	5.4%
Grade 9	27.8%	36.7%	14.4%	8.5%	5.7%	6.9%
Grade 10	24.0%	33.5%	16.3%	10.9%	6.5%	8.8%
Grade 11	24.0%	29.2%	18.1%	12.5%	6.9%	9.4%
Grade 12	24.1%	25.6%	19.8%	14.4%	6.7%	9.4%

Table E5. Texas Secondary Student Responses to the Question, "How Dangerous Do You Think It Is for Kids Yor Age to Use the Following?": 2008

Tobacco (Cigarettes, Smokeless Tobacco)?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	49.8%	27.2%	13.9%	4.2%	4.9%
Grade 7	69.3%	19.1%	5.6%	1.2%	4.7%
Grade 8	58.7%	24.4%	9.0%	2.4%	5.5%
Grade 9	48.8%	29.0%	13.2%	3.3%	5.6%
Grade 10	43.5%	29.6%	16.8%	5.2%	5.0%
Grade 11	39.3%	30.8%	18.8%	6.1%	5.0%
Grade 12	36.0%	30.9%	21.4%	8.2%	3.5%

Alcohol (Beer, Wine Coolers, Wine, Liquor)?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	44.1%	32.4%	15.8%	4.0%	3.6%
Grade 7	56.7%	24.2%	12.2%	2.8%	4.1%
Grade 8	47.0%	28.3%	16.0%	4.5%	4.2%
Grade 9	41.3%	32.8%	17.6%	4.7%	3.5%
Grade 10	40.8%	34.6%	16.8%	4.5%	3.3%
Grade 11	40.2%	36.0%	16.8%	3.6%	3.4%
Grade 12	37.9%	39.9%	15.4%	3.8%	3.1%

Inhalants (Whiteout, Spray Paint, Glue, Gas, etc.)?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	71.8%	16.1%	4.9%	1.8%	5.4%
Grade 7	74.3%	13.4%	5.5%	1.8%	5.0%
Grade 8	71.2%	15.7%	5.4%	2.2%	5.4%
Grade 9	70.4%	17.2%	4.9%	1.6%	5.9%
Grade 10	70.9%	17.2%	4.6%	2.1%	5.2%
Grade 11	72.0%	16.5%	4.6%	1.5%	5.4%
Grade 12	72.1%	16.5%	4.2%	1.6%	5.7%

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	59.6%	16.4%	11.2%	9.1%	3.8%
Grade 7	79.7%	9.1%	4.4%	3.1%	3.7%
Grade 8	71.5%	12.6%	6.3%	5.2%	4.4%
Grade 9	58.8%	18.0%	10.8%	8.4%	4.1%
Grade 10	51.8%	19.2%	13.2%	12.1%	3.7%
Grade 11	48.1%	19.5%	16.3%	12.7%	3.4%
Grade 12	44.8%	20.2%	17.3%	14.3%	3.4%

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	82.3%	10.0%	2.0%	1.1%	4.7%
Grade 7	86.6%	6.8%	1.4%	0.8%	4.4%
Grade 8	83.6%	8.4%	1.9%	1.1%	5.0%
Grade 9	80.7%	11.2%	1.9%	1.0%	5.2%
Grade 10	81.1%	11.3%	2.0%	1.2%	4.4%
Grade 11	80.7%	11.7%	2.1%	1.1%	4.4%
Grade 12	81.4%	10.5%	2.6%	1.3%	4.2%

Table E5. Texas Secondary Student Responses to the Question, "How Dangerous Do You Think It Is for Kids Yor Age to Use the Following?": 2008 (Cont.)

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	84.6%	8.2%	1.3%	1.0%	5.0%
Grade 7	87.4%	6.2%	1.2%	0.7%	4.5%
Grade 8	83.8%	8.1%	1.6%	1.0%	5.5%
Grade 9	82.5%	9.6%	1.3%	0.9%	5.7%
Grade 10	84.0%	8.9%	1.1%	1.2%	4.7%
Grade 11	84.5%	8.8%	1.1%	0.9%	4.7%
Grade 12	85.6%	7.7%	1.2%	0.9%	4.6%

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	79.1%	9.8%	2.7%	1.4%	6.9%
Grade 7	83.3%	6.2%	1.2%	0.9%	8.5%
Grade 8	80.4%	7.7%	2.4%	1.3%	8.2%
Grade 9	77.2%	10.8%	2.8%	1.5%	7.7%
Grade 10	77.9%	11.1%	3.4%	2.0%	5.8%
Grade 11	77.8%	11.9%	3.4%	1.5%	5.3%
Grade 12	78.1%	11.6%	3.5%	1.6%	5.1%

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	74.0%	14.1%	4.3%	1.6%	5.9%
Grade 7	79.4%	11.0%	2.7%	1.2%	5.8%
Grade 8	76.0%	12.1%	4.2%	1.5%	6.2%
Grade 9	72.9%	14.7%	4.5%	1.5%	6.3%
Grade 10	71.7%	15.8%	4.8%	2.0%	5.7%
Grade 11	71.9%	15.7%	5.1%	1.6%	5.7%
Grade 12	72.0%	15.5%	5.0%	1.9%	5.6%

Heroin (Black Tar, Cheese, Chiva, Brown Heroin)?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	86.5%	5.7%	1.0%	0.9%	5.9%
Grade 7	87.0%	5.0%	0.8%	0.7%	6.4%
Grade 8	85.3%	5.8%	1.5%	0.9%	6.4%
Grade 9	84.8%	6.7%	1.0%	0.9%	6.6%
Grade 10	86.5%	6.1%	1.0%	1.1%	5.4%
Grade 11	87.8%	5.4%	0.7%	0.8%	5.3%
Grade 12	88.3%	5.0%	1.0%	0.8%	4.9%

Methamphetamine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not At All Dangerous	Don't Know
All	84.1%	5.8%	1.0%	0.9%	8.2%
Grade 7	85.4%	4.2%	0.7%	0.7%	9.0%
Grade 8	83.1%	5.5%	1.2%	1.1%	9.1%
Grade 9	82.9%	6.4%	0.9%	0.8%	9.0%
Grade 10	83.4%	6.8%	1.0%	1.2%	7.7%
Grade 11	84.7%	6.1%	0.9%	0.8%	7.4%
Grade 12	85.2%	5.9%	1.4%	0.9%	6.7%

Table E6. Texas Secondary Student Responses to the Question, "How Do Your Parents Feel About Kids Your Age Doing the Following?": 2008

Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	75.1%	8.4%	6.7%	1.2%	1.0%	7.6%
Grade 7	84.5%	2.7%	1.7%	0.4%	1.0%	9.7%
Grade 8	81.4%	5.6%	3.4%	0.8%	0.8%	8.0%
Grade 9	78.1%	7.0%	5.0%	0.9%	1.0%	8.0%
Grade 10	74.0%	9.6%	7.0%	1.5%	1.1%	6.8%
Grade 11	69.0%	11.9%	10.2%	1.7%	1.1%	6.2%
Grade 12	60.2%	15.6%	14.6%	2.2%	1.2%	6.2%

Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	63.3%	14.9%	10.0%	3.4%	1.3%	7.1%
Grade 7	74.9%	8.3%	4.6%	1.5%	1.0%	9.7%
Grade 8	69.6%	12.1%	6.9%	2.4%	1.2%	7.9%
Grade 9	64.0%	14.5%	9.4%	3.4%	1.4%	7.3%
Grade 10	59.1%	17.5%	12.0%	4.1%	1.4%	5.9%
Grade 11	57.2%	17.8%	13.6%	4.1%	1.4%	5.8%
Grade 12	52.6%	20.5%	14.7%	5.1%	1.6%	5.5%

Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	81.7%	4.8%	4.1%	1.1%	1.4%	6.9%
Grade 7	85.7%	1.9%	1.6%	0.4%	0.9%	9.4%
Grade 8	84.6%	3.0%	2.8%	1.0%	1.1%	7.4%
Grade 9	81.7%	4.4%	4.0%	1.0%	1.7%	7.3%
Grade 10	80.0%	6.2%	5.1%	1.0%	1.6%	6.0%
Grade 11	78.8%	6.6%	6.0%	1.4%	1.5%	5.7%
Grade 12	78.3%	7.5%	5.9%	1.7%	1.3%	5.3%

Table E7. Texas Secondary Student Responses to the Question, "How Safe Do You Feel When You Are...?": 2008

In Your Home?	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Don't Know
All	79.2%	18.2%	1.3%	0.4%	1.0%
Grade 7	78.6%	18.4%	1.5%	0.4%	1.1%
Grade 8	76.7%	20.1%	1.6%	0.3%	1.4%
Grade 9	77.4%	19.5%	1.3%	0.5%	1.4%
Grade 10	79.8%	18.0%	1.1%	0.4%	0.7%
Grade 11	81.2%	16.7%	0.9%	0.5%	0.6%
Grade 12	82.5%	15.4%	1.1%	0.4%	0.6%

Out in Your Neighborhood?	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Don't Know
All	40.4%	46.9%	8.4%	2.3%	2.0%
Grade 7	36.4%	48.2%	9.9%	2.7%	2.8%
Grade 8	36.5%	49.1%	9.3%	2.7%	2.5%
Grade 9	37.9%	48.7%	8.5%	2.3%	2.5%
Grade 10	41.3%	47.7%	7.5%	2.2%	1.4%
Grade 11	44.6%	44.1%	8.0%	2.0%	1.3%
Grade 12	48.0%	41.9%	7.1%	2.0%	1.0%

At School?	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Don't Know
All	36.1%	48.0%	9.1%	3.9%	2.9%
Grade 7	43.4%	41.4%	8.7%	3.5%	3.0%
Grade 8	38.3%	45.4%	9.1%	3.4%	3.8%
Grade 9	32.7%	50.6%	9.6%	3.7%	3.4%
Grade 10	31.9%	52.1%	8.8%	4.5%	2.8%
Grade 11	33.1%	50.7%	9.3%	4.4%	2.4%
Grade 12	37.5%	47.4%	9.0%	4.3%	1.8%

Table E8. Texas Secondary Student Responses to the Question, "How Many of Your Friends...?": 2008

Feel Close to Their Parents?	None	A Few	Some	Most	All
All	4.8%	26.3%	26.3%	33.6%	8.9%
Grade 7	6.6%	24.8%	21.4%	32.3%	14.8%
Grade 8	5.5%	25.9%	24.5%	33.8%	10.3%
Grade 9	5.2%	26.6%	27.5%	33.0%	7.6%
Grade 10	4.7%	28.3%	28.4%	32.1%	6.5%
Grade 11	3.1%	26.7%	27.8%	35.4%	7.0%
Grade 12	3.3%	25.5%	28.1%	36.0%	7.0%

Sometimes Carry Weapons?	None	A Few	Some	Most	All
All	63.8%	21.7%	9.4%	3.7%	1.4%
Grade 7	77.4%	15.0%	4.7%	1.9%	0.9%
Grade 8	66.1%	21.2%	8.7%	3.0%	1.0%
Grade 9	61.6%	22.9%	10.3%	3.8%	1.3%
Grade 10	59.5%	23.4%	11.0%	4.4%	1.8%
Grade 11	59.2%	23.5%	11.1%	4.8%	1.4%
Grade 12	57.6%	24.7%	11.1%	4.3%	2.2%

Care About Making Good Grades?	None	A Few	Some	Most	All
All	3.0%	14.4%	23.8%	41.9%	16.9%
Grade 7	3.6%	17.2%	21.8%	34.9%	22.6%
Grade 8	3.7%	16.2%	23.3%	37.9%	19.1%
Grade 9	3.5%	14.9%	24.6%	41.5%	15.6%
Grade 10	2.3%	14.5%	25.7%	44.0%	13.5%
Grade 11	2.4%	11.6%	24.1%	46.9%	15.0%
Grade 12	2.5%	11.2%	22.9%	48.3%	15.1%

Belong/Want to Belong to a Gang?	None	A Few	Some	Most	All
All	65.9%	18.0%	9.1%	5.2%	1.8%
Grade 7	67.7%	17.4%	7.6%	4.9%	2.4%
Grade 8	62.3%	19.7%	9.9%	6.2%	1.9%
Grade 9	60.8%	20.0%	10.6%	6.5%	2.2%
Grade 10	63.8%	18.8%	10.3%	5.3%	1.8%
Grade 11	70.1%	16.2%	8.4%	4.1%	1.2%
Grade 12	73.8%	14.6%	6.8%	3.6%	1.3%

Wish They Could Drop Out of School?	None	A Few	Some	Most	All
All	56.4%	28.0%	9.8%	3.8%	2.0%
Grade 7	65.5%	22.1%	7.1%	3.3%	2.1%
Grade 8	57.9%	26.9%	9.5%	3.8%	1.9%
Grade 9	52.1%	29.6%	11.2%	4.7%	2.4%
Grade 10	51.1%	30.9%	11.8%	4.2%	2.0%
Grade 11	53.0%	31.9%	10.1%	3.2%	1.8%
Grade 12	59.5%	26.8%	9.1%	2.8%	1.9%

Table E9. Texas Secondary Student Responses to the Question, "During the Past 12 Months, How Many Times Have You...": 2008

Gotten Into Difficulties of Any Kind With Your Friends Because of Your Drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.8%	6.1%	0.7%	0.4%
Grade 7	96.6%	2.9%	0.4%	0.2%
Grade 8	94.7%	4.5%	0.5%	0.3%
Grade 9	93.1%	5.7%	0.7%	0.5%
Grade 10	90.9%	7.9%	0.8%	0.5%
Grade 11	91.3%	7.5%	0.9%	0.3%
Grade 12	89.4%	9.1%	1.0%	0.5%

Gotten Into Difficulties of Any Kind With Your Friends Because of Your Drug Use?

	None	1-3 Times	4-9 Times	10+ Times
All	94.2%	4.6%	0.7%	0.5%
Grade 7	97.0%	2.5%	0.3%	0.2%
Grade 8	95.1%	3.9%	0.6%	0.3%
Grade 9	93.6%	5.0%	0.7%	0.6%
Grade 10	92.7%	5.7%	1.0%	0.6%
Grade 11	93.5%	5.3%	0.8%	0.4%
Grade 12	93.3%	5.2%	1.0%	0.5%

Been Criticized by Someone You Were Dating Because of Your Drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.5%	6.1%	0.8%	0.5%
Grade 7	97.2%	2.3%	0.3%	0.2%
Grade 8	95.1%	4.1%	0.4%	0.4%
Grade 9	93.3%	5.5%	0.7%	0.5%
Grade 10	90.0%	8.3%	1.1%	0.7%
Grade 11	90.1%	8.4%	1.1%	0.5%
Grade 12	88.6%	9.2%	1.4%	0.8%

Been Criticized by Someone You Were Dating Because of Your Drug Use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.9%	4.8%	0.7%	0.6%
Grade 7	97.1%	2.2%	0.3%	0.3%
Grade 8	95.6%	3.4%	0.6%	0.5%
Grade 9	94.0%	4.7%	0.7%	0.6%
Grade 10	91.9%	6.2%	1.2%	0.7%
Grade 11	92.2%	6.4%	0.7%	0.6%
Grade 12	92.0%	6.1%	0.9%	0.9%

Table E10. Texas Secondary Student Responses to the Question, "During the Past 12 Months, How Many Times Have You...": 2008

Gotten Into Trouble With the Police Because of Your Drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	96.6%	2.8%	0.4%	0.3%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	97.8%	1.6%	0.3%	0.3%
Grade 9	96.8%	2.5%	0.4%	0.3%
Grade 10	96.3%	2.9%	0.5%	0.3%
Grade 11	94.9%	4.5%	0.3%	0.2%
Grade 12	94.3%	5.0%	0.4%	0.4%

Gotten Into Trouble With the Police Because of Your Drug Use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.5%	1.9%	0.3%	0.3%
Grade 7	98.6%	1.0%	0.3%	0.2%
Grade 8	98.0%	1.5%	0.2%	0.3%
Grade 9	96.9%	2.3%	0.5%	0.4%
Grade 10	97.2%	2.1%	0.3%	0.4%
Grade 11	97.4%	2.2%	0.2%	0.2%
Grade 12	97.2%	2.3%	0.3%	0.3%

"Since School Began in the Fall, on How Many Days Have You...": 2008

Gotten Into Trouble With Your Teachers Because of Your Drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	98.7%	0.8%	0.2%	0.3%
Grade 7	99.0%	0.6%	0.1%	0.2%
Grade 8	98.8%	0.8%	0.1%	0.3%
Grade 9	98.7%	0.9%	0.2%	0.2%
Grade 10	98.8%	0.7%	0.1%	0.3%
Grade 11	98.7%	0.8%	0.3%	0.1%
Grade 12	98.1%	1.2%	0.3%	0.5%

Gotten Into Trouble With Your Teachers Because of Your Drug Use?

	None	1-3 Days	4-9 Days	10+ Days
All	98.5%	1.0%	0.2%	0.3%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	98.6%	0.8%	0.2%	0.3%
Grade 9	98.3%	1.2%	0.3%	0.3%
Grade 10	98.6%	0.8%	0.2%	0.4%
Grade 11	98.6%	0.9%	0.3%	0.2%
Grade 12	97.9%	1.4%	0.2%	0.5%

Table E11. Texas Secondary Student Responses to the Question, "During the Past 12 Months, How Many Times Have You...": 2008

Driven a Car When You've Had a Good Bit to Drink?	None	1-3 Times	4-9 Times	10+ Times
All (G9-12)	89.2%	8.2%	1.4%	1.2%
Grade 9	94.9%	3.9%	0.7%	0.5%
Grade 10	91.4%	6.8%	1.0%	0.9%
Grade 11	86.6%	10.3%	1.8%	1.3%
Grade 12	80.9%	13.9%	2.7%	2.6%

Driven a Car When You've Felt High From Drugs?	None	1-3 Times	4-9 Times	10+ Times
All (G9-12)	91.1%	5.4%	1.5%	2.0%
Grade 9	95.5%	3.0%	0.7%	0.7%
Grade 10	92.9%	4.6%	1.1%	1.4%
Grade 11	88.7%	7.0%	2.0%	2.3%
Grade 12	85.3%	8.0%	2.6%	4.1%

Table E12. Texas Secondary Student Responses to the Question, "Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following School Sources?": 1990-2008

Health Class

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	47.2%	46.7%	45.8%	46.3%	49.1%	52.4%	47.8%	51.0%	49.0%	48.5%
Grade 7	57.5%	58.9%	52.0%	48.7%	49.4%	50.9%	47.6%	50.9%	48.1%	42.7%
Grade 8	41.9%	41.1%	41.8%	41.0%	45.5%	51.6%	40.7%	49.9%	51.1%	49.0%
Grade 9	41.0%	43.9%	44.7%	55.6%	59.0%	63.4%	57.4%	61.4%	56.3%	55.3%
Grade 10	60.4%	55.0%	54.3%	52.7%	54.9%	56.1%	55.1%	55.4%	52.9%	52.4%
Grade 11	44.2%	44.6%	42.0%	42.5%	43.5%	46.3%	43.8%	45.3%	42.9%	45.6%
Grade 12	37.6%	34.7%	37.4%	33.0%	36.3%	39.3%	37.9%	39.5%	39.1%	43.6%

Student Group or Club Meeting

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	27.7%	26.5%	25.7%	19.5%	16.9%	17.7%	15.6%	15.3%	15.2%	15.4%
Grade 7	35.3%	35.4%	33.8%	29.7%	17.4%	18.3%	16.4%	14.6%	14.8%	14.7%
Grade 8	31.5%	29.7%	31.6%	26.0%	18.8%	18.4%	14.8%	16.8%	15.1%	14.4%
Grade 9	24.6%	24.6%	24.3%	17.5%	17.2%	17.6%	18.3%	15.9%	14.5%	16.5%
Grade 10	25.3%	25.3%	21.4%	15.5%	16.0%	17.5%	14.8%	14.6%	15.3%	14.3%
Grade 11	23.8%	23.2%	20.7%	13.5%	16.1%	18.3%	13.7%	14.8%	15.5%	15.5%
Grade 12	24.6%	19.6%	19.3%	12.1%	15.4%	16.3%	14.5%	14.9%	16.6%	16.8%

An Assembly Program

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	62.0%	55.9%	53.5%	44.2%	50.6%	55.9%	46.6%	47.6%	48.3%	46.9%
Grade 7	61.0%	58.8%	55.2%	49.9%	53.5%	59.4%	48.3%	48.0%	51.5%	53.4%
Grade 8	64.5%	58.6%	55.9%	52.2%	55.5%	58.0%	50.4%	51.1%	55.3%	53.8%
Grade 9	58.9%	55.6%	53.4%	41.8%	48.3%	55.2%	45.3%	45.9%	47.4%	51.1%
Grade 10	64.9%	56.6%	52.8%	39.9%	49.9%	52.1%	44.9%	47.3%	46.0%	40.9%
Grade 11	61.5%	54.8%	51.0%	40.6%	48.5%	55.3%	45.3%	43.5%	43.1%	39.6%
Grade 12	61.5%	49.8%	51.3%	38.8%	47.8%	55.7%	45.7%	49.6%	45.8%	40.9%

An Invited School Guest

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	56.5%	49.5%	45.5%	38.3%	42.3%	45.4%	36.5%	36.0%	34.8%	32.6%
Grade 7	60.9%	54.3%	48.0%	45.4%	47.7%	49.7%	41.6%	36.6%	39.4%	38.5%
Grade 8	59.4%	51.3%	49.5%	46.4%	47.3%	49.7%	39.5%	39.0%	41.9%	38.5%
Grade 9	52.4%	50.7%	45.1%	35.6%	40.0%	42.8%	35.6%	34.1%	34.2%	35.6%
Grade 10	57.2%	49.2%	43.9%	34.1%	40.0%	41.4%	33.9%	35.6%	31.7%	27.2%
Grade 11	53.5%	46.9%	41.2%	33.3%	39.4%	44.6%	33.5%	33.0%	29.3%	26.1%
Grade 12	55.6%	42.8%	43.7%	32.7%	39.4%	44.7%	34.8%	37.4%	31.3%	28.5%

Guidance Counselor

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	27.4%	26.2%	24.1%	22.4%	23.1%	25.2%	24.5%	23.0%	23.7%	24.3%
Grade 7	35.2%	32.5%	30.5%	31.0%	31.0%	35.8%	32.3%	28.7%	31.6%	30.4%
Grade 8	35.0%	32.4%	30.5%	32.4%	32.0%	33.6%	31.2%	30.0%	31.7%	29.4%
Grade 9	25.0%	26.8%	23.7%	19.9%	21.4%	23.2%	22.6%	21.7%	22.9%	26.2%
Grade 10	24.6%	23.1%	20.0%	17.9%	19.6%	19.4%	22.4%	20.5%	19.6%	20.3%
Grade 11	21.3%	21.5%	17.4%	15.6%	16.2%	20.5%	18.1%	18.2%	16.8%	19.5%
Grade 12	21.2%	19.3%	19.4%	14.2%	16.9%	17.8%	19.8%	17.7%	17.9%	18.6%

Some Other School Source

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	43.8%	41.4%	38.7%	34.8%	36.2%	37.1%	33.0%	32.9%	33.3%	32.6%
Grade 7	45.7%	43.4%	41.7%	38.8%	40.4%	41.4%	35.4%	36.2%	34.2%	32.6%
Grade 8	45.2%	43.2%	41.4%	39.9%	39.7%	41.4%	35.2%	35.1%	36.1%	33.3%
Grade 9	40.3%	42.1%	37.3%	32.6%	36.3%	36.2%	32.3%	33.8%	33.9%	35.7%
Grade 10	45.7%	42.2%	37.2%	32.8%	34.0%	33.8%	33.2%	31.0%	33.6%	31.6%
Grade 11	41.7%	39.3%	37.4%	31.9%	33.2%	35.2%	30.3%	30.4%	30.6%	30.7%
Grade 12	44.9%	37.0%	36.0%	31.3%	33.1%	33.9%	31.5%	30.4%	30.3%	31.0%

Science Class

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	37.3%	33.1%	30.9%	28.7%	32.1%	30.2%	28.8%	30.5%	31.7%	32.1%
Grade 7	73.2%	60.2%	51.7%	49.6%	55.9%	51.2%	51.5%	47.0%	44.6%	41.4%
Grade 8	40.3%	38.1%	33.3%	31.9%	36.3%	35.8%	31.7%	38.3%	37.0%	35.0%
Grade 9	33.0%	28.2%	29.7%	26.6%	30.7%	26.8%	28.4%	29.6%	31.4%	35.8%
Grade 10	34.3%	31.1%	26.2%	25.6%	27.5%	26.0%	26.0%	27.6%	31.0%	31.2%
Grade 11	21.2%	21.5%	21.0%	19.9%	21.8%	23.4%	19.0%	21.0%	23.5%	24.3%
Grade 12	15.2%	15.8%	16.7%	15.0%	16.9%	16.7%	13.9%	16.9%	19.8%	21.8%

Any School Source

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	86.8%	80.8%	79.1%	74.8%	64.7%	66.5%	60.6%	59.5%	61.1%	59.8%
Grade 7	91.6%	85.9%	82.8%	80.2%	63.2%	63.3%	58.3%	60.0%	60.1%	60.3%
Grade 8	86.9%	79.3%	79.7%	77.9%	62.7%	66.1%	57.4%	59.6%	64.1%	59.6%
Grade 9	86.4%	80.1%	79.7%	77.9%	67.8%	69.6%	64.1%	61.7%	62.8%	63.6%
Grade 10	90.0%	85.1%	80.9%	75.1%	66.9%	66.8%	63.0%	59.1%	61.7%	60.3%
Grade 11	82.6%	79.4%	75.4%	69.2%	64.4%	66.5%	60.7%	57.0%	58.5%	57.6%
Grade 12	81.6%	73.4%	73.7%	64.7%	62.2%	65.7%	59.4%	58.9%	57.8%	55.7%

Social Studies Class

	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	14.7%	14.3%	13.0%	11.9%	12.2%	11.9%	13.0%	12.5%	13.4%	14.1%
Grade 7	17.4%	17.4%	16.8%	14.7%	13.8%	14.3%	16.9%	13.2%	14.0%	14.0%
Grade 8	18.6%	18.9%	16.4%	15.0%	14.6%	14.3%	12.3%	13.4%	13.6%	13.0%
Grade 9	15.6%	14.5%	12.5%	11.4%	12.4%	10.3%	14.8%	12.8%	13.4%	14.9%
Grade 10	10.5%	11.5%	9.3%	10.4%	10.9%	10.1%	11.9%	11.7%	12.8%	13.8%
Grade 11	12.1%	10.6%	10.0%	9.2%	10.7%	12.1%	11.9%	12.8%	13.5%	15.1%
Grade 12	13.0%	11.9%	11.5%	9.7%	10.3%	10.3%	9.3%	11.1%	13.4%	13.8%

Table E13. Texas Secondary Student Responses to the Question, "If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?": 1988-2008

A Counselor or Program in School	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	29.9%	40.1%	37.1%	35.4%	34.8%	34.3%	33.8%	32.9%	32.1%	32.2%	32.5%
Grade 7	34.1%	50.4%	47.5%	46.5%	45.3%	44.0%	45.7%	46.1%	44.1%	45.1%	43.5%
Grade 8	34.8%	45.2%	41.9%	38.5%	40.3%	39.4%	36.8%	36.5%	37.1%	36.5%	36.8%
Grade 9	32.2%	40.7%	35.9%	36.1%	33.9%	34.0%	35.0%	31.6%	31.4%	32.1%	32.3%
Grade 10	25.7%	36.5%	34.5%	30.5%	30.3%	30.6%	28.3%	28.5%	28.2%	27.2%	27.8%
Grade 11	26.6%	33.4%	31.3%	26.5%	28.8%	27.8%	27.3%	26.4%	25.2%	24.4%	27.9%
Grade 12	23.7%	31.0%	28.6%	29.5%	26.2%	26.2%	26.5%	25.5%	23.3%	24.6%	24.4%

Another Adult in School (Nurse or Teacher)	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	28.2%	35.8%	35.5%	33.1%	32.1%	31.6%	30.7%	30.4%	31.1%	31.6%	32.3%
Grade 7	27.9%	39.3%	37.9%	39.5%	38.7%	36.9%	38.1%	36.3%	38.5%	39.5%	39.2%
Grade 8	30.2%	38.2%	38.7%	33.5%	34.1%	34.3%	31.7%	33.0%	33.6%	34.4%	33.9%
Grade 9	30.1%	36.0%	32.6%	32.6%	30.3%	30.5%	30.2%	28.3%	29.9%	30.2%	32.2%
Grade 10	24.6%	33.4%	35.4%	30.4%	29.6%	28.9%	26.2%	26.2%	28.4%	27.6%	29.1%
Grade 11	27.7%	33.4%	33.3%	28.9%	29.3%	28.6%	28.8%	29.6%	26.9%	27.9%	30.5%
Grade 12	28.4%	33.6%	35.1%	31.9%	29.4%	29.3%	28.8%	29.1%	28.2%	28.5%	28.0%

A Counselor or Program Outside of School	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	39.8%	50.6%	45.9%	44.5%	42.4%	41.8%	40.3%	36.6%	36.6%	37.6%	37.9%
Grade 7	36.0%	52.0%	48.0%	46.5%	45.3%	45.2%	44.4%	40.3%	40.7%	41.1%	40.3%
Grade 8	39.8%	50.0%	45.8%	44.4%	44.1%	43.6%	41.6%	37.2%	38.3%	38.0%	38.4%
Grade 9	39.7%	49.8%	45.3%	44.7%	41.5%	41.4%	40.4%	34.3%	34.9%	36.7%	38.0%
Grade 10	40.2%	51.8%	46.0%	43.3%	40.9%	39.7%	38.0%	35.1%	34.9%	36.2%	36.8%
Grade 11	41.2%	50.6%	46.5%	41.8%	40.5%	39.7%	36.9%	37.8%	35.0%	36.1%	36.7%
Grade 12	43.1%	48.9%	43.6%	46.0%	41.6%	40.4%	39.4%	34.8%	35.2%	36.9%	36.8%

Your Parents	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	46.3%	55.1%	54.0%	53.9%	54.3%	58.0%	57.1%	58.5%	58.2%	59.4%	60.9%
Grade 7	45.7%	61.8%	58.9%	62.5%	61.0%	64.5%	64.7%	64.9%	66.8%	68.6%	68.7%
Grade 8	46.0%	56.1%	55.7%	53.9%	56.5%	58.4%	58.2%	59.9%	60.4%	61.4%	62.2%
Grade 9	42.6%	51.8%	51.9%	50.7%	51.5%	56.9%	55.7%	56.4%	55.0%	57.0%	59.9%
Grade 10	46.5%	54.1%	50.6%	50.8%	51.5%	55.3%	54.6%	56.0%	55.5%	55.7%	58.1%
Grade 11	49.4%	53.4%	54.1%	50.9%	51.2%	55.8%	53.2%	55.6%	55.4%	55.6%	58.3%
Grade 12	49.3%	52.8%	52.5%	53.5%	53.4%	56.1%	55.5%	57.9%	55.8%	56.9%	57.4%

A Medical Doctor	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	33.3%	39.5%	38.5%	38.1%	38.1%	39.5%	38.8%	37.6%	39.4%	42.3%	43.6%
Grade 7	35.1%	43.6%	43.6%	44.3%	43.8%	44.8%	44.8%	44.2%	46.7%	51.2%	50.8%
Grade 8	34.7%	40.5%	39.6%	37.5%	39.6%	40.6%	40.8%	38.3%	40.6%	43.3%	45.3%
Grade 9	30.9%	39.3%	35.7%	36.9%	36.9%	38.3%	38.4%	35.6%	37.4%	40.4%	42.6%
Grade 10	29.9%	36.5%	38.4%	34.5%	35.5%	36.5%	35.9%	35.3%	37.5%	38.9%	40.3%
Grade 11	35.5%	37.9%	37.7%	36.4%	35.0%	37.8%	34.1%	35.0%	36.4%	38.4%	40.8%
Grade 12	34.4%	38.3%	35.5%	38.1%	37.0%	38.2%	37.9%	37.4%	36.8%	40.5%	41.4%

Table E13. Texas Secondary Student Responses to the Question, "If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?": 1988-2008 (Cont.)

Your Friends	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	67.0%	73.0%	72.5%	73.9%	74.3%	74.8%	74.2%	73.0%	72.8%	71.6%	71.8%
Grade 7	57.4%	64.2%	62.7%	65.5%	65.0%	64.7%	63.3%	63.3%	65.8%	62.0%	62.9%
Grade 8	62.4%	69.9%	70.2%	70.6%	71.6%	70.8%	72.0%	70.8%	69.5%	68.3%	69.0%
Grade 9	68.5%	72.2%	72.3%	73.7%	74.0%	76.3%	75.0%	72.1%	72.8%	72.2%	72.3%
Grade 10	70.6%	77.5%	76.7%	78.5%	78.4%	79.2%	77.3%	77.9%	75.9%	75.5%	75.9%
Grade 11	71.7%	77.7%	77.4%	79.6%	79.5%	80.7%	80.2%	76.2%	77.2%	76.5%	76.1%
Grade 12	73.4%	79.3%	78.0%	79.4%	79.9%	79.3%	79.7%	80.3%	77.6%	77.4%	75.9%

Another Adult (Relative, Clergyman, or Other Family Friend)	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	2008
All	53.3%	62.5%	58.6%	57.1%	58.3%	61.0%	61.0%	59.5%	59.6%	60.1%	61.5%
Grade 7	45.8%	61.8%	56.9%	56.8%	58.4%	60.1%	60.8%	58.8%	61.1%	61.5%	63.5%
Grade 8	47.9%	60.2%	58.5%	55.7%	58.0%	60.3%	60.4%	60.1%	60.7%	60.1%	61.2%
Grade 9	58.1%	61.2%	57.7%	57.8%	57.9%	61.8%	62.6%	58.5%	58.7%	59.6%	62.0%
Grade 10	53.7%	64.0%	59.8%	57.3%	58.2%	61.2%	60.1%	59.2%	59.8%	59.8%	62.1%
Grade 11	57.2%	65.1%	59.2%	56.8%	58.6%	61.9%	62.6%	59.0%	58.6%	59.8%	60.3%
Grade 12	58.4%	64.0%	59.9%	58.1%	59.0%	60.8%	59.1%	61.7%	58.7%	59.8%	59.3%

Table E14. Average Age of First Use (in Years) of Substances Among Texas Secondary School Students, by Grade: 2008

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.9	11.5	12.2	12.9	13.6	14.5
Cigarettes	11.0	11.5	12.2	12.9	13.7	14.5
Smokeless Tobacco	11.2	12.0	12.6	13.5	14.3	15.3
Alcohol	10.6	11.2	11.9	12.6	13.3	13.9
Beer	10.6	11.2	12.1	12.8	13.5	14.3
Wine Coolers	11.1	11.8	12.4	13.1	13.8	14.4
Wine	11.1	11.6	12.4	13.0	13.7	14.3
Liquor	11.5	12.2	13.1	13.8	14.5	15.1
Inhalants	10.9	11.6	12.3	12.9	13.4	13.7
Marijuana	11.6	12.2	12.9	13.5	14.4	14.8
Cocaine	11.8	13.0	13.7	14.3	15.2	15.6
Crack	11.6	12.4	13.2	14.1	14.5	15.4
Hallucinogens	11.8	12.6	13.5	14.3	15.2	15.8
Uppers	11.9	12.4	13.5	14.1	14.7	15.2
Downers	12.0	12.5	13.3	14.1	14.8	15.2
Rohypnol	11.7	12.3	13.2	13.7	14.5	15.1
Steroids	11.6	12.0	12.4	13.4	14.8	15.4
Ecstasy	12.0	12.8	13.8	14.6	15.5	16.0
Heroin	11.5	12.5	12.8	14.0	14.5	15.6

Appendix F

Extracurricular Activity Prevalence Tables

Table F1. Prevalence of Tobacco Use Among Texas Secondary Students, by Type of Extracurricular Activity: 2008

	Tobacco Use				
	Ever Used	Past Month	School Year (not Past Month)	Not Past Year	Never Used
School Athletics					
Yes	28.0%	10.4%	4.6%	13.0%	72.0%
No	34.5%	14.7%	5.5%	14.4%	65.5%
School Band/Orchestra					
Yes	18.8%	6.5%	3.5%	8.8%	81.2%
No	33.8%	13.9%	5.3%	14.6%	66.2%
School Choir					
Yes	26.0%	8.5%	4.4%	13.1%	74.0%
No	31.8%	13.2%	5.0%	13.5%	68.2%
Drama/Speech					
Yes	28.0%	10.5%	4.5%	13.0%	72.0%
No	32.1%	13.2%	5.1%	13.7%	67.9%
Drill Team/Cheerleader					
Yes	25.2%	8.8%	5.1%	11.3%	74.8%
No	31.8%	13.1%	5.0%	13.7%	68.2%
Student Government					
Yes	26.4%	11.1%	3.8%	11.6%	73.6%
No	31.6%	12.8%	5.0%	13.7%	68.4%
Student Newspaper/Yearbook					
Yes	28.9%	12.2%	4.7%	11.9%	71.1%
No	31.4%	12.7%	5.0%	13.6%	68.6%
Academic Clubs					
Yes	22.3%	7.7%	3.9%	10.6%	77.7%
No	32.9%	13.5%	5.2%	14.1%	67.1%
Academic Competition Groups					
Yes	20.3%	7.6%	3.0%	9.7%	79.7%
No	32.9%	13.4%	5.3%	14.2%	67.1%
Service Clubs at School					
Yes	24.7%	9.4%	5.0%	10.3%	75.3%
No	32.1%	13.0%	5.0%	14.0%	67.9%
Other School Clubs					
Yes	26.9%	9.9%	4.4%	12.6%	73.1%
No	32.6%	13.5%	5.2%	14.0%	67.4%
Athletic Teams Outside of School					
Yes	28.6%	10.7%	4.6%	13.3%	71.4%
No	33.5%	14.0%	5.4%	14.1%	66.5%
Other Clubs Outside of School					
Yes	28.1%	11.1%	4.7%	12.4%	71.9%
No	33.0%	13.6%	5.2%	14.2%	67.0%

Table F2. Prevalence of Alcohol Use Among Texas Secondary Students, by Type of Extracurricular Activity: 2008

	Alcohol Use				
	Ever Used	Past Month	School Year (not Past Month)	Not Past Year	Never Used
School Athletics					
Yes	61.1%	28.5%	11.0%	21.7%	38.9%
No	64.4%	31.9%	11.6%	20.9%	35.6%
School Band/Orchestra					
Yes	49.4%	18.5%	9.6%	21.3%	50.6%
No	65.4%	32.4%	11.5%	21.4%	34.6%
School Choir					
Yes	57.1%	24.6%	9.9%	22.6%	42.9%
No	63.4%	30.7%	11.4%	21.3%	36.6%
Drama/Speech					
Yes	61.5%	28.0%	10.7%	22.9%	38.5%
No	63.3%	30.7%	11.4%	21.1%	36.7%
Drill Team/Cheerleader					
Yes	63.1%	28.5%	12.8%	21.7%	36.9%
No	62.8%	30.3%	11.1%	21.3%	37.2%
Student Government					
Yes	60.8%	29.0%	10.8%	21.0%	39.2%
No	62.9%	30.2%	11.4%	21.3%	37.1%
Student Newspaper/Yearbook					
Yes	63.4%	30.1%	11.4%	21.8%	36.6%
No	62.9%	30.3%	11.3%	21.4%	37.1%
Academic Clubs					
Yes	56.3%	24.1%	10.9%	21.3%	43.7%
No	63.9%	31.2%	11.4%	21.3%	36.1%
Academic Competition Groups					
Yes	51.9%	20.3%	9.8%	21.8%	48.1%
No	64.2%	31.5%	11.4%	21.3%	35.8%
Service Clubs at School					
Yes	59.1%	27.3%	11.3%	20.6%	40.9%
No	63.1%	30.4%	11.3%	21.4%	36.9%
Other School Clubs					
Yes	63.0%	28.2%	12.1%	22.6%	37.0%
No	62.7%	30.7%	11.1%	21.0%	37.3%
Athletic Teams Outside of School					
Yes	61.8%	29.5%	10.9%	21.4%	38.2%
No	63.6%	30.8%	11.6%	21.2%	36.4%
Other Clubs Outside of School					
Yes	62.4%	29.6%	11.0%	21.8%	37.6%
No	63.0%	30.5%	11.4%	21.0%	37.0%

Table F3. Prevalence of Marijuana Use Among Texas Secondary Students, by Type of Extracurricular Activity: 2008

	Marijuana Use				
	Ever Used	Past Month	School Year (not Past Month)	Not Past Year	Never Used
School Athletics					
Yes	20.6%	7.6%	4.2%	8.8%	79.4%
No	27.7%	11.9%	5.3%	10.4%	72.3%
School Band/Orchestra					
Yes	12.2%	4.6%	2.4%	5.1%	87.8%
No	26.5%	10.9%	5.1%	10.5%	73.5%
School Choir					
Yes	16.6%	6.8%	3.3%	6.5%	83.4%
No	24.9%	10.2%	4.8%	9.9%	75.1%
Drama/Speech					
Yes	19.9%	7.6%	4.1%	8.2%	80.1%
No	25.1%	10.3%	4.8%	10.0%	74.9%
Drill Team/Cheerleader					
Yes	17.9%	6.1%	4.0%	7.8%	82.1%
No	24.5%	10.1%	4.7%	9.7%	75.5%
Student Government					
Yes	17.1%	6.3%	2.9%	8.0%	82.9%
No	24.4%	10.0%	4.7%	9.6%	75.6%
Student Newspaper/Yearbook					
Yes	21.4%	8.5%	4.9%	8.0%	78.6%
No	24.2%	10.0%	4.6%	9.6%	75.8%
Academic Clubs					
Yes	14.5%	5.5%	2.8%	6.1%	85.5%
No	25.7%	10.5%	5.0%	10.2%	74.3%
Academic Competition Groups					
Yes	12.5%	4.2%	2.8%	5.5%	87.5%
No	25.9%	10.7%	5.0%	10.2%	74.1%
Service Clubs at School					
Yes	15.9%	5.4%	3.5%	6.9%	84.1%
No	25.0%	10.3%	4.8%	9.8%	75.0%
Other School Clubs					
Yes	18.4%	6.2%	4.1%	8.1%	81.6%
No	25.8%	10.9%	4.9%	10.0%	74.2%
Athletic Teams Outside of School					
Yes	21.1%	8.1%	4.3%	8.8%	78.9%
No	26.2%	11.0%	5.0%	10.2%	73.8%
Other Clubs Outside of School					
Yes	20.7%	8.2%	4.4%	8.1%	79.3%
No	25.9%	10.7%	4.9%	10.3%	74.1%

Table F4. Prevalence of Any Illicit Drug Use Among Texas Secondary Students, by Type of Extracurricular Activity: 2008

	Any Illicit Drug Use				
	Ever Used	Past Month	School Year (not Past Month)	Not Past Year	Never Used
School Athletics					
Yes	22.1%	8.9%	4.2%	8.9%	77.9%
No	29.6%	13.6%	5.4%	10.6%	70.4%
School Band/Orchestra					
Yes	13.9%	5.9%	2.4%	5.5%	86.1%
No	28.4%	12.5%	5.3%	10.6%	71.6%
School Choir					
Yes	18.3%	7.9%	3.5%	7.0%	81.7%
No	26.8%	11.8%	4.9%	10.1%	73.2%
Drama/Speech					
Yes	22.2%	9.4%	4.0%	8.8%	77.8%
No	26.9%	11.9%	4.9%	10.1%	73.1%
Drill Team/Cheerleader					
Yes	19.7%	7.7%	4.0%	8.0%	80.3%
No	26.4%	11.7%	4.8%	9.9%	73.6%
Student Government					
Yes	19.2%	8.4%	3.0%	7.8%	80.8%
No	26.3%	11.6%	4.8%	9.9%	73.7%
Student Newspaper/Yearbook					
Yes	23.4%	10.2%	4.9%	8.3%	76.6%
No	26.0%	11.5%	4.7%	9.8%	74.0%
Academic Clubs					
Yes	16.0%	6.6%	3.0%	6.3%	84.0%
No	27.7%	12.2%	5.1%	10.4%	72.3%
Academic Competition Groups					
Yes	14.5%	5.7%	3.2%	5.7%	85.5%
No	27.7%	12.3%	5.0%	10.3%	72.3%
Service Clubs at School					
Yes	17.8%	6.8%	4.0%	7.1%	82.2%
No	26.8%	11.9%	4.9%	10.0%	73.2%
Other School Clubs					
Yes	20.5%	7.5%	4.4%	8.6%	79.5%
No	27.6%	12.5%	4.9%	10.2%	72.4%
Athletic Teams Outside of School					
Yes	23.1%	9.5%	4.4%	9.1%	76.9%
No	27.9%	12.6%	5.0%	10.3%	72.1%
Other Clubs Outside of School					
Yes	22.7%	9.9%	4.4%	8.4%	77.3%
No	27.6%	12.3%	5.0%	10.4%	72.4%

Appendix G

Sample Size and Border School Participants

Table G1. Total Number of Texas Secondary Students Participating in the 2008 Texas School Survey, by Grade and Demographic Characteristics

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12	Total
Total Sample							
All Students	19,298	16,660	20,418	16,033	14,388	12,101	98,898
Gender							
Males	9,460	8,033	9,862	7,556	6,915	5,871	47,697
Females	9,795	8,576	10,493	8,445	7,439	6,204	50,952
Ethnicity							
Anglos	5,550	4,456	5,907	4,898	4,869	3,839	29,519
African Americans	1,354	1,334	1,479	1,287	1,206	1,051	7,711
Hispanics	10,257	9,125	10,363	7,950	6,451	5,541	49,687
Asian Americans	470	391	570	443	423	413	2,710
Native Americans	173	144	159	139	123	94	832
Others	1,076	908	1,427	1,063	1,087	933	6,494
Usual Grades							
A's	6,122	4,926	5,496	3,949	3,695	3,658	27,846
B's	9,154	8,215	9,767	8,415	7,695	6,513	49,759
C's	3,074	2,813	3,844	3,013	2,457	1,624	16,825
D's	484	336	670	359	282	162	2,293
F's	187	133	311	122	72	38	863
Family Structure							
Live With Both Parents	12,673	10,484	12,950	9,877	8,994	7,516	62,494
Other Family Structures	6,478	6,086	7,325	6,071	5,308	4,516	35,784
Age							
Age 11 or Younger	57	3	6	4	6	12	88
Age 12	5,035	13	2	1	0	4	5,055
Age 13	11,839	4,093	13	4	1	1	15,951
Age 14	2,048	10,536	4,984	16	1	2	17,587
Age 15	193	1,806	12,716	4,126	22	4	18,867
Age 16	8	114	2,182	10,288	4,068	82	16,742
Age 17	2	10	323	1,347	9,077	3,530	14,289
Age 18	3	4	66	170	1,053	7,590	8,886
Age 19 or Older	25	12	23	22	109	827	1,018

Note: Numbers may not add to totals due to the missing frequency of the specific category.

Table G2. School Districts Along the Texas/Mexico Border Participating in 2008 Texas Secondary School Survey

Brownsville ISD	Rio Grande City Cons ISD
Edcouch-Elsa ISD	Rio Hondo ISD
La Joya ISD	San Elizario ISD
La Villa ISD	San Benito Cons ISD
Los Fresnos Cons ISD	San Diego ISD
McAllen ISD	Sharyland ISD
Mission Cons ISD	Valley View ISD
Pharr-San Juan-Alamo ISD	Weslaco ISD
Point Isabel ISD	

Border Counties Included in the Survey Sampling Frame

(counties with school districts that participated in 2008 secondary school survey are marked in bold type)

Brewster	Kinney
Brooks	La Salle
Cameron	Maverick
Culberson	Pecos
Dimmitt	Presidio
Duval	Reeves
Edwards	**Starr**
El Paso	Terrell
Hidalgo	Uvalde
Hudspeth	Val Verde
Jeff Davis	Webb
Jim Hogg	Willacy
Jim Wells	Zapata
Kenedy	Zavala

Table G3. Comparison of Demographic Characteristics of Border and Non-Border Secondary Students: 2008

	Non-Border Students (N=66,398)	Border Students (N=32,500)
Grade		
Grade 7	17.0%	18.1%
Grade 8	16.8%	17.3%
Grade 9	19.7%	23.4%
Grade 10	17.2%	15.3%
Grade 11	15.0%	14.0%
Grade 12	14.3%	11.8%
Gender		
Males	48.1%	48.4%
Females	51.9%	51.6%
Ethnicity		
Anglos	44.7%	2.5%
African Americans	17.3%	1.0%
Hispanics	33.9%	94.8%
Asian Americans	1.4%	0.2%
Native Americans	0.3%	0.2%
Others	2.5%	1.3%
Usual Grades		
A's	31.2%	18.5%
B's	49.3%	56.0%
C's	16.4%	21.9%
D's	2.3%	2.7%
F's	0.9%	0.9%
Family Structure		
Live With Both Parents	61.2%	67.5%
Other Family Structures	38.8%	32.5%
Age		
Age 11 or Younger	0.1%	0.1%
Age 12	3.7%	5.0%
Age 13	15.1%	14.9%
Age 14	17.4%	18.4%
Age 15	18.8%	20.3%
Age 16	17.8%	16.3%
Age 17	15.6%	14.6%
Age 18	10.5%	8.6%
Age 19 or Older	1.0%	1.7%
Parental Education		
College	49.4%	30.2%
Not College	36.4%	48.0%
Don't Know	14.1%	21.8%
Family Income Level		
Free/Reduced Price Lunch	32.1%	64.8%
No Free/Reduced Price Lunc	54.0%	10.7%
Don't Know	13.8%	24.5%
Years in School District		
1 Year or Less	11.0%	8.4%
2-3 Years	18.2%	16.0%
4 or More Years	70.9%	75.6%
Employment		
Have a Job	28.5%	14.3%
No Job	71.5%	85.8%

Appendix H

Border Prevalence Tables

Table H1. Prevalence and Recency of Substance Use, by Grade: Texas Border Secondary Students, 1998--2008

	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Tobacco	55.5%	52.1%	45.7%	41.6%	38.0%	33.4%	26.1%	23.0%	20.1%	18.3%	16.4%	13.8%
Grade 7	41.0%	35.1%	29.5%	23.0%	17.8%	17.8%	16.1%	12.2%	9.8%	8.1%	6.0%	5.4%
Grade 8	51.2%	45.2%	38.1%	33.3%	30.0%	24.2%	21.8%	17.3%	14.8%	13.2%	10.3%	7.9%
Grade 9	57.5%	53.7%	46.3%	40.7%	40.0%	32.4%	27.6%	22.9%	19.4%	17.1%	16.3%	12.5%
Grade 10	59.4%	58.7%	52.6%	45.9%	44.1%	40.2%	28.1%	26.2%	24.4%	19.6%	19.0%	17.1%
Grade 11	65.3%	61.1%	55.7%	56.4%	49.7%	44.9%	32.7%	30.8%	26.4%	26.4%	23.0%	21.5%
Grade 12	62.1%	63.3%	58.9%	57.8%	55.6%	49.9%	33.1%	32.7%	31.6%	30.4%	30.3%	23.9%
Alcohol	74.6%	73.5%	70.2%	66.8%	67.3%	61.1%	42.6%	41.4%	38.3%	34.1%	34.6%	31.0%
Grade 7	58.3%	55.8%	53.0%	49.5%	46.8%	45.0%	26.9%	24.3%	20.9%	19.3%	17.4%	17.4%
Grade 8	69.5%	67.8%	63.9%	59.9%	61.3%	54.6%	35.9%	33.9%	30.0%	27.1%	25.7%	23.6%
Grade 9	75.9%	74.9%	71.9%	65.6%	70.6%	61.0%	44.6%	43.1%	39.0%	33.3%	36.5%	30.9%
Grade 10	80.7%	80.5%	77.6%	72.1%	74.4%	69.6%	48.0%	47.4%	45.5%	37.4%	40.1%	38.4%
Grade 11	84.9%	82.7%	80.0%	79.3%	77.8%	70.4%	52.6%	50.5%	48.7%	43.9%	45.0%	39.3%
Grade 12	82.6%	83.2%	80.2%	80.5%	80.1%	73.2%	52.2%	53.8%	53.1%	50.1%	51.4%	43.5%
Inhalants[1]	-	-	-	-	-	10.9%	-	-	-	-	-	3.8%
Grade 7	-	-	-	-	-	11.9%	-	-	-	-	-	4.3%
Grade 8	-	-	-	-	-	10.8%	-	-	-	-	-	4.1%
Grade 9	-	-	-	-	-	11.1%	-	-	-	-	-	3.7%
Grade 10	-	-	-	-	-	11.7%	-	-	-	-	-	4.0%
Grade 11	-	-	-	-	-	10.3%	-	-	-	-	-	3.6%
Grade 12	-	-	-	-	-	8.4%	-	-	-	-	-	3.1%
Any Illicit Drug	33.3%	32.5%	32.3%	30.9%	27.4%	24.4%	15.6%	15.6%	16.2%	14.7%	12.3%	11.6%
Grade 7	19.2%	15.8%	16.4%	13.6%	9.9%	11.7%	9.8%	7.1%	7.8%	6.5%	4.6%	5.3%
Grade 8	27.9%	25.1%	25.4%	22.3%	19.3%	16.9%	13.4%	11.8%	12.7%	11.0%	8.8%	8.1%
Grade 9	34.9%	33.5%	33.2%	29.7%	29.2%	24.4%	17.0%	17.0%	17.1%	14.2%	13.2%	12.2%
Grade 10	39.9%	40.3%	39.7%	36.0%	33.3%	30.7%	18.2%	20.0%	20.7%	15.9%	15.0%	14.8%
Grade 11	41.7%	42.0%	41.5%	44.6%	38.2%	33.8%	18.8%	19.5%	20.5%	22.8%	16.5%	15.5%
Grade 12	39.1%	43.0%	43.7%	46.3%	42.3%	35.9%	17.4%	19.9%	21.0%	21.2%	18.8%	16.9%
Marijuana	30.2%	28.9%	29.4%	28.2%	25.0%	21.5%	12.7%	12.7%	13.4%	12.1%	10.0%	9.3%
Grade 7	16.2%	12.6%	14.4%	11.7%	8.2%	8.7%	7.4%	5.0%	6.2%	4.9%	3.6%	3.3%
Grade 8	24.9%	21.3%	22.4%	20.1%	17.5%	14.1%	11.0%	8.8%	10.2%	8.8%	7.5%	6.0%
Grade 9	31.3%	29.8%	29.6%	26.6%	26.1%	21.5%	13.8%	13.7%	13.7%	11.4%	10.9%	9.5%
Grade 10	36.3%	36.5%	36.4%	32.3%	30.1%	27.6%	14.9%	17.0%	17.5%	12.4%	11.8%	12.3%
Grade 11	38.9%	38.4%	38.9%	42.2%	35.5%	30.5%	15.6%	16.6%	17.2%	19.7%	13.3%	12.8%
Grade 12	36.9%	39.6%	40.8%	43.4%	40.6%	33.3%	14.3%	16.3%	18.3%	18.2%	15.7%	14.6%
Cocaine/Crack	13.7%	13.8%	13.8%	13.3%	12.3%	10.3%	6.0%	5.7%	6.3%	5.8%	4.9%	3.9%
Grade 7	6.2%	5.1%	5.7%	5.1%	3.2%	4.4%	2.8%	2.0%	2.6%	2.3%	1.3%	1.6%
Grade 8	9.9%	9.2%	9.2%	7.9%	8.3%	6.2%	4.0%	3.8%	4.3%	3.7%	3.1%	2.5%
Grade 9	14.0%	14.4%	14.3%	12.0%	12.8%	10.6%	6.2%	6.4%	6.9%	5.3%	5.3%	4.4%
Grade 10	16.8%	17.6%	17.5%	16.1%	15.5%	12.7%	7.3%	7.5%	8.4%	6.6%	6.9%	4.4%
Grade 11	19.4%	18.7%	18.7%	20.3%	17.7%	15.3%	8.1%	7.3%	7.8%	9.7%	7.0%	5.8%
Grade 12	19.0%	20.6%	20.7%	22.8%	20.5%	15.8%	8.4%	7.7%	9.0%	8.9%	7.6%	5.8%
Hallucinogens[2]	4.0%	3.3%	2.6%	3.3%	4.0%	3.2%	1.4%	1.0%	0.9%	1.2%	1.3%	1.3%
Grade 7	1.9%	1.0%	0.9%	1.0%	0.9%	1.5%	0.8%	0.3%	0.4%	0.5%	0.4%	0.7%
Grade 8	2.5%	2.0%	1.7%	2.1%	2.2%	2.5%	1.0%	0.7%	0.8%	0.8%	0.6%	1.2%
Grade 9	4.1%	3.7%	2.7%	3.0%	3.7%	3.2%	1.6%	1.3%	1.0%	1.3%	1.3%	1.1%
Grade 10	4.4%	3.2%	3.3%	3.4%	5.1%	4.2%	1.4%	1.0%	1.0%	1.1%	1.7%	1.6%
Grade 11	6.1%	4.7%	3.7%	5.3%	5.9%	3.9%	1.6%	1.3%	1.1%	1.6%	1.7%	1.6%
Grade 12	5.7%	6.0%	4.1%	6.2%	8.4%	4.7%	1.9%	1.7%	1.0%	2.1%	2.4%	1.8%

1. Since 2008, the question of specific-inhalant types has been deleted and only generic-inhalant question has been surveyed in the secondary school survey. The 2008 figures can not be compared properly to the previous figures.
2. Since 2004, the question wording has been changed slightly to list 'Mushrooms' as an example of hallucinogens.

Table H1. Prevalence and Recency of Use: Border Secondary Students, 1998--2008 (cont.)

	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Uppers	7.1%	6.0%	5.2%	4.5%	3.4%	3.7%	2.8%	2.3%	2.3%	2.1%	1.3%	1.7%
Grade 7	3.2%	2.2%	2.0%	1.1%	0.9%	1.6%	1.5%	0.9%	0.9%	0.6%	0.5%	0.6%
Grade 8	5.1%	4.2%	3.7%	2.1%	1.8%	2.3%	2.0%	1.9%	1.8%	0.9%	0.7%	0.9%
Grade 9	7.9%	6.8%	5.2%	4.3%	3.8%	3.7%	3.5%	2.6%	2.3%	1.8%	1.4%	1.6%
Grade 10	8.7%	8.1%	7.3%	5.6%	4.1%	4.6%	3.1%	2.9%	3.8%	2.2%	1.5%	1.9%
Grade 11	9.8%	7.4%	7.1%	8.2%	5.2%	5.7%	3.4%	2.3%	2.8%	5.1%	1.9%	2.8%
Grade 12	8.8%	7.5%	7.0%	6.8%	5.9%	5.7%	3.0%	3.1%	2.6%	2.4%	2.3%	2.6%
Downers	7.7%	6.2%	5.9%	5.2%	3.8%	4.5%	3.0%	2.4%	2.6%	2.4%	1.5%	2.1%
Grade 7	3.0%	2.3%	2.0%	1.0%	0.8%	1.4%	1.3%	0.9%	0.9%	0.6%	0.4%	0.6%
Grade 8	5.2%	3.7%	4.0%	2.3%	2.3%	2.4%	2.1%	1.5%	2.0%	1.1%	0.7%	1.1%
Grade 9	8.5%	6.7%	6.0%	5.0%	4.4%	5.2%	3.8%	3.0%	2.7%	2.0%	1.7%	2.3%
Grade 10	9.9%	8.7%	8.4%	6.6%	4.8%	6.2%	3.8%	2.9%	4.3%	2.7%	2.1%	3.0%
Grade 11	11.0%	8.1%	7.8%	9.6%	5.6%	6.3%	3.9%	2.8%	3.3%	5.5%	2.0%	3.2%
Grade 12	9.6%	8.8%	8.5%	8.7%	6.1%	6.8%	2.9%	3.2%	3.1%	3.1%	2.5%	3.1%
Rohypnol	13.4%	12.6%	10.9%	9.1%	5.1%	5.8%	5.0%	4.2%	4.4%	3.5%	1.8%	2.3%
Grade 7	7.4%	5.8%	5.7%	3.8%	1.9%	2.5%	3.3%	2.5%	2.4%	1.7%	0.8%	1.0%
Grade 8	11.5%	9.7%	9.6%	6.8%	4.3%	4.0%	4.8%	4.2%	4.2%	3.3%	1.4%	1.8%
Grade 9	15.5%	13.8%	12.6%	10.3%	5.8%	7.1%	6.4%	5.7%	5.6%	3.8%	2.2%	3.0%
Grade 10	16.6%	15.9%	13.9%	11.2%	6.6%	7.7%	5.6%	5.0%	6.4%	3.8%	2.3%	3.1%
Grade 11	16.3%	15.6%	12.3%	11.6%	6.5%	7.0%	4.8%	3.6%	4.1%	4.7%	2.1%	2.4%
Grade 12	13.2%	16.3%	11.8%	11.8%	6.6%	7.3%	4.7%	3.3%	3.2%	3.5%	1.7%	2.7%
Steroids	1.8%	2.3%	1.9%	1.4%	1.2%	1.0%	0.6%	0.8%	0.7%	0.5%	0.5%	0.4%
Grade 7	2.0%	2.1%	1.7%	1.4%	1.0%	1.3%	0.7%	0.6%	0.5%	0.6%	0.5%	0.5%
Grade 8	2.3%	2.4%	1.9%	1.4%	1.2%	1.2%	0.9%	1.0%	0.8%	0.4%	0.6%	0.4%
Grade 9	1.5%	2.1%	1.6%	1.4%	1.0%	0.6%	0.6%	0.8%	0.6%	0.5%	0.3%	0.3%
Grade 10	1.4%	2.6%	1.8%	0.8%	1.3%	1.1%	0.5%	0.6%	0.6%	0.3%	0.8%	0.4%
Grade 11	1.4%	2.3%	2.2%	1.5%	1.2%	1.2%	0.4%	0.9%	0.8%	0.7%	0.7%	0.5%
Grade 12	2.1%	2.2%	2.3%	2.3%	1.9%	0.7%	0.8%	0.9%	0.8%	0.6%	0.5%	0.3%
Ecstasy	2.1%	3.5%	6.3%	4.6%	4.2%	4.2%	0.7%	1.5%	2.6%	1.9%	1.5%	1.7%
Grade 7	0.9%	1.7%	2.8%	1.6%	1.0%	1.2%	0.3%	0.7%	1.1%	0.7%	0.5%	0.5%
Grade 8	1.3%	2.8%	5.1%	2.9%	2.6%	2.1%	0.6%	1.1%	2.3%	1.0%	1.0%	1.0%
Grade 9	2.3%	4.0%	6.6%	4.4%	4.4%	4.5%	1.0%	1.8%	2.7%	1.7%	1.7%	1.3%
Grade 10	2.4%	3.7%	6.9%	5.0%	6.0%	6.3%	0.9%	1.4%	2.7%	1.6%	2.0%	2.7%
Grade 11	3.6%	4.4%	8.4%	7.1%	5.3%	5.9%	0.7%	1.8%	3.5%	4.2%	1.8%	2.7%
Grade 12	2.4%	5.2%	9.4%	8.6%	7.7%	6.7%	0.6%	2.5%	3.3%	3.1%	2.6%	2.8%
Heroin	1.9%	1.6%	1.9%	1.5%	1.5%	1.4%	0.6%	0.6%	0.6%	0.5%	0.5%	0.6%
Grade 7	2.3%	1.9%	2.2%	1.4%	1.2%	1.9%	0.7%	0.9%	0.7%	0.6%	0.5%	0.8%
Grade 8	2.7%	2.3%	2.0%	1.8%	1.7%	1.5%	0.9%	0.8%	0.8%	0.7%	0.5%	0.5%
Grade 9	1.9%	1.9%	2.4%	1.6%	2.0%	1.2%	0.8%	0.6%	0.7%	0.6%	0.6%	0.5%
Grade 10	1.5%	1.2%	1.3%	1.1%	1.6%	1.5%	0.5%	0.3%	0.5%	0.4%	0.7%	0.6%
Grade 11	1.6%	0.9%	1.4%	1.0%	1.1%	1.2%	0.4%	0.3%	0.6%	0.4%	0.2%	0.7%
Grade 12	1.2%	1.4%	1.7%	1.8%	1.3%	1.0%	0.5%	0.6%	0.4%	0.4%	0.5%	0.5%
Methamphetamine	NA	NA	NA	NA	NA	2.9%	NA	NA	NA	NA	NA	1.0%
Grade 7	NA	NA	NA	NA	NA	2.8%	NA	NA	NA	NA	NA	1.2%
Grade 8	NA	NA	NA	NA	NA	2.6%	NA	NA	NA	NA	NA	1.0%
Grade 9	NA	NA	NA	NA	NA	2.8%	NA	NA	NA	NA	NA	1.0%
Grade 10	NA	NA	NA	NA	NA	3.6%	NA	NA	NA	NA	NA	1.2%
Grade 11	NA	NA	NA	NA	NA	3.0%	NA	NA	NA	NA	NA	0.8%
Grade 12	NA	NA	NA	NA	NA	2.7%	NA	NA	NA	NA	NA	0.9%

NA: Not Available

Table H2. Prevalence and Recency of Substance Use, by Grade: Texas Border Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	33.4%	13.8%	5.2%	14.5%	66.6%
Grade 7	17.8%	5.4%	2.2%	10.3%	82.2%
Grade 8	24.2%	7.9%	3.3%	13.0%	75.8%
Grade 9	32.4%	12.5%	5.4%	14.5%	67.6%
Grade 10	40.2%	17.1%	6.0%	17.1%	59.8%
Grade 11	44.9%	21.5%	6.9%	16.4%	55.1%
Grade 12	49.9%	23.9%	8.9%	17.1%	50.1%
Alcohol	61.1%	31.0%	9.7%	20.4%	38.9%
Grade 7	45.0%	17.4%	4.8%	22.9%	55.0%
Grade 8	54.6%	23.6%	8.3%	22.7%	45.4%
Grade 9	61.0%	30.9%	10.4%	19.7%	39.0%
Grade 10	69.6%	38.4%	11.4%	19.9%	30.4%
Grade 11	70.4%	39.3%	12.2%	18.9%	29.6%
Grade 12	73.2%	43.5%	12.6%	17.0%	26.8%
Inhalants	10.9%	3.8%	2.0%	5.1%	89.1%
Grade 7	11.9%	4.3%	2.1%	5.5%	88.1%
Grade 8	10.8%	4.1%	2.0%	4.7%	89.2%
Grade 9	11.1%	3.7%	2.3%	5.1%	88.9%
Grade 10	11.7%	4.0%	1.9%	5.8%	88.3%
Grade 11	10.3%	3.6%	1.7%	5.0%	89.7%
Grade 12	8.4%	3.1%	1.5%	3.8%	91.6%
Any Illicit Drug	24.4%	11.6%	4.2%	8.5%	75.6%
Grade 7	11.7%	5.3%	1.8%	4.6%	88.3%
Grade 8	16.9%	8.1%	2.8%	6.0%	83.1%
Grade 9	24.4%	12.2%	4.9%	7.3%	75.6%
Grade 10	30.7%	14.8%	4.9%	11.0%	69.3%
Grade 11	33.8%	15.5%	6.2%	12.2%	66.2%
Grade 12	35.9%	16.9%	5.6%	13.3%	64.1%
Marijuana	21.5%	9.3%	4.2%	8.1%	78.5%
Grade 7	8.7%	3.3%	1.5%	3.9%	91.3%
Grade 8	14.1%	6.0%	2.7%	5.4%	85.9%
Grade 9	21.5%	9.5%	4.7%	7.2%	78.5%
Grade 10	27.6%	12.3%	4.9%	10.4%	72.4%
Grade 11	30.5%	12.8%	6.3%	11.4%	69.5%
Grade 12	33.3%	14.6%	5.7%	13.0%	66.7%
Cocaine or Crack	10.3%	3.9%	2.0%	4.4%	89.7%
Grade 7	4.4%	1.6%	1.0%	1.8%	95.6%
Grade 8	6.2%	2.5%	1.1%	2.6%	93.8%
Grade 9	10.6%	4.4%	2.3%	3.9%	89.4%
Grade 10	12.7%	4.4%	2.6%	5.7%	87.3%
Grade 11	15.3%	5.8%	2.5%	7.0%	84.7%
Grade 12	15.8%	5.8%	2.8%	7.2%	84.2%
Cocaine	9.9%	3.7%	1.9%	4.3%	90.1%
Grade 7	3.7%	1.2%	0.9%	1.5%	96.3%
Grade 8	5.7%	2.1%	1.1%	2.5%	94.3%
Grade 9	10.1%	4.0%	2.2%	3.9%	89.9%
Grade 10	12.5%	4.2%	2.5%	5.8%	87.5%
Grade 11	15.2%	5.8%	2.4%	7.1%	84.8%
Grade 12	15.7%	5.7%	2.8%	7.2%	84.3%
Crack	2.5%	0.9%	0.5%	1.2%	97.5%
Grade 7	2.1%	0.8%	0.5%	0.8%	97.9%
Grade 8	2.5%	1.2%	0.4%	0.9%	97.5%
Grade 9	3.1%	1.0%	0.6%	1.5%	96.9%
Grade 10	2.9%	0.8%	0.5%	1.5%	97.1%
Grade 11	2.1%	0.4%	0.5%	1.1%	97.9%
Grade 12	2.2%	0.8%	0.5%	0.9%	97.8%

Table H2. Prevalence and Recency of Use: Border Secondary Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	3.2%	1.3%	0.6%	1.3%	96.8%
Grade 7	1.5%	0.7%	0.2%	0.5%	98.5%
Grade 8	2.5%	1.2%	0.4%	0.9%	97.5%
Grade 9	3.2%	1.1%	0.7%	1.4%	96.8%
Grade 10	4.2%	1.6%	0.7%	1.9%	95.8%
Grade 11	3.9%	1.6%	0.6%	1.6%	96.1%
Grade 12	4.7%	1.8%	1.0%	1.9%	95.3%
Uppers	3.7%	1.7%	0.7%	1.3%	96.3%
Grade 7	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 8	2.3%	0.9%	0.6%	0.8%	97.7%
Grade 9	3.7%	1.6%	0.8%	1.3%	96.3%
Grade 10	4.6%	1.9%	1.0%	1.7%	95.4%
Grade 11	5.7%	2.8%	1.0%	1.9%	94.3%
Grade 12	5.7%	2.6%	1.1%	2.1%	94.3%
Downers	4.5%	2.1%	0.9%	1.5%	95.5%
Grade 7	1.4%	0.6%	0.3%	0.5%	98.6%
Grade 8	2.4%	1.1%	0.6%	0.7%	97.6%
Grade 9	5.2%	2.3%	1.1%	1.8%	94.8%
Grade 10	6.2%	3.0%	1.2%	2.0%	93.8%
Grade 11	6.3%	3.2%	1.1%	1.9%	93.7%
Grade 12	6.8%	3.1%	1.0%	2.7%	93.2%
Rohypnol	5.8%	2.3%	1.1%	2.3%	94.2%
Grade 7	2.5%	1.0%	0.5%	1.0%	97.5%
Grade 8	4.0%	1.8%	0.7%	1.4%	96.0%
Grade 9	7.1%	3.0%	1.6%	2.4%	92.9%
Grade 10	7.7%	3.1%	1.4%	3.1%	92.3%
Grade 11	7.0%	2.4%	1.5%	3.1%	93.0%
Grade 12	7.3%	2.7%	1.0%	3.6%	92.7%
Steroids	1.0%	0.4%	0.2%	0.5%	99.0%
Grade 7	1.3%	0.5%	0.1%	0.7%	98.7%
Grade 8	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 9	0.6%	0.3%	0.1%	0.3%	99.4%
Grade 10	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 11	1.2%	0.5%	0.2%	0.6%	98.8%
Grade 12	0.7%	0.3%	0.2%	0.2%	99.3%
Ecstasy	4.2%	1.7%	0.8%	1.7%	95.8%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	2.1%	1.0%	0.4%	0.7%	97.9%
Grade 9	4.5%	1.3%	1.0%	2.1%	95.5%
Grade 10	6.3%	2.7%	1.2%	2.4%	93.7%
Grade 11	5.9%	2.7%	0.9%	2.4%	94.1%
Grade 12	6.7%	2.8%	1.1%	2.8%	93.3%
Heroin	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 7	1.9%	0.8%	0.2%	0.8%	98.1%
Grade 8	1.5%	0.5%	0.3%	0.6%	98.5%
Grade 9	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 10	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 11	1.2%	0.7%	0.0%	0.5%	98.8%
Grade 12	1.0%	0.5%	0.2%	0.3%	99.0%
Methamphetamine	2.9%	1.0%	0.5%	1.4%	97.1%
Grade 7	2.8%	1.2%	0.3%	1.3%	97.2%
Grade 8	2.6%	1.0%	0.5%	1.1%	97.4%
Grade 9	2.8%	1.0%	0.5%	1.3%	97.2%
Grade 10	3.6%	1.2%	0.4%	2.0%	96.4%
Grade 11	3.0%	0.8%	0.9%	1.3%	97.0%
Grade 12	2.7%	0.9%	0.5%	1.3%	97.3%

Appendix I

Non-Border Prevalence Tables

Table I1. Prevalence and Recency of Substance Use, by Grade: Texas Non-Border Secondary Students, 1998--2008

	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Tobacco	54.4%	51.0%	44.7%	39.0%	31.4%	31.4%	26.2%	22.3%	17.9%	16.8%	12.7%	12.7%
Grade 7	39.9%	32.7%	28.0%	23.0%	16.4%	16.4%	15.3%	10.8%	8.5%	6.7%	4.7%	4.7%
Grade 8	50.2%	44.9%	35.7%	30.1%	22.5%	22.5%	21.1%	17.2%	11.2%	10.1%	6.1%	6.1%
Grade 9	56.5%	51.5%	48.5%	38.1%	29.4%	29.4%	26.9%	22.5%	19.2%	15.5%	10.2%	10.2%
Grade 10	59.8%	57.4%	49.0%	45.1%	35.5%	35.5%	30.1%	25.1%	19.9%	21.4%	15.4%	15.4%
Grade 11	60.9%	62.6%	52.9%	50.0%	40.7%	40.7%	32.2%	30.4%	23.0%	23.7%	18.5%	18.5%
Grade 12	63.5%	62.3%	58.7%	53.0%	47.5%	47.5%	36.0%	32.7%	29.6%	27.6%	24.0%	24.0%
Alcohol	71.8%	70.4%	71.1%	68.1%	63.3%	63.3%	37.3%	35.4%	33.9%	32.4%	30.3%	30.3%
Grade 7	54.1%	50.3%	52.8%	50.9%	44.8%	44.8%	21.7%	18.8%	17.3%	16.4%	16.9%	16.9%
Grade 8	66.6%	64.3%	64.0%	61.3%	56.1%	56.1%	29.8%	29.2%	25.3%	23.0%	22.2%	22.2%
Grade 9	73.9%	71.6%	74.1%	68.3%	64.1%	64.1%	38.1%	35.2%	36.0%	32.3%	29.1%	29.1%
Grade 10	78.2%	77.4%	77.3%	74.9%	68.6%	68.6%	43.4%	40.3%	39.0%	39.1%	33.6%	33.6%
Grade 11	80.5%	81.0%	79.0%	76.8%	72.4%	72.4%	45.3%	45.3%	40.6%	41.6%	37.7%	37.7%
Grade 12	82.9%	83.2%	83.9%	80.8%	76.4%	76.4%	51.5%	50.1%	50.7%	47.1%	45.5%	45.5%
Inhalants[1]	22.1%	18.7%	17.9%	17.0%	9.0%	9.0%	7.9%	6.3%	6.6%	6.6%	2.5%	2.5%
Grade 7	24.6%	18.8%	19.0%	19.3%	10.4%	10.4%	11.1%	8.4%	8.9%	9.0%	3.8%	3.8%
Grade 8	26.2%	22.7%	18.3%	20.2%	10.5%	10.5%	11.0%	9.2%	7.9%	9.0%	3.4%	3.4%
Grade 9	23.1%	18.3%	20.3%	17.6%	9.0%	9.0%	8.0%	6.0%	8.0%	6.1%	2.3%	2.3%
Grade 10	20.7%	18.3%	15.9%	15.8%	9.2%	9.2%	6.2%	4.3%	5.0%	5.9%	2.0%	2.0%
Grade 11	18.4%	18.3%	17.2%	14.1%	7.2%	7.2%	5.3%	5.1%	4.4%	5.0%	1.3%	1.3%
Grade 12	17.2%	14.3%	15.6%	13.1%	6.9%	6.9%	4.3%	3.5%	3.9%	3.5%	1.9%	1.9%
Any Illicit Drug	36.5%	33.9%	33.8%	31.6%	26.8%	26.8%	17.1%	15.4%	16.0%	14.3%	11.7%	11.7%
Grade 7	18.2%	14.4%	14.7%	13.1%	11.5%	11.5%	8.2%	6.5%	6.7%	5.2%	5.1%	5.1%
Grade 8	29.2%	24.7%	25.0%	21.1%	16.8%	16.8%	14.2%	11.9%	10.3%	9.1%	6.7%	6.7%
Grade 9	38.9%	33.5%	36.4%	30.8%	25.3%	25.3%	18.8%	15.9%	18.1%	14.3%	11.5%	11.5%
Grade 10	44.7%	40.7%	40.4%	40.7%	32.2%	32.2%	21.3%	17.9%	20.2%	19.2%	14.7%	14.7%
Grade 11	45.5%	48.9%	45.9%	44.0%	37.8%	37.8%	20.9%	21.3%	21.6%	20.2%	16.2%	16.2%
Grade 12	47.9%	49.1%	46.0%	45.4%	40.3%	40.3%	21.0%	21.8%	21.3%	20.3%	17.5%	17.5%
Marijuana	35.1%	32.7%	32.7%	30.1%	25.1%	25.1%	15.5%	13.8%	14.5%	12.7%	10.2%	10.2%
Grade 7	16.6%	13.3%	13.3%	11.7%	9.6%	9.6%	6.9%	5.7%	5.7%	4.3%	4.1%	4.1%
Grade 8	27.4%	23.4%	23.5%	19.1%	15.0%	15.0%	12.5%	10.6%	9.2%	7.6%	5.6%	5.6%
Grade 9	37.5%	32.1%	35.3%	29.3%	23.5%	23.5%	17.3%	14.3%	16.2%	12.7%	9.9%	9.9%
Grade 10	43.3%	39.5%	39.3%	39.2%	30.5%	30.5%	19.7%	16.0%	18.6%	17.7%	12.8%	12.8%
Grade 11	44.6%	47.6%	44.9%	42.3%	36.2%	36.2%	19.2%	19.2%	20.0%	17.7%	14.4%	14.4%
Grade 12	46.9%	47.9%	45.4%	44.5%	39.4%	39.4%	19.3%	20.0%	19.6%	18.4%	15.4%	15.4%
Cocaine/Crack	8.6%	8.4%	7.8%	7.0%	6.2%	6.2%	3.1%	2.8%	2.7%	2.7%	1.9%	1.9%
Grade 7	4.2%	3.7%	3.5%	2.9%	2.6%	2.6%	1.6%	1.3%	1.5%	1.1%	0.9%	0.9%
Grade 8	6.8%	6.4%	5.0%	4.3%	3.7%	3.7%	2.7%	2.3%	1.6%	1.6%	1.2%	1.2%
Grade 9	9.1%	7.7%	8.7%	6.1%	5.0%	5.0%	3.4%	2.5%	3.0%	2.5%	1.8%	1.8%
Grade 10	10.3%	9.0%	9.1%	9.0%	7.3%	7.3%	3.8%	3.3%	3.6%	3.4%	2.2%	2.2%
Grade 11	10.5%	13.6%	10.6%	10.6%	8.9%	8.9%	3.8%	4.4%	3.8%	4.2%	2.4%	2.4%
Grade 12	12.1%	12.5%	11.5%	10.3%	10.6%	10.6%	3.8%	3.5%	3.0%	3.9%	2.9%	2.9%
Hallucinogens[2]	7.9%	5.7%	4.8%	5.1%	4.6%	4.6%	2.7%	1.9%	1.3%	1.6%	1.6%	1.6%
Grade 7	2.6%	1.6%	1.1%	1.2%	1.2%	1.2%	1.0%	0.3%	0.3%	0.6%	0.4%	0.4%
Grade 8	4.4%	2.6%	2.1%	2.8%	2.0%	2.0%	1.7%	0.9%	0.7%	0.8%	0.7%	0.7%
Grade 9	8.1%	5.6%	4.8%	4.6%	3.9%	3.9%	3.1%	1.9%	1.5%	1.4%	1.4%	1.4%
Grade 10	9.9%	6.8%	5.5%	6.8%	6.3%	6.3%	3.6%	2.7%	1.5%	2.4%	2.3%	2.3%
Grade 11	11.3%	9.9%	8.2%	8.0%	7.0%	7.0%	3.8%	3.2%	2.6%	2.4%	2.1%	2.1%
Grade 12	13.1%	10.0%	8.4%	8.5%	8.1%	8.1%	3.6%	3.0%	1.3%	2.5%	2.7%	2.7%

1. Since 2008, the question of specific-inhalant types has been deleted and only generic-inhalant question has been surveyed in the secondary school survey. The 2008 figures can not be compared properly to the previous figures.

2. Since 2004, the question wording has been changed slightly to list 'Mushrooms' as an example of hallucinogens.

Table I1. Prevalence and Recency of Use: Non-Border Secondary Students, 1998--2008 (cont.)

	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Ever Used 2008	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006	Past Month 2008
Uppers	8.4%	6.8%	7.7%	6.3%	5.6%	5.6%	3.2%	2.8%	3.4%	2.5%	2.1%	2.1%
Grade 7	3.0%	1.6%	1.7%	1.2%	1.4%	1.4%	1.3%	0.6%	0.5%	0.4%	0.7%	0.7%
Grade 8	5.5%	3.6%	3.1%	2.8%	2.2%	2.2%	2.1%	1.5%	1.2%	1.0%	0.8%	0.8%
Grade 9	8.8%	7.3%	8.9%	5.1%	4.6%	4.6%	3.5%	3.3%	4.3%	2.2%	1.8%	1.8%
Grade 10	11.1%	8.8%	8.7%	8.3%	7.3%	7.3%	4.3%	3.5%	4.5%	3.4%	3.0%	3.0%
Grade 11	11.0%	11.3%	13.8%	11.0%	8.9%	8.9%	4.2%	4.6%	6.1%	4.4%	3.2%	3.2%
Grade 12	12.4%	9.8%	11.9%	11.3%	10.6%	10.6%	3.9%	3.5%	4.6%	4.5%	3.7%	3.7%
Downers	6.3%	5.8%	7.3%	6.1%	5.7%	5.7%	2.4%	2.6%	3.5%	2.6%	2.2%	2.2%
Grade 7	2.4%	1.4%	1.3%	0.9%	1.5%	1.5%	0.9%	0.5%	0.5%	0.3%	0.7%	0.7%
Grade 8	4.1%	2.8%	2.9%	2.5%	1.8%	1.8%	1.6%	1.2%	1.2%	0.9%	0.7%	0.7%
Grade 9	6.9%	6.6%	8.2%	5.2%	4.4%	4.4%	2.7%	3.5%	3.9%	2.3%	1.8%	1.8%
Grade 10	8.4%	7.2%	8.6%	7.9%	7.6%	7.6%	3.3%	3.1%	5.0%	3.5%	2.9%	2.9%
Grade 11	8.5%	10.1%	12.9%	10.6%	9.1%	9.1%	3.3%	4.0%	6.0%	4.5%	3.5%	3.5%
Grade 12	9.0%	7.9%	11.8%	11.2%	11.5%	11.5%	3.2%	3.5%	5.0%	4.9%	4.1%	4.1%
Rohypnol	5.3%	3.4%	3.8%	2.5%	1.8%	1.8%	2.0%	1.4%	1.3%	0.9%	0.7%	0.7%
Grade 7	3.6%	1.9%	2.3%	1.3%	1.2%	1.2%	1.6%	0.9%	0.9%	0.4%	0.4%	0.4%
Grade 8	4.8%	3.6%	3.6%	2.8%	1.4%	1.4%	2.3%	1.6%	1.4%	1.0%	0.6%	0.6%
Grade 9	5.7%	3.6%	5.4%	2.8%	1.8%	1.8%	2.4%	1.5%	2.2%	1.1%	0.8%	0.8%
Grade 10	6.0%	3.6%	3.8%	3.1%	2.7%	2.7%	2.3%	1.4%	1.3%	1.3%	1.0%	1.0%
Grade 11	5.5%	4.5%	3.6%	2.7%	1.8%	1.8%	1.7%	1.6%	0.8%	1.0%	0.5%	0.5%
Grade 12	6.3%	3.3%	4.2%	2.3%	1.9%	1.9%	1.8%	1.1%	1.1%	0.8%	0.7%	0.7%
Steroids	2.2%	2.3%	2.4%	2.1%	1.6%	1.6%	0.7%	0.8%	0.7%	0.7%	0.6%	0.6%
Grade 7	2.3%	2.3%	2.1%	1.7%	1.4%	1.4%	0.7%	1.0%	0.7%	0.5%	0.5%	0.5%
Grade 8	2.4%	2.5%	1.9%	2.4%	1.5%	1.5%	0.7%	0.7%	0.6%	0.8%	0.5%	0.5%
Grade 9	2.0%	2.0%	2.6%	2.0%	1.4%	1.4%	0.6%	0.6%	0.8%	0.8%	0.4%	0.4%
Grade 10	2.0%	2.1%	2.6%	2.0%	1.9%	1.9%	0.6%	0.7%	0.7%	0.7%	0.8%	0.8%
Grade 11	2.2%	2.7%	2.7%	2.1%	1.7%	1.7%	0.8%	0.8%	0.4%	0.7%	0.5%	0.5%
Grade 12	2.2%	2.3%	2.4%	2.4%	1.9%	1.9%	0.7%	0.7%	0.9%	1.0%	0.7%	0.7%
Ecstasy	4.9%	4.6%	8.9%	5.7%	5.3%	5.3%	1.6%	2.0%	3.2%	1.8%	1.9%	1.9%
Grade 7	1.6%	1.4%	3.7%	1.9%	1.5%	1.5%	0.6%	0.6%	1.5%	0.7%	0.8%	0.8%
Grade 8	3.0%	2.4%	5.7%	4.3%	2.4%	2.4%	1.1%	1.0%	2.1%	1.3%	0.9%	0.9%
Grade 9	4.7%	4.8%	9.8%	5.0%	4.4%	4.4%	1.7%	2.1%	3.9%	1.6%	1.7%	1.7%
Grade 10	5.9%	5.7%	9.5%	6.6%	6.6%	6.6%	1.8%	2.4%	3.4%	2.2%	2.3%	2.3%
Grade 11	6.9%	7.9%	13.3%	8.6%	8.2%	8.2%	2.2%	3.3%	4.8%	3.0%	2.4%	2.4%
Grade 12	8.4%	6.9%	13.2%	9.2%	9.8%	9.8%	2.2%	3.1%	3.6%	2.7%	3.4%	3.4%
Heroin	2.5%	1.7%	1.7%	1.6%	1.4%	1.4%	0.7%	0.5%	0.5%	0.5%	0.4%	0.4%
Grade 7	2.6%	1.8%	1.6%	1.6%	1.2%	1.2%	0.9%	0.7%	0.6%	0.6%	0.5%	0.5%
Grade 8	2.8%	1.9%	1.9%	1.9%	1.3%	1.3%	0.9%	0.7%	0.4%	0.7%	0.3%	0.3%
Grade 9	2.4%	1.6%	1.7%	1.6%	1.3%	1.3%	0.6%	0.6%	0.5%	0.5%	0.5%	0.5%
Grade 10	2.2%	1.5%	1.2%	1.8%	1.5%	1.5%	0.7%	0.4%	0.4%	0.5%	0.5%	0.5%
Grade 11	2.3%	1.6%	2.0%	1.5%	1.4%	1.4%	0.7%	0.2%	0.5%	0.7%	0.5%	0.5%
Grade 12	2.5%	1.5%	1.7%	1.5%	2.0%	2.0%	0.6%	0.4%	0.2%	0.2%	0.4%	0.4%
Methamphetamine	NA	NA	NA	NA	NA	3.6%	NA	NA	NA	NA	NA	0.8%
Grade 7	NA	NA	NA	NA	NA	2.3%	NA	NA	NA	NA	NA	0.6%
Grade 8	NA	NA	NA	NA	NA	2.7%	NA	NA	NA	NA	NA	0.5%
Grade 9	NA	NA	NA	NA	NA	2.9%	NA	NA	NA	NA	NA	0.7%
Grade 10	NA	NA	NA	NA	NA	4.8%	NA	NA	NA	NA	NA	1.1%
Grade 11	NA	NA	NA	NA	NA	4.0%	NA	NA	NA	NA	NA	0.8%
Grade 12	NA	NA	NA	NA	NA	5.1%	NA	NA	NA	NA	NA	1.3%

NA: Not Available

Table I2. Prevalence and Recency of Substance Use, by Grade: Texas Non-Border Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Tobacco	31.4%	12.7%	5.1%	13.6%	68.6%
Grade 7	16.4%	4.7%	2.2%	9.6%	83.6%
Grade 8	22.5%	6.1%	3.6%	12.8%	77.5%
Grade 9	29.4%	10.2%	5.6%	13.6%	70.6%
Grade 10	35.5%	15.4%	5.4%	14.7%	64.5%
Grade 11	40.7%	18.5%	6.8%	15.3%	59.3%
Grade 12	47.5%	24.0%	7.2%	16.3%	52.5%
Alcohol	63.3%	30.3%	11.6%	21.4%	36.7%
Grade 7	44.8%	16.9%	5.6%	22.4%	55.2%
Grade 8	56.1%	22.2%	10.2%	23.8%	43.9%
Grade 9	64.1%	29.1%	12.5%	22.5%	35.9%
Grade 10	68.6%	33.6%	13.7%	21.4%	31.4%
Grade 11	72.4%	37.7%	14.9%	19.8%	27.6%
Grade 12	76.4%	45.5%	13.3%	17.6%	23.6%
Inhalants	9.0%	2.5%	1.5%	5.0%	91.0%
Grade 7	10.4%	3.8%	1.8%	4.8%	89.6%
Grade 8	10.5%	3.4%	2.0%	5.1%	89.5%
Grade 9	9.0%	2.3%	1.6%	5.1%	91.0%
Grade 10	9.2%	2.0%	1.7%	5.5%	90.8%
Grade 11	7.2%	1.3%	1.2%	4.7%	92.8%
Grade 12	6.9%	1.9%	1.0%	4.0%	93.1%
Any Illicit Drug	26.8%	11.7%	5.0%	10.0%	73.2%
Grade 7	11.5%	5.1%	1.9%	4.5%	88.5%
Grade 8	16.8%	6.7%	2.8%	7.3%	83.2%
Grade 9	25.3%	11.5%	4.6%	9.3%	74.7%
Grade 10	32.2%	14.7%	6.2%	11.3%	67.8%
Grade 11	37.8%	16.2%	7.5%	14.0%	62.2%
Grade 12	40.3%	17.5%	7.8%	15.0%	59.7%
Marijuana	25.1%	10.2%	5.0%	10.0%	74.9%
Grade 7	9.6%	4.1%	1.7%	3.9%	90.4%
Grade 8	15.0%	5.6%	2.6%	6.8%	85.0%
Grade 9	23.5%	9.9%	4.3%	9.2%	76.5%
Grade 10	30.5%	12.8%	6.4%	11.4%	69.5%
Grade 11	36.2%	14.4%	7.6%	14.1%	63.8%
Grade 12	39.4%	15.4%	8.3%	15.7%	60.6%
Cocaine or Crack	6.2%	1.9%	1.3%	3.0%	93.8%
Grade 7	2.6%	0.9%	0.6%	1.1%	97.4%
Grade 8	3.7%	1.2%	0.7%	1.9%	96.3%
Grade 9	5.0%	1.8%	0.9%	2.3%	95.0%
Grade 10	7.3%	2.2%	1.7%	3.4%	92.7%
Grade 11	8.9%	2.4%	1.7%	4.7%	91.1%
Grade 12	10.6%	2.9%	2.7%	5.0%	89.4%
Cocaine	5.8%	1.8%	1.3%	2.8%	94.2%
Grade 7	2.1%	0.8%	0.5%	0.8%	97.9%
Grade 8	3.0%	1.0%	0.5%	1.5%	97.0%
Grade 9	4.7%	1.7%	0.9%	2.2%	95.3%
Grade 10	7.1%	2.2%	1.7%	3.3%	92.9%
Grade 11	8.7%	2.4%	1.7%	4.7%	91.3%
Grade 12	10.6%	2.8%	2.7%	5.0%	89.4%
Crack	1.5%	0.5%	0.3%	0.8%	98.5%
Grade 7	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 8	1.6%	0.4%	0.3%	0.9%	98.4%
Grade 9	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 10	1.7%	0.4%	0.3%	1.0%	98.3%
Grade 11	1.3%	0.3%	0.2%	0.7%	98.7%
Grade 12	1.9%	0.7%	0.3%	0.9%	98.1%

Table I2. Prevalence and Recency of Use: Non-Border Secondary Students, 2008 (Cont.)

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
Hallucinogens	4.6%	1.6%	1.0%	2.0%	95.4%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	2.0%	0.7%	0.3%	1.0%	98.0%
Grade 9	3.9%	1.4%	0.9%	1.6%	96.1%
Grade 10	6.3%	2.3%	1.1%	2.9%	93.7%
Grade 11	7.0%	2.1%	1.5%	3.4%	93.0%
Grade 12	8.1%	2.7%	2.2%	3.2%	91.9%
Uppers	5.6%	2.1%	1.3%	2.1%	94.4%
Grade 7	1.4%	0.7%	0.2%	0.5%	98.6%
Grade 8	2.2%	0.8%	0.4%	0.9%	97.8%
Grade 9	4.6%	1.8%	1.0%	1.8%	95.4%
Grade 10	7.3%	3.0%	1.8%	2.5%	92.7%
Grade 11	8.9%	3.2%	2.2%	3.6%	91.1%
Grade 12	10.6%	3.7%	2.8%	4.1%	89.4%
Downers	5.7%	2.2%	1.3%	2.2%	94.3%
Grade 7	1.5%	0.7%	0.3%	0.5%	98.5%
Grade 8	1.8%	0.7%	0.4%	0.8%	98.2%
Grade 9	4.4%	1.8%	1.0%	1.6%	95.6%
Grade 10	7.6%	2.9%	2.0%	2.7%	92.4%
Grade 11	9.1%	3.5%	2.0%	3.5%	90.9%
Grade 12	11.5%	4.1%	2.8%	4.6%	88.5%
Rohypnol	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	1.4%	0.6%	0.2%	0.5%	98.6%
Grade 9	1.8%	0.8%	0.3%	0.7%	98.2%
Grade 10	2.7%	1.0%	0.6%	1.1%	97.3%
Grade 11	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 12	1.9%	0.7%	0.3%	0.9%	98.1%
Steroids	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 7	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 8	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 9	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 10	1.9%	0.8%	0.3%	0.8%	98.1%
Grade 11	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 12	1.9%	0.7%	0.4%	0.7%	98.1%
Ecstasy	5.3%	1.9%	1.2%	2.2%	94.7%
Grade 7	1.5%	0.8%	0.2%	0.5%	98.5%
Grade 8	2.4%	0.9%	0.5%	1.0%	97.6%
Grade 9	4.4%	1.7%	1.0%	1.6%	95.6%
Grade 10	6.6%	2.3%	1.2%	3.1%	93.4%
Grade 11	8.2%	2.4%	2.1%	3.7%	91.8%
Grade 12	9.8%	3.4%	2.3%	4.0%	90.2%
Heroin	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 7	1.2%	0.5%	0.2%	0.6%	98.8%
Grade 8	1.3%	0.3%	0.3%	0.7%	98.7%
Grade 9	1.3%	0.5%	0.3%	0.6%	98.7%
Grade 10	1.5%	0.5%	0.3%	0.8%	98.5%
Grade 11	1.4%	0.5%	0.3%	0.7%	98.6%
Grade 12	2.0%	0.4%	0.6%	0.9%	98.0%
Methamphetamine	3.6%	0.8%	0.8%	2.0%	96.4%
Grade 7	2.3%	0.6%	0.3%	1.4%	97.7%
Grade 8	2.7%	0.5%	0.6%	1.6%	97.3%
Grade 9	2.9%	0.7%	0.8%	1.4%	97.1%
Grade 10	4.8%	1.1%	1.0%	2.7%	95.2%
Grade 11	4.0%	0.8%	0.9%	2.3%	96.0%
Grade 12	5.1%	1.3%	1.0%	2.8%	94.9%

Appendix J

Over-the-Counter and Prescription-Type Drug Prevalence Tables

Table J1. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
All Texas Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	6.8%	2.3%	1.7%	2.8%	93.2%
Grade 7	4.3%	1.9%	0.8%	1.6%	95.7%
Grade 8	6.0%	2.8%	1.0%	2.1%	94.0%
Grade 9	6.1%	2.4%	1.5%	2.3%	93.9%
Grade 10	8.6%	2.6%	2.6%	3.4%	91.4%
Grade 11	8.3%	2.3%	2.2%	3.7%	91.7%
Grade 12	8.1%	1.8%	2.5%	3.8%	91.9%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	5.2%	1.8%	1.6%	1.8%	94.8%
Grade 7	1.2%	0.5%	0.2%	0.4%	98.8%
Grade 8	2.8%	1.1%	0.6%	1.2%	97.2%
Grade 9	3.6%	1.5%	1.0%	1.2%	96.4%
Grade 10	6.9%	2.4%	2.6%	2.0%	93.1%
Grade 11	8.4%	2.6%	2.6%	3.2%	91.6%
Grade 12	9.9%	3.0%	3.4%	3.6%	90.1%
OxyContin, Percodan, or Percocet					
All	3.0%	0.9%	1.0%	1.1%	97.0%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 9	2.2%	0.8%	0.7%	0.7%	97.8%
Grade 10	3.9%	1.1%	1.3%	1.4%	96.1%
Grade 11	5.0%	1.0%	1.8%	2.2%	95.0%
Grade 12	5.6%	1.7%	2.1%	1.8%	94.4%
Vicodin, Lortab, or Lorcet					
All	6.3%	2.2%	2.0%	2.0%	93.7%
Grade 7	1.4%	0.5%	0.4%	0.6%	98.6%
Grade 8	2.5%	1.0%	0.8%	0.8%	97.5%
Grade 9	4.5%	2.0%	1.3%	1.2%	95.5%
Grade 10	8.3%	2.9%	3.1%	2.4%	91.7%
Grade 11	10.7%	3.3%	3.4%	3.9%	89.3%
Grade 12	11.9%	4.2%	3.8%	3.9%	88.1%
Valium or Diazepam					
All	3.5%	0.9%	1.1%	1.4%	96.5%
Grade 7	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 8	2.0%	0.6%	0.5%	0.9%	98.0%
Grade 9	2.4%	0.9%	0.8%	0.8%	97.6%
Grade 10	4.6%	1.4%	1.4%	1.8%	95.4%
Grade 11	5.5%	1.2%	1.9%	2.5%	94.5%
Grade 12	6.2%	1.4%	2.5%	2.3%	93.8%
Xanax or Alprazolam					
All	12.7%	4.8%	3.8%	4.1%	87.3%
Grade 7	7.9%	3.4%	2.0%	2.4%	92.1%
Grade 8	10.8%	4.6%	2.8%	3.4%	89.2%
Grade 9	11.9%	5.0%	3.2%	3.6%	88.1%
Grade 10	15.2%	5.5%	5.3%	4.5%	84.8%
Grade 11	15.2%	5.0%	4.8%	5.4%	84.8%
Grade 12	16.3%	5.3%	5.3%	5.7%	83.7%

Table J2. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Male Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	6.9%	2.5%	1.7%	2.8%	93.1%
Grade 7	3.6%	1.6%	0.7%	1.3%	96.4%
Grade 8	4.7%	2.2%	0.7%	1.8%	95.3%
Grade 9	6.1%	2.5%	1.5%	2.2%	93.9%
Grade 10	9.2%	2.9%	2.4%	3.9%	90.8%
Grade 11	9.4%	3.1%	2.6%	3.6%	90.6%
Grade 12	9.7%	2.7%	2.7%	4.3%	90.3%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	5.3%	2.0%	1.6%	1.7%	94.7%
Grade 7	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 8	2.5%	0.9%	0.6%	1.0%	97.5%
Grade 9	3.4%	1.4%	1.2%	0.8%	96.6%
Grade 10	7.2%	2.4%	2.9%	1.8%	92.8%
Grade 11	9.0%	3.2%	2.2%	3.6%	91.0%
Grade 12	10.5%	4.2%	3.2%	3.1%	89.5%
OxyContin, Percodan, or Percocet					
All	3.3%	1.0%	1.1%	1.2%	96.7%
Grade 7	0.8%	0.3%	0.2%	0.3%	99.2%
Grade 8	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 9	1.9%	0.6%	0.6%	0.6%	98.1%
Grade 10	4.2%	1.3%	1.3%	1.6%	95.8%
Grade 11	5.9%	1.1%	2.3%	2.4%	94.1%
Grade 12	6.5%	2.5%	2.3%	1.8%	93.5%
Vicodin, Lortab, or Lorcet					
All	6.3%	2.4%	2.0%	1.9%	93.7%
Grade 7	1.2%	0.4%	0.3%	0.5%	98.8%
Grade 8	2.2%	0.9%	0.5%	0.8%	97.8%
Grade 9	4.3%	1.8%	1.3%	1.3%	95.7%
Grade 10	8.3%	3.2%	3.0%	2.2%	91.7%
Grade 11	11.4%	3.9%	3.6%	3.9%	88.6%
Grade 12	11.9%	4.9%	4.1%	2.9%	88.1%
Valium or Diazepam					
All	4.0%	1.1%	1.4%	1.5%	96.0%
Grade 7	1.1%	0.3%	0.3%	0.5%	98.9%
Grade 8	1.8%	0.5%	0.5%	0.8%	98.2%
Grade 9	2.7%	0.8%	1.1%	0.9%	97.3%
Grade 10	5.2%	1.6%	1.8%	1.9%	94.8%
Grade 11	6.4%	1.4%	2.3%	2.6%	93.6%
Grade 12	7.8%	2.2%	2.9%	2.8%	92.2%
Xanax or Alprazolam					
All	13.0%	5.2%	3.8%	4.1%	87.0%
Grade 7	7.1%	2.9%	1.6%	2.6%	92.9%
Grade 8	10.1%	4.2%	2.7%	3.2%	89.9%
Grade 9	12.0%	5.5%	3.0%	3.5%	88.0%
Grade 10	16.2%	6.2%	5.5%	4.5%	83.8%
Grade 11	16.5%	6.1%	5.1%	5.2%	83.5%
Grade 12	17.8%	6.3%	5.5%	6.0%	82.2%

Table J3. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Female Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	6.7%	2.2%	1.7%	2.8%	93.3%
Grade 7	5.0%	2.3%	0.8%	1.9%	95.0%
Grade 8	7.1%	3.4%	1.2%	2.5%	92.9%
Grade 9	6.1%	2.3%	1.5%	2.4%	93.9%
Grade 10	8.0%	2.3%	2.8%	3.0%	92.0%
Grade 11	7.2%	1.6%	1.9%	3.8%	92.8%
Grade 12	6.7%	1.0%	2.3%	3.4%	93.3%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	5.1%	1.6%	1.6%	1.9%	94.9%
Grade 7	1.3%	0.6%	0.2%	0.4%	98.7%
Grade 8	3.0%	1.2%	0.6%	1.2%	97.0%
Grade 9	3.8%	1.6%	0.8%	1.5%	96.2%
Grade 10	6.7%	2.3%	2.4%	2.0%	93.3%
Grade 11	7.8%	2.0%	2.9%	2.8%	92.2%
Grade 12	9.4%	1.9%	3.5%	4.0%	90.6%
OxyContin, Percodan, or Percocet					
All	2.8%	0.8%	0.9%	1.1%	97.2%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.5%	0.7%	0.3%	0.5%	98.5%
Grade 9	2.5%	1.0%	0.8%	0.7%	97.5%
Grade 10	3.6%	1.0%	1.4%	1.2%	96.4%
Grade 11	4.3%	0.9%	1.4%	2.0%	95.7%
Grade 12	4.8%	1.1%	1.9%	1.9%	95.2%
Vicodin, Lortab, or Lorcet					
All	6.2%	2.1%	2.0%	2.1%	93.8%
Grade 7	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 8	2.8%	1.0%	1.1%	0.7%	97.2%
Grade 9	4.6%	2.2%	1.3%	1.2%	95.4%
Grade 10	8.3%	2.7%	3.1%	2.5%	91.7%
Grade 11	10.0%	2.8%	3.2%	4.0%	90.0%
Grade 12	11.8%	3.6%	3.5%	4.7%	88.2%
Valium or Diazepam					
All	3.0%	0.8%	0.9%	1.3%	97.0%
Grade 7	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 8	2.2%	0.7%	0.5%	1.0%	97.8%
Grade 9	2.1%	1.0%	0.5%	0.6%	97.9%
Grade 10	4.1%	1.2%	1.2%	1.8%	95.9%
Grade 11	4.8%	1.0%	1.5%	2.3%	95.2%
Grade 12	4.7%	0.7%	2.1%	1.9%	95.3%
Xanax or Alprazolam					
All	12.4%	4.4%	3.8%	4.1%	87.6%
Grade 7	8.6%	3.9%	2.4%	2.3%	91.4%
Grade 8	11.2%	4.7%	2.8%	3.7%	88.8%
Grade 9	11.8%	4.6%	3.5%	3.8%	88.2%
Grade 10	14.3%	4.9%	5.1%	4.4%	85.7%
Grade 11	14.2%	4.0%	4.6%	5.6%	85.8%
Grade 12	14.9%	4.4%	5.1%	5.4%	85.1%

Table J4. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Anglo Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	7.4%	2.0%	2.1%	3.3%	92.6%
Grade 7	2.9%	1.3%	0.4%	1.2%	97.1%
Grade 8	4.5%	2.0%	0.7%	1.8%	95.5%
Grade 9	5.9%	2.1%	1.6%	2.3%	94.1%
Grade 10	9.5%	2.3%	3.0%	4.2%	90.5%
Grade 11	11.0%	2.4%	3.5%	5.1%	89.0%
Grade 12	10.4%	1.7%	3.3%	5.4%	89.6%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	7.3%	2.3%	2.5%	2.5%	92.7%
Grade 7	1.4%	0.6%	0.3%	0.6%	98.6%
Grade 8	3.5%	1.5%	0.5%	1.5%	96.5%
Grade 9	4.3%	1.8%	1.3%	1.2%	95.7%
Grade 10	9.5%	3.1%	3.4%	2.9%	90.5%
Grade 11	12.1%	3.6%	4.1%	4.4%	87.9%
Grade 12	13.6%	3.4%	5.4%	4.8%	86.4%
OxyContin, Percodan, or Percocet					
All	4.7%	1.2%	1.7%	1.7%	95.3%
Grade 7	0.7%	0.2%	0.2%	0.3%	99.3%
Grade 8	2.0%	0.8%	0.3%	0.9%	98.0%
Grade 9	3.4%	1.4%	1.2%	0.8%	96.6%
Grade 10	6.3%	1.4%	2.3%	2.6%	93.7%
Grade 11	7.8%	1.4%	3.1%	3.3%	92.2%
Grade 12	8.0%	2.2%	3.2%	2.5%	92.0%
Vicodin, Lortab, or Lorcet					
All	9.2%	3.1%	3.1%	3.0%	90.8%
Grade 7	1.7%	0.6%	0.5%	0.7%	98.3%
Grade 8	3.3%	1.3%	0.9%	1.1%	96.7%
Grade 9	6.7%	2.8%	2.2%	1.7%	93.3%
Grade 10	11.6%	4.0%	4.1%	3.5%	88.4%
Grade 11	15.8%	4.6%	5.1%	6.0%	84.2%
Grade 12	16.5%	5.4%	5.9%	5.3%	83.5%
Valium or Diazepam					
All	5.1%	1.2%	1.8%	2.1%	94.9%
Grade 7	0.8%	0.2%	0.2%	0.4%	99.2%
Grade 8	2.6%	0.6%	0.5%	1.4%	97.4%
Grade 9	3.2%	1.2%	1.1%	0.9%	96.8%
Grade 10	7.0%	1.6%	2.1%	3.2%	93.0%
Grade 11	8.3%	1.6%	3.2%	3.6%	91.7%
Grade 12	9.1%	1.8%	4.1%	3.3%	90.9%
Xanax or Alprazolam					
All	13.2%	4.3%	4.4%	4.5%	86.8%
Grade 7	7.1%	2.8%	2.1%	2.2%	92.9%
Grade 8	10.2%	3.7%	2.8%	3.7%	89.8%
Grade 9	11.2%	4.7%	3.2%	3.3%	88.8%
Grade 10	15.1%	4.3%	5.9%	4.9%	84.9%
Grade 11	17.1%	4.9%	5.8%	6.4%	82.9%
Grade 12	18.5%	5.3%	6.5%	6.7%	81.5%

Table J5. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas African American Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	5.1%	2.3%	1.2%	1.6%	94.9%
Grade 7	4.7%	2.9%	1.0%	0.8%	95.3%
Grade 8	6.6%	4.6%	1.0%	1.0%	93.4%
Grade 9	4.4%	0.9%	0.6%	2.9%	95.6%
Grade 10	6.0%	2.5%	1.4%	2.0%	94.0%
Grade 11	4.1%	2.1%	0.6%	1.4%	95.9%
Grade 12	4.6%	1.2%	2.7%	0.7%	95.4%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	2.8%	1.0%	0.8%	0.9%	97.2%
Grade 7	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 8	1.4%	0.3%	0.3%	0.8%	98.6%
Grade 9	1.7%	0.5%	0.5%	0.7%	98.3%
Grade 10	4.4%	1.0%	2.3%	1.1%	95.6%
Grade 11	2.7%	1.2%	0.2%	1.4%	97.3%
Grade 12	6.7%	3.7%	1.5%	1.4%	93.3%
OxyContin, Percodan, or Percocet					
All	1.4%	0.7%	0.4%	0.3%	98.6%
Grade 7	0.6%	0.1%	0.0%	0.5%	99.4%
Grade 8	0.8%	0.2%	0.3%	0.3%	99.2%
Grade 9	0.7%	0.2%	0.4%	0.1%	99.3%
Grade 10	1.2%	1.0%	0.1%	0.1%	98.8%
Grade 11	1.5%	0.9%	0.3%	0.3%	98.5%
Grade 12	4.4%	1.9%	1.9%	0.6%	95.6%
Vicodin, Lortab, or Lorcet					
All	3.8%	1.6%	1.3%	0.9%	96.2%
Grade 7	0.9%	0.2%	0.0%	0.7%	99.1%
Grade 8	1.6%	0.4%	0.8%	0.4%	98.4%
Grade 9	2.1%	1.0%	0.7%	0.3%	97.9%
Grade 10	5.6%	1.7%	2.7%	1.2%	94.4%
Grade 11	7.0%	2.9%	1.9%	2.2%	93.0%
Grade 12	7.3%	4.2%	2.1%	1.0%	92.7%
Valium or Diazepam					
All	1.7%	0.6%	0.5%	0.6%	98.3%
Grade 7	1.0%	0.1%	0.1%	0.9%	99.0%
Grade 8	1.7%	0.5%	0.4%	0.8%	98.3%
Grade 9	0.6%	0.2%	0.3%	0.1%	99.4%
Grade 10	1.4%	0.5%	0.6%	0.4%	98.6%
Grade 11	2.1%	1.0%	0.2%	0.9%	97.9%
Grade 12	4.4%	1.4%	1.9%	1.1%	95.6%
Xanax or Alprazolam					
All	14.3%	5.9%	4.0%	4.4%	85.7%
Grade 7	9.8%	4.1%	3.0%	2.6%	90.2%
Grade 8	12.9%	5.1%	2.5%	5.3%	87.1%
Grade 9	12.5%	5.8%	3.2%	3.4%	87.5%
Grade 10	20.3%	8.2%	6.9%	5.3%	79.7%
Grade 11	14.8%	6.0%	3.6%	5.2%	85.2%
Grade 12	16.7%	6.4%	5.5%	4.8%	83.3%

Table J6. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Hispanic Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	6.8%	2.6%	1.5%	2.7%	93.2%
Grade 7	5.4%	2.1%	0.9%	2.3%	94.6%
Grade 8	7.0%	3.0%	1.2%	2.8%	93.0%
Grade 9	6.5%	2.8%	1.6%	2.1%	93.5%
Grade 10	8.1%	3.0%	2.4%	2.8%	91.9%
Grade 11	7.0%	2.3%	1.4%	3.2%	93.0%
Grade 12	6.9%	2.1%	1.6%	3.3%	93.1%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	4.1%	1.6%	1.2%	1.4%	95.9%
Grade 7	1.2%	0.6%	0.2%	0.3%	98.8%
Grade 8	2.5%	0.9%	0.6%	1.0%	97.5%
Grade 9	3.6%	1.5%	0.8%	1.3%	96.4%
Grade 10	5.4%	2.3%	1.9%	1.2%	94.6%
Grade 11	6.6%	2.0%	1.9%	2.6%	93.4%
Grade 12	7.2%	2.4%	2.0%	2.8%	92.8%
OxyContin, Percodan, or Percocet					
All	2.1%	0.7%	0.5%	0.8%	97.9%
Grade 7	0.9%	0.5%	0.1%	0.3%	99.1%
Grade 8	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 9	1.7%	0.5%	0.4%	0.7%	98.3%
Grade 10	2.3%	1.0%	0.7%	0.6%	97.7%
Grade 11	3.4%	0.6%	1.1%	1.7%	96.6%
Grade 12	3.6%	1.3%	0.9%	1.4%	96.4%
Vicodin, Lortab, or Lorcet					
All	4.4%	1.7%	1.2%	1.5%	95.6%
Grade 7	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 8	2.1%	0.9%	0.6%	0.6%	97.9%
Grade 9	3.5%	1.7%	0.7%	1.1%	96.5%
Grade 10	5.9%	2.3%	2.1%	1.5%	94.1%
Grade 11	6.8%	2.1%	2.1%	2.6%	93.2%
Grade 12	8.4%	3.0%	2.2%	3.2%	91.6%
Valium or Diazepam					
All	2.5%	0.8%	0.6%	1.0%	97.5%
Grade 7	1.1%	0.3%	0.3%	0.5%	98.9%
Grade 8	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 9	2.3%	0.8%	0.6%	0.9%	97.7%
Grade 10	3.1%	1.4%	0.9%	0.8%	96.9%
Grade 11	3.7%	0.8%	0.9%	2.0%	96.3%
Grade 12	3.7%	1.1%	0.9%	1.7%	96.3%
Xanax or Alprazolam					
All	11.8%	4.8%	3.3%	3.6%	88.2%
Grade 7	8.1%	3.7%	1.8%	2.6%	91.9%
Grade 8	10.4%	4.9%	2.7%	2.8%	89.6%
Grade 9	12.3%	5.2%	3.2%	3.9%	87.7%
Grade 10	13.2%	5.4%	4.2%	3.7%	86.8%
Grade 11	13.6%	4.7%	4.5%	4.4%	86.4%
Grade 12	14.1%	5.1%	4.3%	4.7%	85.9%

Table J7. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Border Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	4.8%	2.1%	1.0%	1.7%	95.2%
Grade 7	4.6%	2.1%	0.6%	1.9%	95.4%
Grade 8	4.4%	2.0%	1.0%	1.4%	95.6%
Grade 9	4.7%	2.3%	1.0%	1.5%	95.3%
Grade 10	5.8%	2.4%	1.4%	2.0%	94.2%
Grade 11	5.0%	1.9%	1.1%	2.0%	95.0%
Grade 12	4.7%	1.6%	1.0%	2.1%	95.3%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	2.8%	1.3%	0.7%	0.8%	97.2%
Grade 7	1.1%	0.6%	0.2%	0.3%	98.9%
Grade 8	1.6%	0.8%	0.3%	0.6%	98.4%
Grade 9	2.4%	1.0%	0.5%	0.9%	97.6%
Grade 10	3.9%	2.0%	0.9%	0.9%	96.1%
Grade 11	4.3%	1.9%	1.2%	1.2%	95.7%
Grade 12	4.5%	1.9%	1.2%	1.4%	95.5%
OxyContin, Percodan, or Percocet					
All	1.6%	0.7%	0.4%	0.6%	98.4%
Grade 7	1.0%	0.5%	0.2%	0.4%	99.0%
Grade 8	1.2%	0.6%	0.2%	0.4%	98.8%
Grade 9	1.5%	0.4%	0.4%	0.7%	98.5%
Grade 10	2.0%	1.0%	0.5%	0.5%	98.0%
Grade 11	2.2%	1.0%	0.6%	0.6%	97.8%
Grade 12	2.5%	0.9%	0.7%	1.0%	97.5%
Vicodin, Lortab, or Lorcet					
All	2.1%	0.9%	0.5%	0.7%	97.9%
Grade 7	1.1%	0.5%	0.1%	0.4%	98.9%
Grade 8	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 9	1.8%	0.8%	0.4%	0.5%	98.2%
Grade 10	3.0%	1.2%	1.0%	0.8%	97.0%
Grade 11	2.8%	1.3%	0.5%	0.9%	97.2%
Grade 12	3.5%	1.2%	1.0%	1.2%	96.5%
Valium or Diazepam					
All	1.6%	0.7%	0.3%	0.5%	98.4%
Grade 7	0.8%	0.4%	0.2%	0.3%	99.2%
Grade 8	1.1%	0.5%	0.2%	0.3%	98.9%
Grade 9	1.3%	0.5%	0.3%	0.5%	98.7%
Grade 10	2.2%	1.1%	0.6%	0.6%	97.8%
Grade 11	2.1%	0.9%	0.5%	0.8%	97.9%
Grade 12	2.2%	1.0%	0.4%	0.8%	97.8%
Xanax or Alprazolam					
All	8.2%	3.7%	2.2%	2.3%	91.8%
Grade 7	6.3%	3.2%	1.3%	1.8%	93.7%
Grade 8	7.5%	3.6%	1.9%	2.0%	92.5%
Grade 9	8.3%	3.6%	2.3%	2.4%	91.7%
Grade 10	9.1%	4.4%	2.4%	2.2%	90.9%
Grade 11	9.3%	4.1%	2.9%	2.3%	90.7%
Grade 12	9.9%	3.7%	2.4%	3.7%	90.1%

Table J8. Prevalence and Recency of Use of Over-the-Counter and Prescription-Type Drugs
Texas Non-Border Secondary Students, 2008

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
DXM, Triple C's, Skittles, or Coricidin					
All	7.2%	2.4%	1.8%	3.0%	92.8%
Grade 7	4.3%	1.9%	0.8%	1.6%	95.7%
Grade 8	6.3%	3.0%	1.0%	2.3%	93.7%
Grade 9	6.4%	2.4%	1.6%	2.5%	93.6%
Grade 10	9.0%	2.6%	2.8%	3.6%	91.0%
Grade 11	8.8%	2.4%	2.4%	4.0%	91.2%
Grade 12	8.6%	1.8%	2.7%	4.1%	91.4%
Codeine Cough Syrup (Lean, Nods, AC/DC)					
All	5.7%	1.9%	1.8%	2.0%	94.3%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	3.1%	1.1%	0.6%	1.3%	96.9%
Grade 9	3.9%	1.6%	1.1%	1.2%	96.1%
Grade 10	7.4%	2.4%	2.9%	2.1%	92.6%
Grade 11	9.1%	2.7%	2.8%	3.5%	90.9%
Grade 12	10.8%	3.2%	3.7%	3.9%	89.2%
OxyContin, Percodan, or Percocet					
All	3.3%	1.0%	1.1%	1.2%	96.7%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 9	2.4%	0.9%	0.8%	0.7%	97.6%
Grade 10	4.2%	1.2%	1.5%	1.6%	95.8%
Grade 11	5.5%	1.0%	2.1%	2.5%	94.5%
Grade 12	6.1%	1.9%	2.3%	2.0%	93.9%
Vicodin, Lortab, or Lorcet					
All	7.0%	2.5%	2.3%	2.3%	93.0%
Grade 7	1.5%	0.5%	0.4%	0.6%	98.5%
Grade 8	2.8%	1.1%	0.9%	0.8%	97.2%
Grade 9	5.1%	2.2%	1.5%	1.4%	94.9%
Grade 10	9.2%	3.2%	3.4%	2.6%	90.8%
Grade 11	12.0%	3.7%	3.9%	4.5%	88.0%
Grade 12	13.2%	4.7%	4.2%	4.3%	86.8%
Valium or Diazepam					
All	3.8%	1.0%	1.3%	1.5%	96.2%
Grade 7	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 8	2.2%	0.6%	0.5%	1.0%	97.8%
Grade 9	2.7%	1.0%	0.9%	0.8%	97.3%
Grade 10	5.0%	1.4%	1.6%	2.0%	95.0%
Grade 11	6.1%	1.3%	2.1%	2.7%	93.9%
Grade 12	6.8%	1.5%	2.8%	2.5%	93.2%
Xanax or Alprazolam					
All	13.5%	5.0%	4.1%	4.4%	86.5%
Grade 7	8.2%	3.5%	2.2%	2.5%	91.8%
Grade 8	11.4%	4.7%	2.9%	3.7%	88.6%
Grade 9	12.7%	5.4%	3.4%	3.9%	87.3%
Grade 10	16.2%	5.7%	5.7%	4.8%	83.8%
Grade 11	16.2%	5.1%	5.2%	5.9%	83.8%
Grade 12	17.3%	5.5%	5.8%	6.0%	82.7%