

Texas Department of State Health Services



# Texas Influenza Surveillance Summer Report 2018-2019 Season/2019 MMWR Week 26

(June 23, 2019 – June 29, 2019) Report produced on 7/03/2019

## Summary

Influenza activity is low across the state of Texas. The influenza season appears to have peaked in mid-February. Compared to the previous week, the percentage of patient visits due to influenza-like illness (ILI) has slightly increased. The percentage of specimens testing positive for influenza reported by hospital laboratories slightly increased. One influenza-associated pediatric deaths was reported. No ILI/influenza-associated outbreaks were reported. In addition to flu, other respiratory viruses—especially rhinovirus—were detected in Texas during week 26.

### Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

| Texas Surveillance Component  | Change from<br>Previous Week        | Current<br>Week | Previous<br>Week <sup>†</sup> | Page of<br>Report |
|---|-------------------------------------|-----------------|-------------------------------|-------------------|
| Statewide influenza activity level reported to CDC (geographic spread of influenza)       | Not determined<br>during the summer | N/A             | N/A                           |                   |
| Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness) | Not determined<br>during the summer | N/A             | N/A                           |                   |
| Percentage of specimens positive for influenza by hospital laboratories                   | ▲0.10%                              | 1.77%           | 1.87%                         | 1                 |
| Percentage of visits due to ILI (ILINet)  | ▲0.05%                              | 2.02%           | 1.97%                         | 2                 |
| Number of regions reporting increased flu/ILI activity                                    | ▲1                                  | 1               | 0                             | 4                 |
| Number of regions reporting decreased flu/ILI activity                                    | ▲1                                  | 3               | 2                             | 4                 |
| Number of variant/novel influenza infections  | No cases<br>reported                | 0               | 0                             | 4                 |
| Number of ILI/influenza outbreaks   | No change                           | 0               | 0                             | 4                 |
| Number of pediatric influenza deaths  | ▲1                                  | 1               | 0                             | 5                 |

†Data displayed have been updated since last week's flu report with any new reports received.

## Laboratory Results

### Influenza

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week are summarized in the two tables below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Hospital Laboratories for the Current Week

|   | Week 26    | Season to Date<br>Week Ending:<br>June 29, 2019 |
|---|------------|---|
| Number of labs reporting flu tests                          | 18         |   |
| Number of specimens tested                                  | 792        | 153005  |
| Number of positive specimens (%) <sup>†</sup>               | 14 (1.77%) | 27091 (17.71%)                                  |
| Percentage of total tests that were antigen detection tests | 25.88%     |   |
| Positive specimens by type/subtype [n                       | (%)]       |   |
| Influenza A   | 7 (50.00%) | 23523 (86.83%)                                  |
| Subtyping performed   | 4 (57.14%) | 2122 (9.02%)                                    |
| A (H1N1)  | 1 (25.00%) | 627 (29.55%)                                    |
| A (H3N2)  | 3 (75.00%) | 1495 (70.45%)                                   |
| Subtyping not performed                                     | 3 (42.86%) | 21401 (90.98%)                                  |
| Influenza B   | 7 (50.00%) | 3568 (13.17%)                                   |

†Laboratory data in 2016-2017 and 2017-2018 season reports may not be comparable to reports from seasons previous to 2016-2017 because the data only includes hospital laboratories data for the current season.

### Table 3: Influenza Testing Performed by Texas Public Health Laboratories for the Current Week

|   | Week 26            | Season to Date<br>Week Ending:<br>June 29, 2019 |
|---|--------------------|---|
| Number of labs reporting flu tests            | 2                  |   |
| Number of specimens tested                    | 12                 | 2608  |
| Number of positive specimens (%) <sup>†</sup> | 1 (8.33%)          | 1439 (55.18%)                                   |
| Positive specimens by type/subty              | pe/lineage [n (%)] |   |
| Influenza A                                   | 0 (0.00%)          | 1324 (92.01%)                                   |
| Subtyping performed                           | 0 (0.00%)          | 1311 (99.02%)                                   |
| A (H1N1)                                      | 0 (0.00%)          | 421 (32.11%)                                    |
| A (H3N2)                                      | 0 (0.00%)          | 890 (67.89%)                                    |
| Subtyping not performed                       | 0 (0.00%)          | 13 (0.98%)                                      |
| Influenza B                                   | 1 (100.00%)        | 115 (7.99%)                                     |
| Lineage testing performed                     | 1 (100.00%)        | 99 (86.09%)                                     |
| B/Victoria                                    | 1 (100.00%)        | 76 (76.77%)                                     |
| B/Yamagata                                    | 0 (0.00%)          | 23 (23.23%)                                     |
| Lineage testing not performed                 | 0 (0.00%)          | 16 (13.91%)                                     |
| Other*  | 0 (0.00%)          | 0 (0.00%)                                       |

†Laboratory data in 2016-2017, 2017-2018, and 2018-2019 seasons reports may not be comparable to reports from seasons previous to 2016-2017 because the data only includes hospital laboratories data for the current season

\*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

### Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

### Table 4: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

| Virus  | Number of<br>Laboratories<br>Testing | Tests<br>Performed | Positive Tests | Percentage of Tests<br>Positive |
|--|--------------------------------------|--------------------|----------------|---------------------------------|
| Adenovirus (respiratory)                         | 9                                    | 444                | 38             | 8.56%                           |
| HMPV   | 11                                   | 585                | 9              | 1.54%                           |
| Parainfluenza virus                              | 11                                   | 780                | 26             | 3.33%                           |
| Rhinovirus                                       | 10                                   | 460                | 99             | 21.52%                          |
| RSV <sup>†^</sup>                                | 16                                   | 618                | 12             | 1.94%                           |
| Seasonal coronavirus (does not include MERS-CoV) | 7                                    | 360                | 2              | 0.56%                           |

<sup>†</sup>RSV tests displayed in the table are a combination of antigen detection, PCR, and culture tests. Some non-NREVSS reporters also contribute to the RSV data. ^Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx.

# U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 5: Texas ILINet Reporting and Patient Visit Summary for the Current Week


|  | Week 26     |
|--|-------------|
| Number of providers reporting <sup>†</sup>         | 44          |
| Number of providers reporting patient visits       | 44          |
| Number (%) of providers with at least one ILI case | 35 (79.55%) |
| Percentage of all visits due to ILI                | 2.02%       |
| Texas ILINet baseline <sup>‡</sup> , 2018-2019     | 5.60%       |

<sup>†</sup>Reporting providers include both ILINet and RVSP providers.

<sup>‡</sup>The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

| Week   | Providers | Nur | Number of ILI Cases by Age Group (Years) |       |       |     |            | Total    | ILI    |
|--------|-----------|-----|--|-------|-------|-----|------------|----------|--------|
| week   | Reporting | 0-4 | 5-24                                     | 25-49 | 50-64 | 65+ | (all ages) | Patients | ILI    |
| 201840 | 114       | 139 | 341                                      | 169   | 132   | 135 | 916        | 30158    | 3.04%  |
| 201841 | 113       | 155 | 216                                      | 185   | 116   | 98  | 770        | 29476    | 2.61%  |
| 201842 | 113       | 126 | 275                                      | 180   | 92    | 120 | 793        | 29031    | 2.73%  |
| 201843 | 112       | 165 | 335                                      | 209   | 108   | 128 | 945        | 30576    | 3.09%  |
| 201844 | 114       | 168 | 357                                      | 230   | 121   | 139 | 1015       | 30443    | 3.33%  |
| 201845 | 116       | 225 | 388                                      | 253   | 118   | 136 | 1120       | 31595    | 3.54%  |
| 201846 | 116       | 227 | 374                                      | 278   | 168   | 130 | 1177       | 30725    | 3.83%  |
| 201847 | 116       | 199 | 249                                      | 236   | 134   | 125 | 943        | 22934    | 4.11%  |
| 201848 | 115       | 261 | 396                                      | 310   | 213   | 179 | 1359       | 32471    | 4.19%  |
| 201849 | 115       | 217 | 406                                      | 303   | 188   | 199 | 1313       | 30324    | 4.33%  |
| 201850 | 115       | 254 | 494                                      | 308   | 167   | 157 | 1380       | 29536    | 4.67%  |
| 201851 | 107       | 267 | 472                                      | 363   | 206   | 213 | 1521       | 27103    | 5.61%  |
| 201852 | 107       | 238 | 433                                      | 406   | 202   | 165 | 1444       | 21301    | 6.78%  |
| 201901 | 111       | 196 | 305                                      | 462   | 173   | 108 | 1244       | 24340    | 5.11%  |
| 201902 | 111       | 219 | 405                                      | 443   | 165   | 99  | 1331       | 28543    | 4.66%  |
| 201903 | 114       | 258 | 665                                      | 472   | 153   | 73  | 1621       | 29076    | 5.58%  |
| 201904 | 116       | 288 | 980                                      | 521   | 202   | 101 | 2092       | 29554    | 7.08%  |
| 201905 | 113       | 292 | 1501                                     | 605   | 203   | 83  | 2684       | 31221    | 8.60%  |
| 201906 | 116       | 383 | 1896                                     | 734   | 265   | 85  | 3363       | 33075    | 10.17% |
| 201907 | 116       | 407 | 1709                                     | 799   | 235   | 119 | 3269       | 32027    | 10.21% |
| 201908 | 115       | 344 | 1424                                     | 777   | 268   | 72  | 2885       | 31412    | 9.18%  |
| 201909 | 117       | 354 | 1483                                     | 827   | 274   | 117 | 3055       | 31990    | 9.55%  |
| 201910 | 119       | 325 | 1376                                     | 678   | 255   | 100 | 2734       | 31343    | 8.72%  |
| 201911 | 116       | 288 | 846                                      | 637   | 223   | 115 | 2109       | 26992    | 7.81%  |
| 201912 | 119       | 237 | 694                                      | 523   | 215   | 95  | 1764       | 30442    | 5.79%  |
| 201913 | 114       | 236 | 603                                      | 388   | 125   | 59  | 1411       | 28825    | 4.90%  |
| 201914 | 116       | 194 | 558                                      | 319   | 126   | 35  | 1232       | 27964    | 4.41%  |
| 201915 | 118       | 181 | 535                                      | 298   | 92    | 46  | 1152       | 29229    | 3.94%  |
| 201916 | 113       | 150 | 410                                      | 237   | 72    | 35  | 904        | 27086    | 3.34%  |
| 201917 | 97        | 67  | 257                                      | 227   | 65    | 32  | 648        | 24164    | 2.68%  |
| 201918 | 114       | 135 | 310                                      | 168   | 70    | 39  | 722        | 28211    | 2.56%  |
| 201919 | 102       | 119 | 268                                      | 145   | 54    | 26  | 612        | 24666    | 2.48%  |
| 201920 | 105       | 114 | 245                                      | 148   | 49    | 41  | 597        | 23869    | 2.50%  |
| 201921 | 65        | 123 | 217                                      | 102   | 42    | 23  | 507        | 17462    | 2.90%  |
| 201922 | 95        | 84  | 172                                      | 117   | 36    | 28  | 437        | 19585    | 2.23%  |
| 201923 | 90        | 94  | 176                                      | 122   | 43    | 30  | 465        | 21105    | 2.20%  |
| 201924 | 86        | 95  | 141                                      | 113   | 42    | 63  | 454        | 20184    | 2.25%  |
| 201925 | 88        | 100 | 124                                      | 106   | 31    | 26  | 387        | 19624    | 1.97%  |
| 201926 | 44        | 61  | 104                                      | 81    | 26    | 10  | 282        | 13938    | 2.02%  |

Table 6: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 7/02/2019 2:30PM)



## Figure 1: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2015–2019 Seasons

## **Reports from Health Service Regions**

Reports were received from all Health Service Regions (HSRs) during week 26.

| Influenza Activity Comparison | Health Service Region (HSR) |
|-------------------------------|-----------------------------|
| Increased                     | 7                           |
| Same                          | 2/3, 8, 9/10, and 11        |
| Decreased                     | 1, 4/5N and 6/5S            |
| Unsure                        |                             |

Table 7: Influenza Activity Compared to Week 25 by Health Service Region (HSR)

## Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas during the 2018-2019 season.

## Institutional Outbreaks and School Closures

There were no outbreaks or school closure reported in week 25 during the 2018-2019 season.

## **P&I Mortality Surveillance Data**

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. In particular, P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

One thousand eight hundred and sixty-five P&I deaths have been reported in Texas during the 2018-2019 influenza season.

| Age Category | Number of P&I       | Mortality Rate |  |  |  |  |  |  |
|--------------|---------------------|----------------|--|--|--|--|--|--|
| (years)      | Deaths <sup>+</sup> | (per 100,000)  |  |  |  |  |  |  |
| 0 - 4        | <10                 | 0.05           |  |  |  |  |  |  |
| 5 - 17       | <10                 | 0.11           |  |  |  |  |  |  |
| 18 - 49      | 112                 | 0.84           |  |  |  |  |  |  |
| 50 - 64      | 315                 | 6.07           |  |  |  |  |  |  |
| 65 +         | 1431                | 37.31          |  |  |  |  |  |  |
| Overall      | 1865                | 6.23           |  |  |  |  |  |  |
|              |                     |                |  |  |  |  |  |  |

### Table 8: Texas P&I Deaths Occurring Sept. 30, 2018- Jan. 02, 2019\* by Age

\*NOTE: Data are provisional and subject to change, errors, and duplicates

\* If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

| Table 9: Te | exas P&I | Deaths | Occurrin | g Sept | . 30, | 2018- | Jan. | 02, 2019 | <sup>*</sup> by Health | Service Reg | gion (HSR) |
|-------------|----------|--------|----------|--------|-------|-------|------|----------|------------------------|-------------|------------|
|             |          |        | < = < :  |        |       |       |      |          |                        |             |            |

| HSR     | Number of P&I | Mortality Rate (per |  |  |  |  |  |
|---------|---------------|---------------------|--|--|--|--|--|
| HOIN    | Deaths        | 100,000)            |  |  |  |  |  |
| 1       | 56            | 6.01                |  |  |  |  |  |
| 2/3     | 573           | 6.61                |  |  |  |  |  |
| 4/5N    | 137           | 8.36                |  |  |  |  |  |
| 6/5S    | 438           | 5.59                |  |  |  |  |  |
| 7       | 207           | 5.64                |  |  |  |  |  |
| 8       | 207           | 6.70                |  |  |  |  |  |
| 9/10    | 96            | 6.00                |  |  |  |  |  |
| 11      | 151           | 6.01                |  |  |  |  |  |
| Overall | 1865          | 6.23                |  |  |  |  |  |

\*NOTE: Data are provisional and subject to change, errors, and duplicates

## Influenza-Associated Pediatric Mortality


One influenza-associated pediatric death was reported during week 26. The child was a 2-year-old resident of HSR 11 with no underlying medical conditions. A specimen collected from the child was positive for influenza A (not subtyped); a blood specimen from the child was also positive for Group A *Streptococcus*. The child was not vaccinated for the current season.

Thirteen influenza-associated pediatric deaths have been reported in Texas during the 2018-2019 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round and by law in Texas.

| Month of<br>Pediatric<br>Death | Influenza<br>A (H1N1) | Influenza<br>A (H3N2) | Influenza<br>A (Not<br>Subtyped) | Influenza<br>B | Influenza, Not<br>Typed / Not<br>Differentiated | Influenza virus<br>co-infection: A<br>(not subtyped)<br>and B | Total, All<br>Influenza<br>Types /<br>Subtypes |
|--------------------------------|-----------------------|-----------------------|----------------------------------|----------------|---|---|--|
| 2018                           |                       |                       |                                  |                |   |   |  |
| October                        | 1                     | 0                     | 0                                | 0              | 0   | 0   | 1  |
| November                       | 0                     | 0                     | 0                                | 0              | 0   | 0   | 0  |
| December                       | 0                     | 0                     | 0                                | 0              | 0   | 0   | 0  |
| 2019                           |                       |                       |                                  |                |   |   |  |
| January                        | 0                     | 0                     | 4                                | 0              | 0   | 0   | 4  |
| February                       | 0                     | 0                     | 2                                | 1              | 0   | 0   | 3  |
| March                          | 0                     | 0                     | 1                                | 0              | 0   | 0   | 1  |
| April                          | 0                     | 0                     | 0                                | 1              | 0   | 0   | 1  |
| May                            | 1                     | 0                     | 2                                | 0              | 0   | 0   | 3  |
| Total                          | 2                     | 0                     | 9                                | 2              | 0   | 0   | 13   |

## Statewide Influenza Activity Map

Figure 2: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending June 29, 2019 (MMWR Week 26)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

## **Texas Influenza Surveillance Components and Measures**

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

### Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

#### ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

#### Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

### Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/</a> for information on how to become an ILINet provider.

### ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, childcare, and correctional facilities report ILI and influenza outbreaks to health departments in Texas. This condition is reportable by law in Texas.

#### Mortality

#### Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

#### Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas*. <u>http://www.dshs.state.tx.us/idcu/disease/IAPM/</u>

#### Laboratory

**DSHS** Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

#### Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

#### NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system. Laboratories sign up for this program by contacting DSHS. <u>http://www.cdc.gov/surveillance/nrevss/</u>

#### **Recommended Resources**

Texas Department of State Health Services

DSHS influenza page: http://www.texasflu.org/

Influenza surveillance data and reports: http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/

Map of Texas Health Service Regions: http://www.dshs.state.tx.us/regions/state.shtm

### Centers for Disease Control and Prevention

National FluView weekly flu report: <u>http://www.cdc.gov/flu/weekly/</u> Variant influenza viruses: <u>http://www.cdc.gov/flu/avianflu/index.htm</u> Avian influenza viruses: <u>http://www.cdc.gov/flu/avianflu/index.htm</u> Swine influenza viruses: <u>http://www.cdc.gov/flu/swineflu/index.htm</u> Infection Control in Healthcare Facilities: <u>http://www.cdc.gov/flu/professionals/infectioncontrol/</u> Seasonal Flu Information for Schools and Childcare Providers: <u>http://www.cdc.gov/flu/school/index.htm</u>

World Health Organization Influenza page: <u>http://www.who.int/topics/influenza/en/</u> Disease Outbreak News: <u>http://www.who.int/csr/don/en/</u>