

**Texas Department of State Health Services
Texas Cancer Registry**

Expected New Cancer Cases and Deaths by Primary Site, Wichita County, 2010.

| Type | Expected New Cases | | | Expected Deaths | | |
|----------------------------------|--------------------|------|--------|-----------------|------|--------|
| | Total | Male | Female | Total | Male | Female |
| All Sites Combined | 613 | 323 | 291 | 238 | 126 | 111 |
| Oral Cavity and Pharynx | 14 | 10 | 4 | 4 | 2 | 1 |
| Esophagus | 6 | 5 | 1 | 5 | 4 | 1 |
| Stomach | 8 | 5 | 3 | 4 | 3 | 2 |
| Colon | 45 | 23 | 22 | 19 | 10 | 9 |
| Rectum | 16 | 10 | 7 | 4 | 2 | 2 |
| Liver and Intrahepatic Bile Duct | 9 | 6 | 3 | 8 | 5 | 3 |
| Pancreas | 14 | 7 | 7 | 13 | 7 | 7 |
| Larynx | 5 | 4 | 1 | 2 | 1 | 0 |
| Lung and Bronchus | 92 | 52 | 40 | 70 | 40 | 30 |
| Melanoma of the Skin | 29 | 17 | 12 | 4 | 2 | 1 |
| Breast | 91 | 1 | 90 | 17 | 0 | 17 |
| Cervix Uteri | 5 | 0 | 5 | 2 | 0 | 2 |
| Corpus and Uterus, NOS | 13 | 0 | 13 | 3 | 0 | 3 |
| Ovary | 9 | 0 | 9 | 6 | 0 | 6 |
| Prostate | 88 | 88 | 0 | 12 | 12 | 0 |
| Testis | 3 | 3 | 0 | 0 | 0 | 0 |
| Urinary Bladder | 23 | 18 | 6 | 6 | 4 | 2 |
| Kidney and Renal Pelvis | 20 | 12 | 8 | 6 | 4 | 2 |
| Brain and Other Nervous System | 9 | 5 | 4 | 6 | 3 | 3 |
| Thyroid | 11 | 3 | 8 | 1 | 0 | 0 |
| Hodgkin's Lymphoma | 3 | 2 | 1 | 1 | 0 | 0 |
| Non-Hodgkin's Lymphoma | 25 | 13 | 12 | 9 | 5 | 4 |
| Multiple Myeloma | 8 | 4 | 4 | 5 | 2 | 2 |
| Leukemia | 17 | 10 | 7 | 10 | 6 | 4 |
| Kaposi's Sarcoma | 1 | 1 | 0 | 0 | 0 | 0 |

All sites combined includes all malignant cancers and in-situ bladder cancer.

New cases estimated by applying age-, sex-, and race/ethnic-specific incidence rates for Texas 2002-2006, to the Texas 2010 population. Melanoma, breast and prostate cancer expected cases were estimated by applying California 2002-2006 age-, sex-, and race/ethnic-specific incidence rates to the Texas 2010 population. California rates were used for these sites due to additional case-ascertainment methods used in California, and similar race and ethnic populations.

Expected deaths estimated by applying age-, sex-, and race/ethnic-specific mortality rates for Texas, 2005-2006, to the Texas 2010 population.

Totals may not sum due to rounding.

Source: Prepared by the Cancer Epidemiology and Surveillance Branch, Texas Department of State Health Services, October, 2009.