

Collaborative Staging Codes**Small Intestine****C17.0-C17.3, C17.8-C17.9**

C17.0 Duodenum

C17.1 Jejunum

C17.2 Ileum (excludes ileocecal valve C18.0)

C17.3 Meckel diverticulum (site of neoplasm)

C17.8 Overlapping lesion of small intestine

C17.9 Small intestine, NOS

Small Intestine**CS Tumor Size****SEE STANDARD TABLE****Small Intestine****CS Extension (Revised: 08/21/2006)**

Note 1: Ignore intraluminal or lateral extension to adjacent segment(s) of small intestine and code depth of invasion or spread outside the small intestine as indicated.

Note 2: The nonperitonealized perimuscular tissue is, for jejunum and ileum, part of the mesentery and, for duodenum in areas where serosa is lacking, part of the retroperitoneum.

Code	Description	TNM	SS77	SS2000
00	In situ; non-invasive; intraepithelial	Tis	IS	IS
05	(Adeno)carcinoma in a polyp, noninvasive	Tis	IS	IS
10	Invasive tumor confined to mucosa, NOS, including intramucosal, NOS	T1	L	L
11	Invasion of lamina propria	T1	L	L
12	Invasion of muscularis mucosae	T1	L	L
13	Confined to head of polyp	T1	L	L
14	Confined to stalk of polyp	T1	L	L
15	Invasion of polyp, NOS	T1	L	L
16	Invasion of submucosa (superficial invasion)	T1	L	L
20	Muscularis propria invaded	T2	L	L
30	Localized, NOS Intraluminal spread to other segments of small intestine or cecum	T1	L	L

40	Invasion through muscularis propria or muscularis, NOS Extension through wall, NOS Subserosal tissue/(sub) serosal fat invaded Transmural, NOS	T3	L	L
42	Fat, NOS	T3	RE	RE
45	Adjacent connective tissue Mesentery, including mesenteric fat, invaded less than or equal to 2 cm in depth or NOS Nonperitonealized perimuscular tissue invaded less than or equal to 2 cm in depth or NOS Retroperitoneum invaded less than or equal to 2 cm in depth or NOS	T3	RE	RE
50	Invasion of/through serosa(mesothelium)(tunica serosa) (visceral peritoneum)	T4	L	RE
55	(50) + [(42) or (45)]	T4	RE	RE
60	For duodenum primary only: Ampulla of Vater Diaphragm Extrahepatic bile ducts Gallbladder Pancreas Pancreatic duct	T4	RE	RE
65	For duodenum primary only: Blood vessel(s), major: Aorta Gastroduodenal artery Portal vein Renal vein Superior mesenteric artery or vein Vena cava Greater omentum Hepatic flexure Kidney, NOS Kidney, right Liver, NOS Liver, quadrate lobe Liver, right lobe Omentum, NOS Transverse colon Ureter, right	T4	RE	RE

65 cont'd	For jejunum or ileum primary only: Colon, including appendix	T4	RN	RN
66	For duodenum primary only: Stomach	T4	RE	RE
67	For all small intestine sites: Abdominal wall Mesentery invaded greater than 2 cm in depth Non-peritonealized perimuscular tissue invaded greater than 2 cm in depth Retroperitoneum invaded greater than 2 cm in depth	T4	RE	RE
68	For all small intestine sites: Other segments of the small intestine via serosa	T4	RE	RE
70	For jejunum or ileum primary only: Bladder Fallopian tube Ovary Uterus	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Small Intestine**CS TS/Ext-Eval****SEE STANDARD TABLE**

NOTE: For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Small Intestine**CS Lymph Nodes (Revised: 05/06/2004)**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): For duodenum primaries only: Duodenal	N1	RN	RN

10 cont'd	Gastroduodenal Hepatic Infrapyloric (subpyloric) Pancreaticoduodenal Pyloric For jejunum or ileum primaries only: Ileocolic for terminal ileum primary Mesenteric, NOS Posterior cecal (retrocecal) for terminal ileum primary Superior mesenteric	N1	RN	RN
20	Regional lymph node(s) for duodenum primaries only: Pericholodochal (common bile duct) Superior mesenteric (See code 11 in CS Mets at DX for other lymph nodes of small intestine)	N1	D	RN
30	Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Small Intestine**Reg LN Pos****SEE STANDARD TABLE****Small Intestine****Reg LN Exam****SEE STANDARD TABLE****Small Intestine****CS Mets at DX (Revised: 05/06/2004)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), other than those listed in code 11 including celiac lymph node(s) Distant lymph node(s), NOS	M1	D	D
11	For jejunum and ileum primaries only: Pericholodochal (For duodenal primary, see Lymph Nodes field)	M1	D	RN

40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(40) + any of [(10) or (11)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Site Specific Surgery Codes

All Other Sites

C142–C148, **C170–C179**, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, C570–C579, C589, C600–C609, C630–C639, C680–C689, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

Specimen sent to pathology from surgical events 20–27

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
 - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”
- 60 Radical surgery
 - Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[**SEER Note:** In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY