

**Collaborative Staging Codes****Broad and Round Ligaments, Parametrium, Uterine Adnexa****C57.1-C57.4**

C57.1 Broad ligament

C57.2 Round ligament

C57.3 Parametrium

C57.4 Uterine adnexa

**Note:** AJCC does not define TNM staging for this site.**Broad and Round Ligaments, Parametrium, Uterine Adnexa****CS Tumor Size****SEE STANDARD TABLE****Broad and Round Ligaments, Parametrium, Uterine Adnexa****CS Extension (Revised: 03/17/2004)**

Code	Description	TNM	SS77	SS2000
00	In situ; non-invasive; intraepithelial	NA	IS	IS
10	Confined to tissue or organ of origin	NA	L	L
30	Localized, NOS	NA	L	L
40	Corpus uteri Ovary, ipsilateral Uterus, NOS	NA	RE	RE
50	Fallopian tube for ligaments Mesosalpinx, ipsilateral Peritoneum	NA	RE	RE
70	Cervix uteri Cul de sac (rectouterine pouch) Omentum Ovary, contralateral Rectosigmoid Sigmoid Small intestine	NA	D	D
80	Further contiguous extension	NA	D	D
95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

**Broad and Round Ligaments, Parametrium, Uterine Adnexa****CS TS/Ext-Eval (Revised: 03/17/2004)**

Code	Description	Staging Basis
9	Not applicable for this site	NA

**Broad and Round Ligaments, Parametrium, Uterine Adnexa****CS Lymph Nodes (Revised: 08/15/2006)**

**Note:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Iliac, NOS: Common External Internal (hypogastric): Obturator Inguinal Lateral sacral (laterosacral) Pelvic, NOS Retroperitoneal, NOS Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

**Broad and Round Ligaments, Parametrium, Uterine Adnexa****Reg LN Pos**

SEE STANDARD TABLE

**Broad and Round Ligaments, Parametrium, Uterine Adnexa****Reg LN Exam**

SEE STANDARD TABLE

**Broad and Round Ligaments, Parametrium, Uterine Adnexa  
CS Mets at DX (Revised: 12/09/2003)**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

**Site Specific Surgery Codes****All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, **C570–C579**, C589, C600–C609, C630–C639, C680–C689, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
  - 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser

**No specimen sent to pathology from surgical events 10–14**

- 20 Local tumor excision, NOS
  - 26 Polypectomy
  - 27 Excisional biopsy

**Any combination of 20 or 26–27 WITH**

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

**Specimen sent to pathology from surgical events 20–27**

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
  - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”

- 
- 60 Radical surgery  
Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[SEER Note: In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**Collaborative Staging Codes****Other and Unspecified Female Genital Organs****C57.7-C57.9**

C57.7 Other specified parts of female genital organs

C57.8 Overlapping lesion of female genital organs

C57.9 Female genital tract, NOS

**Note:** AJCC does not define TNM staging for this site.**Other and Unspecified Female Genital Organs****CS Tumor Size****SEE STANDARD TABLE****Other and Unspecified Female Genital Organs****CS Extension (Revised: 03/17/2004)**

Code	Description	TNM	SS77	SS2000
00	In situ; non-invasive; intraepithelial	NA	IS	IS
10	Confined to site of origin	NA	L	L
30	Localized, NOS	NA	L	L
40	Adjacent connective tissue (See definition in General Instructions)	NA	RE	RE
60	Adjacent organs/structures: Female genital organs: Adnexa Broad ligament(s) Cervix uteri Corpus uteri Fallopian tube(s) Ovary(ies) Parametrium Round ligament(s) Uterus, NOS Vagina	NA	RE	RE
80	Further contiguous extension: Other organs of pelvis	NA	D	D
95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

**Other and Unspecified Female Genital Organs  
CS TS/Ext-Eval (Revised: 03/17/2004)**

Code	Description	Staging Basis
9	Not applicable for this site	NA

**Other and Unspecified Female Genital Organs  
CS Lymph Nodes (Revised: 03/17/2004)**

**Note:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	NA	NONE	NONE
10	Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

**Other and Unspecified Female Genital Organs  
Reg LN Pos  
SEE STANDARD TABLE**
**Other and Unspecified Female Genital Organs  
Reg LN Exam  
SEE STANDARD TABLE**
**Other and Unspecified Female Genital Organs  
CS Mets at DX (Revised: 12/09/2003)**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

**Collaborative Staging Codes****Placenta****C58.9**

## C58.9 Placenta

**Note 1:** This schema correlates to the AJCC's Gestational Trophoblastic Tumors scheme. In most cases, gestational trophoblastic tumors (ICD-O-3 morphology codes 9100-9105) are coded to placenta, C58.9.

**Note 2:** If a trophoblastic tumor is not associated with a pregnancy and arises in another site, such as ovary, use the primary site code and Collaborative Staging schema for that site.

**Placenta****CS Tumor Size****SEE STANDARD TABLE****Placenta****CS Extension (Revised: 05/06/2004)**

**Note 1:** Substaging of gestational trophoblastic tumors are determined by the value coded in the Prognostic Scoring Index Table, using Site Specific Factor 1. See note in Site Specific Factor 1, Prognostic Index Table to determine the prognostic index score.

**Note 2:** For this schema, according to AJCC, involvement of genital structures may be either by direct extension or metastasis and is still T2. For Collaborative Staging, metastasis to genital structures should be coded 70 in CS Extension and not coded in CS Mets at DX.

Code	Description	TNM	SS77	SS2000
00	In situ: Noninvasive; intraepithelial FIGO Stage 0	Tis	IS	IS
10	Confined to placenta FIGO Stage I	T1	L	L
30	Localized, NOS FIGO Stage 1	T1	L	L
40	Adjacent connective tissue, NOS FIGO Stage II	T2	RE	RE
60	Other genital structures by direct extension or NOS: Broad ligament Cervix Corpus uteri Fallopian tube(s) Genital structures, NOS Ovary(ies) Uterus, NOS Vagina FIGO Stage II	T2	RE	RE

70	Other genital structures, by metastasis: Broad ligament Cervix Corpus uteri Fallopian tube(s) Genital structures, NOS Ovary(ies) Uterus, NOS Vagina FIGO Stage II	T2	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

**Placenta****CS TS/Ext-Eval****SEE STANDARD TABLE**

**NOTE:** For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

**Placenta****CS Lymph Nodes (Revised: 05/07/2004)**

Code	Description	TNM	SS77	SS2000
88	Not applicable	NA	U	U

**Placenta****Reg LN Pos**

Code	Description
99	Not applicable

**Placenta****Reg LN Exam**

Code	Description
99	Not applicable

**Placenta****CS Mets at DX (Revised: 08/15/2006)**

**Note 1:** All lymph node involvement is considered M1 in TNM, so all lymph node involvement, whether regional or distant nodes, is coded in the field Mets at DX.

**Note 2:** According to AJCC, metastasis to genital structures is considered T2 and not M1 for GTT. For this Collaborative Staging schema, metastasis to genital structures is coded 70 in CS Extension and not coded in CS Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Metastasis to lung(s) only, NOS FIGO III	M1a	D	D
20	Regional lymph nodes: Iliac, NOS: Common External Internal (hypogastric), NOS Obturator Parametrial Pelvic, NOS Sacral, NOS: Lateral Presacral Promontory (Gerota's) Uterosacral	M1b	RN	RN
30	Regional lymph nodes: Aortic, NOS: Lateral Para-aortic Periaortic	M1b	RN	RN
35	(20) + (30)	M1b	RN	RN
40	Regional lymph node(s), NOS	M1b	RN	RN
50	Distant lymph node(s), NOS	M1b	D	D
51	Distant lymph node(s): Superficial inguinal (femoral)	M1b	D	D
52	Specified distant lymph node(s) other than in code 51	M1b	D	D
60	Lymph nodes, NOS	M1b	D	D

70	Distant metastases, other than lymph node(s) or lung Distant metastasis, NOS Carcinomatosis	M1b	D	D
80	(70) + any of [(10) to (60)]	M1b	D	D
99	Unknown Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

**Site Specific Surgery Codes****All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, **C570–C579, C589**, C600–C609, C630–C639, C680–C689, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
  - 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser

**No specimen sent to pathology from surgical events 10–14**

- 20 Local tumor excision, NOS
  - 26 Polypectomy
  - 27 Excisional biopsy

**Any combination of 20 or 26–27 WITH**

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

**Specimen sent to pathology from surgical events 20–27**

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
  - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”
- 60 Radical surgery
  - Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

---

[**SEER Note:** In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY