

LipLower**Lip, Lower****Lip (Vermilion or Labial Mucosa)****C00.1, C00.4, C00.6**

C00.1 External lower lip

C00.4 Mucosa of lower lip

C00.6 Commissure of lip

Note: AJCC includes labial mucosa (C00.4) with buccal mucosa (C06.0)

LipLower**CS Tumor Size**

Note 1: Code the specific tumor size as stated in the medical record. Use code 992, 994, or 995 if the physician's statement about T value is the ONLY information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T3 with no other information on size
996	Described as "greater than 5cm"
999	Unknown; size not stated; Not documented in patient record

Lip Lower CS Extension

Note 1: Periosteum is a fibrous membrane that wraps the outer surface of bones. Cortical bone is the dense compact outer layer of bone. Trabecular, cancellous, or spongy bone (spongiosa) is a porous network of tissue filling the interior of bone, decreasing weight and allowing room for blood vessels and marrow.

Note 2: AJCC assigns T value based on size when bone involvement is limited to the cortex. Involvement through cortical bone is required for assignment of T4a.

Note 3: Use code 300 for localized tumor ONLY if no information is available to assign codes 100, 200, 405, 410, or 415.

Note 4: Use code 405, 410, 415, 778, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor confined to: Labial mucosa (inner lip) Lamina propria Multiple foci Submucosa (superficial invasion) Vermilion surface Superficial extension to: Skin of lip Subcutaneous soft tissue of lip	^	*	L	L
200	Musculature	^	*	L	L
300	Localized, NOS	^	*	L	L
405	Stated as T1 with no other information on extension	^	*	L	L
410	Stated as T2 with no other information on extension	^	*	L	L
415	Stated as T3 with no other information on extension	^	*	L	L
500	Buccal mucosa (inner cheek) Commissure (from lower lip only)	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	Opposite (both) lip(s)	^	*	RE	RE
510	Lower gingiva Gingiva, NOS Upper gingiva (from commissure only) (Note: Upper gingiva from lower lip moved to code 780)	^	*	RE	RE
535	Cortical bone of mandible Mandible, NOS Cortical bone of maxilla (from commissure only) Maxilla, NOS (from commissure only) Cortical bone, NOS (not specified in higher codes) Bone, NOS (not specified in higher codes)	^	*	RE	RE
700	OBSOLETE DATA RETAINED V0200 Mandible	ERROR	T4a	RE	RE
725	Trabecular bone of mandible Trabecular bone of maxilla (from commissure only)	T4a	T4a	RE	RE
740	Nose	T4a	T4a	RE	D
750	Tongue	T4a	T4a	D	D
760	Skin of face/neck	T4a	T4a	D	D
770	OBSOLETE DATA RETAINED V0200	ERROR	T4a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
770 cont'd	Cortical bone (other than code 700) Floor of mouth Inferior alveolar nerve	ERROR	T4a	D	D
775	Floor of mouth Inferior alveolar nerve	T4a	T4a	D	D
778	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
780	Upper gingiva (from lower lip)	T4b	T4b	D	RE
785	780 + (740, 750, 760, or 775) (Upper gingiva + Any structure in 740, 750, 760, or 775)	T4b	T4b	D	D
788	Bone of maxilla (from lower lip) Maxilla, NOS (from lower lip) Specified bone (other than mandible, maxilla, and bones in codes 790 and 800)	T4b	T4b	D	D
790	Masticator space Pterygoid plates	T4b	T4b	D	D
800	Further contiguous extension including: Skull base Internal carotid artery (encased)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4, NOS with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension	TX	TX	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999 cont'd	Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For Extension codes 100 through 535 ONLY, the T category for AJCC 7th Edition staging is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

* For Extension codes 100 through 535 ONLY, the T category for AJCC 6th Edition staging is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

LipLower
CS Tumor Size/Ext Eval
See Standard Table

LipLower
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level I node: Level IA - Submental Level IB Submandibular (submaxillary), sublingual	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Other groups Mandibular Parotid Infraauricular Intraparotid Periparotid Preauricular Regional lymph node NOS	^	*	RN	RN
110	Single positive ipsilateral regional node: Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Cervical, NOS Deep cervical, NOS Internal jugular, NOS	^	*	D	RN
120	Single positive ipsilateral regional node: Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see note 4) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups Facial Buccinator (buccal) Nasolabial Parapharyngeal Retroauricular Retropharyngeal Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
210	Multiple positive ipsilateral nodes, any listed in code 110 (WITH or WITHOUT any nodes listed in code 100)	^	*	D	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH or WITHOUT any nodes listed in code 100, 110)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes listed in code 100:	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	Regional lymph nodes listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN
320	Regional lymph nodes listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
410	Regional lymph nodes, any listed in code 110: Positive bilateral or contralateral nodes (WITH or WITHOUT any nodes listed in code 100)	^	*	D	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral node (WITH or WITHOUT any nodes listed in code 100, 110)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Regional lymph nodes listed in code 110:	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Regional lymph nodes listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2 NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3 no other information	N3	N3	RN	RN
800	Lymph nodes, NOS no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table, for this site.

* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table, for this site.

LipLower

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

LipLower

Reg LN Exam

See Standard Table

**LipLower
CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s) NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U