

**MelanomaPalateHard**  
**Malignant Melanoma of Hard Palate**  
**C05.0**

(M-8720-8790)  
 C05.0 Hard palate

**MelanomaPalateHard**  
**CS Tumor Size**  
**See Standard Table**

**MelanomaPalateHard**  
**CS Extension**

**Note 1:** AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

**Note 2:** AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

**Note 3:** Use code 300 for localized tumor ONLY if no information is available to assign code 105 or 470.

**Note 4:** Use code 470, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor on one side confined to mucoperiosteum (stroma)	ERROR	NA	L	L
105	Tumor confined to mucosa of hard palate: Tumor confined to one side	T3	NA	L	L
300	Localized, NOS	T3	NA	L	L
400	OBSOLETE DATA RETAINED V0200 Tumor crosses midline	ERROR	NA	L	L
405	Tumor confined to mucosa crossing midline	T3	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410	Extension via mucosa to: Buccal mucosa (inner cheek) Gingiva, upper Glossopalatine arch Pharyngopalatine arch Soft palate Uvula	T3	NA	RE	RE
470	Stated as T3 with no other information on extension	T3	NA	L	L
500	OBSOLETE DATA RETAINED V0200  Buccal mucosa (inner cheek) Gingiva, upper Glossopalatine arch Pharyngopalatine arch Soft palate Uvula	ERROR	NA	RE	RE
510	Involvement of deep soft tissue or periosteum of hard palate	T4a	NA	L	L
520	Involvement of deep tissue hard palate + Mucosal involvement of any structure in code 400	T4a	NA	RE	RE
530	Involvement of deep soft tissue or musculature of any structure in code 400	T4a	NA	RE	RE
700	Cartilage of maxilla or palatine bone Cartilage NOS Cortical bone of maxilla or palatine bone Maxilla, NOS Palatine bone, NOS Cortical bone, NOS Bone, NOS except skull base	T4a	NA	RE	RE
730	Floor of nose	T4a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
730 cont'd	Maxillary antrum (sinus) Nasal cavity Nasopharynx Skin of face Pterygoid plate	T4a	NA	D	D
740	OBSOLETE DATA RETAINED V0200  Deep muscle of tongue Floor of nose Maxillary antrum (sinus) Nasal cavity Nasopharynx Skin of face Sphenoid bone	ERROR	NA	D	D
750	Extrinsic muscle of tongue: Genioglossus Hyoglossus Palatoglossus Pharyngoglossus Styloglossus	ERROR	ERROR	ERROR	ERROR
760	OBSOLETE DATA CONVERTED V0200 See code 730  Pterygoid plate	ERROR	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
800	Contiguous extension: Skull base Sphenoid bone Masticator space Internal carotid artery (encased)	T4b	NA	D	D
801	Further contiguous extension including: Brain Dura	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
801 cont'd	Lower cranial nerves (IX, X, XI, XII) Prevertebral space Mediastinal structures	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4, NOS with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**MelanomaPalateHard**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**MelanomaPalateHard**  
**CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s):	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Level IB node - Submandibular (submaxillary), sublingual Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level IIA Level IIB Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	N1	NA	RN	RN
110	Positive regional node(s): Level IA node - Submental	N1	NA	D	RN
120	Positive regional node(s): Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	(for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220 cont'd	V0200  Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200  Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200  Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200  Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200  Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**MelanomaPalateHard****Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

**MelanomaPalateHard****Reg LN Exam**

See Standard Table

**MelanomaPalateHard****CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U