

MelanomaMouthOther
Malignant Melanoma of Other Mouth
C05.8-C05.9, C06.8-C06.9

(M-8720-8790)

C05.8 Overlapping lesion of palate

C05.9 Palate, NOS

C06.8 Overlapping lesion of other and unspecified parts of mouth

C06.9 Mouth, NOS

MelanomaMouthOther
CS Tumor Size
See Standard Table

MelanomaMouthOther
CS Extension

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use code 300 for localized tumor ONLY if no information is available to assign code 105 or 470.

Note 4: Use code 470, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to: Lamina propria Submucosa	ERROR	NA	L	L
105	Tumor confined to mucosa of oral site	T3	NA	L	L
200	OBSOLETE DATA CONVERTED V0200 See code 510 Musculature invaded	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300	Localized, NOS	T3	NA	L	L
350	Extension via mucosa to adjacent sites in oral cavity including tongue	T3	NA	RE	RE
370	Extension via mucosa to: Oropharynx NOS Inferior surface of soft palate Lateral pharyngeal wall Lingual surface of epiglottis Vallecula	T3	NA	RE	RE
470	Stated as T3 with no other information on extension	T3	NA	L	L
500	OBSOLETE DATA RETAINED V0200 Adjacent oral cavity	ERROR	NA	RE	RE
510	Involvement of deep soft tissue or musculature of structure in code 105 Soft tissue, NOS	T4a	NA	L	L
520	510 + (350 or 370) (Involvement of deep soft tissue or musculature of structure in code 105 + Mucosal involvement of structure in code 350 or 370)	T4a	NA	RE	RE
550	Deep soft tissue or musculature of any structure in code 350	T4a	NA	RE	RE
570	Deep soft tissue or musculature of any structure in code 370	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Extension to oropharynx Inferior surface of soft palate Lateral pharyngeal wall Lingual surface of epiglottis Vallecula	ERROR	NA	RE	RE
690	Cortical bone of mandible Cortical bone of maxilla Cortical bone, NOS Mandible, NOS Maxilla, NOS Maxillary antrum (sinus)	T4a	NA	D	D
700	OBSOLETE DATA RETAINED V0200 Extension to adjacent structures: Mandible Maxilla Maxillary antrum (sinus) Nasal cavity Skin of face/neck Tongue	ERROR	NA	D	D
705	Nasal cavity Skin of face/neck	T4a	NA	D	D
710	Deep (extrinsic) muscle of tongue: Genioglossus Hyoglossus Palatoglossus Styloglossus	T4a	NA	D	D
720	OBSOLETE DATA CONVERTED V0200 See code 750 Skull	ERROR	ERROR	ERROR	ERROR
725	Stated as T4a with no other information on extension	T4a	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750	Contiguous extension: Pterygoid plates Skull base Masticator space Internal carotid artery (encased)	T4b	NA	D	D
800	OBSOLETE DATA RETAINED V0200 Further contiguous extension	ERROR	NA	D	D
801	Further contiguous extension: Brain Dura Lower cranial nerves (IX, X, XI, XIOI) Prevertebral space Mediastinal structures	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

MelanomaMouthOther
CS Tumor Size/Ext Eval
See Standard Table

MelanomaMouthOther**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I node Level IA- Submental Level IB - Submandibular (submaxillary), sublingual Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level IIA Level IIB Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow nodeCervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	N1	NA	RN	RN
120	Positive regional node(s): Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI node - Anterior	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Retropharyngeal Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

MelanomaMouthOther**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment

See Standard Table

MelanomaMouthOther**Reg LN Exam**

See Standard Table

MelanomaMouthOther**CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U