

PharyngealTonsil**PharyngealTonsil [excl. Malignant Melanoma]****C11.1**

C11.1 Posterior wall of nasopharynx

Note: Site-Specific Factor 25 is used to discriminate between posterior wall of nasopharynx, staged with nasopharynx, and pharyngeal tonsil, staged with oropharynx. Both sites are coded to ICD-O-3 code C11.1.

PharyngealTonsil**CS Tumor Size**

Note 1: Code the specific tumor size as stated in the medical record. Use code 992 or 994 if the physician's statement about T value is the ONLY information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
996	Described as "greater than 5cm"
999	Unknown; size not stated Not documented in patient record

Pharyngeal Tonsil**CS Extension**

Note 1: AJCC stages carcinoma of pharyngeal tonsil using schema for oropharynx.

Note 2: Use code 305 for localized tumor ONLY if no information is available to assign code 100, 200, 305, or 310.

Note 3: Use code 330, 350, 575, 665, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Note 4: In CS version 1, extension to the orbit was included in both codes 650 and 700. In addition, the instructions for coding invasion of orbital bone were not clear. Codes 650 and 700 should be reviewed for orbital involvement. Involvement of bone of floor of orbit should be coded 760, and other orbit involvement should be coded 780.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	ERROR	*	L	L
105	Invasive tumor confined to Pharyngeal tonsil (nasopharyngeal tonsil) Adenoid Posterior superior wall (vault)	^	*	L	L
200	OBSOLETE DATA RETAINED V0200 Involvement of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	ERROR	*	L	L
205	Involvement of	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
205 cont'd	inferior wall of nasopharynx (superior surface of soft palate)	^	*	L	L
300	OBSOLETE DATA RETAINED V0200 Confined to nasopharynx Localized, NOS	ERROR	*	L	L
305	Confined to pharyngeal tonsil Localized, NOS	^	*	L	L
330	Stated as T1 with no other information on extension	^	*	L	L
350	Stated as T2 with no other information on extension	^	*	L	L
400	Oropharynx Soft palate, inferior surface including uvula WITHOUT parapharyngeal extension	^	*	RE	RE
500	Nasal cavity WITHOUT parapharyngeal extension	^	*	RE	RE
530	Pterygopalatine fossa WITHOUT parapharyngeal extension	^	*	RE	RE
550	OBSOLETE DATA RETAINED V0200 Any extension coded in 100, 200, 400, or 500 WITH fixation or tumor described only as FIXED	ERROR	*	RE	RE
555	Any extension coded in 100, 200, 400, 500, or 530 WITH fixation or	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
555 cont'd	tumor described only as FIXED	^	*	RE	RE
560	OBSOLETE DATA RETAINED V0200 Any extension coded in sites listed in 100, 200, 400, or 500 WITH parapharyngeal extension	ERROR	*	RE	RE
565	Any extension coded in 100, 200, 400, 500, or 530 WITH parapharyngeal extension	T3	*	D	D
568	Lingual surface of epiglottis	T3	*	D	D
570	OBSOLETE DATA CONVERTED V0200 Site/histology moved to new schema V0200, See code 610 Hard palate	ERROR	ERROR	ERROR	ERROR
575	Stated as T3 with no other information on extension	T3	*	L	L
580	OBSOLETE DATA RETAINED V0200 Site/histology moved to new schema V0200 See code 530 Pterygopalatine fossa	ERROR	*	RE	RE
600	OBSOLETE DATA RETAINED V0200 Site/histology moved to new schema V0200 See code 760	ERROR	T4b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Bone including skull	ERROR	T4b	RE	RE
610	Hard palate	T4a	T4a	D	RE
620	Paranasal sinus	T4a	T4a	D	RE
640	610, 620+ 555 (Any structure in code 610 or 620+ Lingual surface of epiglottis)	T4a	T4a	D	D
645	Larynx Hypopharynx Extrinsic muscle of tongue Medial pterygoid muscle Mandible	T4a	T4a	D	D
650	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 4 Orbit	ERROR	ERROR	ERROR	ERROR
665	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
700	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 4 Brain Cranial nerve involvement Hypopharynx Infratemporal fossa Orbit	ERROR	ERROR	ERROR	ERROR
710	Lateral nasopharynx	T4b	T4b	L	L
715	710 + (400 - 550)	T4b	T4b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
715 cont'd	(Lateral nasopharynx + Any structure in codes 400 through 530)	T4b	T4b	RE	RE
718	710 + (610, 620) (Lateral nasopharynx + Hard palate or paranasal sinus)	T4b	T4b	D	RE
730	710 + 568 (Lateral nasopharynx + Lingual surface of epiglottis)	T4b	T4b	D	D
740	Lateral pterygoid muscle Pterygoid plates	T4b	T4b	D	D
750	OBSOLETE DATA RETAINED V0200 Site/histology moved to new schema V0200 See code 780 Masticator space	ERROR	T4b	D	D
760	Bony structures of skull base Floor of orbit	T4b	T4b	RE	RE
765	760 + (610, 620) (Any structure in 760 + Hard palate or paranasal sinus)	T4b	T4b	D	RE
770	760 + 568 (Any structure in 760 + Lingual surface of epiglottis)	T4b	T4b	D	D
780	Brain Cranial nerve involvement Hypopharynx	T4b	T4b	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
780 cont'd	Infratemporal fossa/Masticator space Orbit	T4b	T4b	D	D
790	Carotid artery (encased)	T4b	T4b	D	D
800	Further contiguous extension including: Soft tissues of the neck	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	L	L
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For codes 105, 205, 305, 330, 350, 400, 500, 530, 555, and 565 ONLY, the T category for AJCC 7th Edition staging is assigned based on the value of CS Tumor Size as shown in the Extension Size Table AJCC 7 for this site.

* For codes 100 through 568, 575, and 580 ONLY, the T category for AJCC 6th Edition staging is assigned based on the value of CS Tumor Size as shown in the Extension Size Table AJCC 6 for this site.

PharyngealTonsil
CS Tumor Size/Ext Eval
See Standard Table

Pharyngeal Tonsil**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Single positive ipsilateral regional node: Level II node Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III node Middle deep cervical Mid jugular Level IV node Lower deep cervical Lower jugular Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Mandibular Regional lymph node, NOS	ERROR	**	RN	RN
105	Single positive ipsilateral regional node:	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105 cont'd	Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Other groups Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
110	OBSOLETE DATA RETAINED V0200 Single positive ipsilateral regional node: Level I node Submandibular (submaxillary) Submental	ERROR	**	D	RN
115	Single positive ipsilateral regional node: Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VA - Spinal accessory	^	*	D	RN
120	OBSOLETE DATA RETAINED V0200 Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Recurrent laryngeal Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Retropharyngeal Sub-occipital Supraclavicular fossa	ERROR	**	D	D
125	Single positive ipsilateral regional node: Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Level V node - Posterior triangle group Posterior cervical Level VB - Transverse cervical, supraclavicular (see Note 4) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
125 cont'd	notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular(mastoid) Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	**	RN	RN
205	Multiple positive ipsilateral nodes listed in code 105	^	*	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	**	RN	RN
215	Multiple positive ipsilateral nodes any listed in code 115 (WITH or WITHOUT nodes listed in code 105)	^	*	D	RN
220	OBSOLETE DATA RETAINED V0200	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220 cont'd	Multiple positive ipsilateral nodes listed in code 120	ERROR	**	D	D
225	Multiple positive ipsilateral nodes any listed in code 125 (WITH or WITHOUT nodes listed in code 105 or 115)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	D	D
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	RN	RN
305	Regional lymph nodes as listed in code 105: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	RN
315	Regional lymph nodes as listed in code 115: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
325	Regional lymph nodes as listed in code 125: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 100: Positive bilateral nodes	ERROR	**	RN	RN
405	Regional lymph nodes as listed in code 105: Positive bilateral or contralateral nodes	^	*	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 110: Positive bilateral nodes	ERROR	**	D	RN
415	Regional lymph nodes any listed in code 115: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 105)	^	*	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 120: Positive bilateral nodes	ERROR	**	D	D
425	Regional lymph nodes any listed in code 125: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 105 or 115)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	OBSOLETE DATA RETAINED V0200	ERROR	**	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	Regional lymph nodes listed in code 100: Positive node(s), not stated if unilateral, or bilateral	ERROR	**	RN	RN
505	Regional lymph nodes as listed in code 105: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110: Positive node(s), not stated if unilateral, or bilateral	ERROR	**	D	RN
515	Regional lymph nodes as listed in code 115: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if unilateral or bilateral	ERROR	**	D	D
525	Regional lymph nodes as listed in code 125: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2, NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750	OBSOLETE DATA RETAINED V0200 Regional lymph nodes in the supraclavicular fossa Inferior deep cervical (scalene) Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) (See Note 4)	ERROR	**	D	D
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 105, 115, 125, 205, 215, 225, 305, 315, 325, 405, 415, 425, 505, 515, 525, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv2 for this schema.

* For codes 100-125, 200-225, 300-325, 400-425, 500-525, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv2 for this schema.

**For OBSOLETE codes 100, 110, 120, 200, 210, 220, 300, 310, 320, 400, 410, 420, 500, 510, 520, and 750 ONLY, the N category for AJCC 6th Edition staging for cases collected in CSv1 is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv1, for this schema.

PharyngealTonsil

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

PharyngealTonsil

Reg LN Exam

See Standard Table

PharyngealTonsil
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Pharyngeal Tonsil**CS Site-Specific Factor 25****Schema Discriminator**

Note: For cases coded to primary site code C111 (Posterior wall of nasopharynx), code the specific site in which the tumor arose.

Code	Description	Schema
010	Posterior wall of nasopharynx Posterior wall of nasopharynx NOS	Nasopharynx
020	Adenoid Pharyngeal tonsil Nasopharyngeal tonsil	Pharyngeal Tonsil
100	OBSOLETE DATA RETAINED V0200 C11.1 - originally coded in CSv1	Nasopharynx
	Blank for Nasopharynx cases which are C11.0, C11.2, C11.3, C11.8, C11.9	Nasopharynx