

Gallbladder**C23.9**

C23.9 Gallbladder

Gallbladder**CS Tumor Size****See Standard Size****Gallbladder****CS Extension**

Note: Ignore extension from gallbladder to cystic duct. Ignore extension to extrahepatic bile ducts or ampulla of Vater (code 618) when other structures are involved with a code higher than 618.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor confined to: Lamina propria Mucosa, NOS Submucosa (superficial invasion)	T1a	T1a	L	L
110	Stated as T1a [NOS]	T1a	T1a	L	L
200	Muscularis propria	T1b	T1b	L	L
210	Stated as T1b [NOS]	T1b	T1b	L	L
300	Localized, NOS	T1NOS	T1NOS	L	L
400	Perimuscular connective tissue	T2	T2	RE	RE
410	Stated as T2 [NOS]	T2	T2	RE	RE
500	Invasion of/through serosa (visceral peritoneum)	T3	T3	L	RE
550	400 + 500	T3	T3	RE	RE
600	Extension into liver, NOS	T3	T3	RE	RE
610	Extension into liver less than or equal to	T3	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
610 cont'd	2 cm	T3	T3	RE	RE
615	Extension to Branch(s) of portal vein (right or left) Extension to Branch(s) of hepatic artery (right or left)	T3	T3	RE	RE
618	Extension to ONE of the following: Ampulla of Vater Extrahepatic bile duct(s)	T3	T3	RE	RE
620	OBSOLETE DATA RETAINED V0200 (See codes 618 and 621) Extension to ONE of the following: Ampulla of Vater Duodenum Extrahepatic bile duct(s) Omentum, NOS Greater Lesser Pancreas Small intestine, NOS	ERROR	T3	RE	RE
621	Extension to ONE of the following: Duodenum Omentum, NOS Greater Lesser Pancreas Small intestine, NOS	T3	T3	RE	RE
650	Extension to ONE of the following WITHOUT extension to any structure in 621: Colon Stomach	T3	T3	RE	RE
655	Extension to abdominal wall without extension to any structures in 621 or 650	T3	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
660	Extension to cystic artery/vein WITHOUT extension to any structure in 621 to 650	T3	T3	RE	D
670	Extension to ONE structure in codes 621 to 650 PLUS extension into liver (600 or 610)	T3	T3	RE	RE
680	660 PLUS extension into liver (600 or 610)	T3	T3	RE	D
710	Extension into liver greater than 2 cm WITHOUT extension to any structure in 621 to 660	T3	T3	D	D
720	Extension into liver greater than 2 cm PLUS extension to ONE structure in 621 to 660	T3	T3	D	D
725	Stated as T3 [NOS]	T3	T3	RE	RE
730	Extension to two or more structures in 621 to 660, with or without extension into liver of any depth	T4	T4	D	D
750	Extension to: Common Hepatic artery Main Portal vein Hepatic artery, NOS Portal vein, NOS	T4	T4	RE	D
780	750 + any of (600 to 730)	T4	T4	D	D
800	OBSOLETE DATA RETAINED V0200 (See codes 655 and 805) Further contiguous extension, including: Abdominal wall Diaphragm	ERROR	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
805	Further contiguous extension, including: Diaphragm	T4	T4	D	D
810	Stated as T4[NOS]	T4	T4	RE	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Gallbladder**CS Tumor Size/Ext Eval**

See Standard Table

Gallbladder**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: Celiac and superior mesenteric nodes are listed in this field rather than Mets at DX, because AJCC classifies them as N2 and not M1.

Note 3: Para-aortic lymph nodes were reclassified from distant to regional nodes in AJCC 7th Ed.

Note 4: In some cases, determination of the M category for TNM 6 is based on this field as well as CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Cystic duct (Calot's node) Node of foramen of Winslow (omental) (epiploic) Pericholedochal (common bile duct)	N1	N1	RN	RN
110	Regional lymph nodes: Porta hepatis (portal) (periportal) (hilar) (in hilus of liver)	N1	N1	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
150	Stated as N1, NOS	N1	N1	RN	RN
200	Regional lymph node(s): Pancreaticoduodenal	N2	N1	RN	RN
210	Regional lymph node(s): Periduodenal Peripancreatic (near head of pancreas only)	N2	N1	D	RN
250	(110) + (200)	N2	N1	D	RN
300	Regional lymph node(s), NOS	N1	N1	RN	RN
500	Celiac lymph node(s)	N2	N1	D	RN
600	Superior mesenteric lymph node(s)	N2	N1	D	RN
610	(500) OR (600) + 110	N2	N1	D	RN
620	Regional lymph nodes: Para-aortic Pericaval	N2	*	D	D
630	620 + any of 100, 110, 200, 210, 500 or 600 Any regional lymph node(s) as listed in codes 100, 110, 200, 210, 500 or 600 + para-aortic and/or pericaval lymph node(s)	N2	*	D	D
650	Stated as N2, NOS	N2	N1	D	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed	NX	NX	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999 cont'd	Not documented in patient record	NX	NX	U	U

* When CS Lymph Nodes is coded 620 or 630, the 6th Edition N and M categories are determined by the code in CS Mets at DX using the Lymph Nodes Mets at DX Table.

Gallbladder

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

Gallbladder

Reg LN Exam

See Standard Table

Gallbladder

CS Mets at DX

Note 1: Para-aortic lymph nodes were reclassified from distant to regional nodes in AJCC 7th Ed. They are now coded in CS Lymph Nodes.

Note 2: In some cases, determination of the N category for TNM 6 is based on this field and CS Lymph Nodes. See CS Lymph Nodes for details.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	OBSOLETE DATA RETAINED V0200 Para-aortic nodes reclassified from distant to regional nodes in AJCC 7th Edition; See Code 15 Distant lymph node(s), including: Para-aortic Peripancreatic (along body and tail of pancreas only) Distant lymph node(s), NOS	ERROR	M1	D	D
15	Distant lymph node(s), including: Peripancreatic (along body and tail of pancreas only) Distant lymph node(s), NOS	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	M1	D	D
50	OBSOLETE DATA RETAINED V0200 Para-aortic nodes reclassified from distant to regional nodes in AJCC 7th Edition; See Code 51 (40) + (10) Distant lymph node(s) plus other distant metastases	ERROR	M1	D	D
51	15 + 40 Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U