

Bile Ducts Distal**C24.0 Extrahepatic bile duct**

Note: Extrahepatic Bile Duct was a single chapter in the 6th edition. It has been divided into two chapters in the 7th edition: Perihilar and Distal Extrahepatic Bile Duct.

BileDuctsDistal**CS Tumor Size**

See Standard Table

BileDuctsDistal**CS Extension**

Note: Extrahepatic bile duct tumors have been separated into perihilar (proximal) and distal groups in AJCC 7th Edition.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor of extrahepatic bile duct(s) (choledochal, common, cystic, and hepatic) confined to: Lamina propria Mucosa, NOS Submucosa (superficial invasion)	T1	T1	L	L
200	Muscularis propria	T1	T1	L	L
300	Localized, NOS	T1	T1	L	L
350	Stated as T1 [NOS]	T1	T1	L	L
400	Beyond wall of bile duct Periductal/fibromuscular connective tissue	T2	T2	RE	RE
450	Stated as T2 [NOS]	T2	T2	RE	RE
600	OBSOLETE DATA RETAINED V0200 See code 605 Gallbladder Liver, porta hepatis Pancreas	ERROR	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
605	Gallbladder Liver, porta hepatis Pancreas	T3	T3	RE	RE
610	Unilateral branches of portal vein (right or left) Unilateral branches of hepatic artery (right or left)	T3	T3	RE	RE
620	Duodenum	T3	T4	RE	RE
630	Stated as T3 [NOS]	T3	T3	RE	RE
650	OBSOLETE DATA RETAINED V0200 See codes 651 and 652 Colon, NOS Transverse including flexure Duodenum, NOS Omentum, NOS Lesser Stomach, distal	ERROR	T4	RE	RE
651	Colon, NOS Transverse including flexure Omentum, NOS Lesser Stomach, distal	T4	T4	RE	RE
660	OBSOLETE DATA RETAINED V0200 See code 670 Main portal vein or its branches bilaterally Common hepatic artery Hepatic artery, NOS Portal vein, NOS	ERROR	T4	RE	RE
670	Main portal vein or its branches bilaterally Common hepatic artery Hepatic artery, NOS Portal vein, NOS	T4	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	Other parts of colon Greater omentum Stomach, proximal	T4	T4	RE	RE
750	OBSOLETE DATA RETAINED V0200 See code 760 Abdominal wall	ERROR	T4	D	D
760	Abdominal wall	T4	T4	D	D
780	Celiac axis Superior mesenteric artery	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
850	Stated as T4 [NOS]	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

BileDuctsDistal**CS Tumor Size/Ext Eval**

See Standard Table

BileDuctsDistal**CS Lymph Nodes****Note:** Code only regional nodes and nodes, NOS, in this field.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
150	Regional lymph nodes: Cystic duct (node of the neck of the gallbladder) (Calot's node) Hepatic	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
150 cont'd	Hilar (in the hepatoduodenal ligament) Node of the foramen of Winslow (omental) (epiploic) Pancreaticoduodenal Pericholedochal (node around common bile duct) Periduodenal Peripancreatic (near head of pancreas only) Periportal Porta hepatis (portal) (hilar) (in hilus of liver) Regional lymph nodes, NOS	N1	N1	RN	RN
350	Regional lymph nodes: Celiac Superior mesenteric	N1	N1	D	D
500	Stated as N1 [NOS]	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

BileDuctsDistal**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment

See Standard Table

BileDuctsDistal**Reg LN Exam**

See Standard Table

**BileDuctsDistal
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) including: Para-aortic Peripancreatic (along body and tail of pancreas only) Distant lymph nodes, NOS	M1	M1	D	D
40	Distant metastases except distant lymph nodes (code 10) Distant metastases, NOS Carcinomatosis	M1	M1	D	D
50	(10) + (40)	M1	M1	D	D
60	Stated as M1 [NOS]	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

BileDuctsDistal**CS Site-Specific Factor 25****Schema Discriminator: Subsite of Extrahepatic Bile Ducts**

Note 1: For cases coded to primary site code C24.0 (extrahepatic bile ducts), code the subsite in which the tumor arose. This information will be used to determine which CS schemas will be used to assign T, N, M, and AJCC stage group.

Note 2: According to AJCC, perihilar tumors are defined as those located in the extrahepatic biliary tree proximal to the origin of the cystic duct. These represent 70-80% of extrahepatic bile duct tumors. Distal bile duct tumors are those arising between the junction of the cystic duct and the ampulla of Vater, including those arising in the intrapancreatic portion of the common bile duct. These represent 20-30% of extrahepatic bile duct tumors.

Code	Description	Schema
010	Perihilar bile duct(s) Proximal extrahepatic bile duct(s) Hepatic duct(s)	BileDuctsPerihilar
020	Stated as Klatskin tumor	BileDuctsPerihilar
030	Cystic bile duct; cystic duct	CysticDuct
040	Common bile duct Common duct, NOS	BileDuctsDistal
050	Diffuse involvement More than one subsite involved, subsite of origin not stated	BileDuctsPerihilar
060	Subsite of extrahepatic bile ducts not stated, but treated with combined hepatic and hilar resection	BileDuctsPerihilar
070	Subsite of extrahepatic bile ducts not stated, but treated with pancreaticoduodenectomy	BileDuctsDistal
100	OBSOLETE DATA RETAINED V0200 C24.0 - originally coded in CSv1	BileDuctsPerihilar
999	Subsite of extrahepatic bile ducts not stated and not classifiable in codes 050-070	BileDuctsPerihilar