

BiliaryOther**Other Biliary and Biliary, NOS****C24.8-C24.9**

C24.8 Overlapping lesion of biliary tract (neoplasms involving both intrahepatic and extrahepatic bile ducts)

C24.9 Biliary tract, NOS

BiliaryOther**CS Tumor Size**

See Standard Table

BiliaryOther**CS Extension**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	NA	Tis	IS	IS
100	Invasive tumor confined to: Lamina propria Mucosa, NOS Submucosa (superficial invasion)	NA	T1	L	L
200	Muscularis propria	NA	T1	L	L
300	Localized, NOS Tumor confined to bile duct	NA	T1	L	L
400	Perimuscular connective tissue Tumor invades beyond the wall of the bile duct	NA	T2	RE	RE
500	Invasion of/through serosa	NA	T2	L	RE
550	(40) + (50)	NA	T2	RE	RE
600	Extension into liver, NOS	NA	T3	RE	RE
610	Extension into liver less than or equal to 2 cm	NA	T3	RE	RE
620	Extension to ONE of the following: Ampulla of Vater	NA	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
620	Omentum, NOS Greater Lesser Pancreas Small intestine, NOS	NA	T3	RE	RE
630	Gallbladder Unilateral branches of the right or left hepatic artery Unilateral branches of the right or left portal vein	NA	T3	RE	RE
650	Extension to ONE of the following: Colon Stomach	NA	T4	D	D
660	Abdominal wall Duodenum	NA	T4	RE	RE
700	Extension into liver greater than 2 cm Extension to two or more adjacent organs listed in codes [(60)-(63)]	NA	T3	D	D
710	Extension to two or more adjacent organs any of which are in codes [(65)-(66)]	NA	T4	D	D
750	Common hepatic artery Cystic artery/vein Hepatic artery, NOS Portal vein or its branches bilaterally Portal vein, NOS	NA	T4	RE	D
800	Further contiguous extension	NA	T4	D	D
950	No evidence of primary tumor	NA	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	TX	U	U

BiliaryOther
CS Tumor Size/Ext Eval
See Standard Table

BiliaryOther
CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	NA	N0	NONE	NONE
100	Regional lymph node(s): Cystic duct (Calot's node) Node of foramen of Winslow (epiploic)(omental) Pericholedochal (common bile duct)	NA	N1	RN	RN
110	Regional lymph node(s): Porta hepatis (portal) (hilar) [in hilus of liver]	NA	N1	D	RN
200	Regional lymph node(s): Pancreaticoduodenal Periportal	NA	N1	RN	RN
210	Regional lymph node(s): Periduodenal Peripancreatic (near head of pancreas only)	NA	N1	D	RN
300	Regional lymph node(s), NOS	NA	N1	RN	RN
500	Celiac	NA	N1	D	RN
600	Superior mesenteric	NA	N1	D	RN
800	Lymph nodes, NOS	NA	N1	RN	RN
999	Unknown; not stated	NA	NX	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999 cont'd	Regional lymph node(s) cannot be assessed Not documented in patient record	NA	NX	U	U

BiliaryOther**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

BiliaryOther**Reg LN Exam**

See Standard Table

BiliaryOther**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	NA	M0	NONE	NONE
10	Distant lymph node(s) including: Para-aortic	NA	M1	D	D
40	Distant metastases except distant lymph nodes (code 10) Distant metastases, NOS Carcinomatosis	NA	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	NA	MX	U	U