

Pancreas: Head**C25.0**

C25.0 Head of pancreas

Note: For tumors of the islet cells, determine which subsite of the pancreas is involved and use that primary site code and the corresponding Collaborative Stage scheme. If the subsite cannot be determined, use the general code for Islets of Langerhans, C25.4, and use the Collaborative Stage scheme for Pancreas, Other and Unspecified.

PancreasHead**CS Tumor Size**

Note: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the clinician's statement of the "T" category, assign code 992 (T1, NOS) or 993 (T2, NOS). (Refer to the CS Extension table for instructions on coding extension).

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1, NOS with no documentation of tumor size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm" Stated as T2, NOS with no documentation of tumor size
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

PancreasHead**CS Extension**

Note 1: Islets of Langerhans are distributed throughout the pancreas, and, therefore, any extension code can be used.

Note 2: Codes 400-800 are used for contiguous extension of tumor from the site of origin. Discontinuous involvement is coded in CS Mets at DX.

Note 3: If the only information regarding the tumor extension is the physician's statement of the "T" category, assign code 150, 200, 420, or 790. (Refer to CS Tumor Size table for instructions on coding tumor size if assigning code 150 or 200).

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive PanIn III Pancreatic Intraepithelial Neoplasia III Stated as Tis, NOS	Tis	Tis	IS	IS
100	Confined to pancreas	^	*	L	L
150	Stated as T1, NOS with no other information on extension	^	*	L	L
200	Stated as T2, NOS with no other information on extension	^	*	L	L
300	Localized, NOS	^	*	L	L
400	Extension to peripancreatic tissue, NOS Fixation to adjacent structures, NOS	T3	T3	RE	RE
420	Stated as T3, NOS	T3	T3	RE	RE
440	Ampulla of Vater Duodenum Extrahepatic bile duct(s)	T3	T3	RE	RE
500	Adjacent stomach Stomach, NOS	T3	T3	RE	RE
540	Blood vessel(s) (major): Gastroduodenal artery Hepatic artery	T3	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
540 cont'd	Pancreaticoduodenal artery Portal vein Superior mesenteric vein Transverse colon, including hepatic flexure	T3	T3	RE	RE
550	Mesenteric fat Mesentery Mesocolon Peritoneum	T3	T3	RE	D
570	Gallbladder	T3	T3	RE	D
580	Body of stomach	T3	T3	D	RE
590	(580) + [(550) or (570)]	T3	T3	D	D
600	Tumor is inseparable from the superior mesenteric artery Superior mesenteric artery	T4	T4	RE	RE
610	Omentum	T4	T4	RE	D
630	Liver (including porta hepatis)	T4	T4	RE	D
650	(600) + [(550) or (570)]	T4	T4	RE	D
660	(600) + (580)	T4	T4	D	RE
670	(600) + (590) OR Any of [(610) to (650)] + [(580) or (590)] OR (660) + any of [(550) or (570) or (590) or (610) or (630) or (650)]	T4	T4	D	D
680	Tumor is inseparable from the celiac axis	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
680 cont'd	Aorta Celiac artery	T4	T4	D	D
690	Colon (other than transverse colon including hepatic flexure) Spleen	T4	T4	D	D
780	Adrenal (suprarenal) gland Ileum Jejunum Kidney Retroperitoneum Ureter	T4	T4	D	D
790	Stated as T4, NOS	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For Extension codes 100, 150, 200 and 300 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

* For Extension codes 100, 150, 200 and 300 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

PancreasHead

CS Tumor Size/Ext Eval

See Standard Table

PancreasHead**CS Lymph Nodes**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Celiac Gastroepiploic (gastro-omental), left Hepatic Infrapyloric (subpyloric) Lateral aortic (lumbar) Peripancreatic, NOS: Anterior, NOS: Anterior pancreaticoduodenal Anterior proximal mesenteric Pyloric Inferior to the head and body of pancreas Posterior, NOS: Pericholedochal (common bile duct) Posterior pancreaticoduodenal Posterior proximal mesentery Superior to the head and body of pancreas Retroperitoneal Superior mesenteric Regional lymph node(s), NOS Stated as N1, NOS	N1	N1	RN	RN
200	Pancreaticosplenic (pancreaticolienal) Splenic (lienal), NOS Superior hilum Suprapancreatic	N1	N1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

PancreasHead**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

PancreasHead**Reg LN Exam**

See Standard Table

**PancreasHead
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) (includes seeding of peritoneum, even if limited to the lesser sac region; positive peritoneal cytology) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U