

Maxillary Sinus**C31.0**

C31.0 Maxillary sinus

Note: Laterality must be coded for this site.**SinusMaxillary****CS Tumor Size**

See Standard Table

SinusMaxillary**CS Extension****Note 1:** Use code 300 for localized tumor ONLY if no information is available to assign code 100.**Note 2:** Code Base of skull NOS only if no information available to code to more specific bony structures in skull.**Note 3:** Use code 665, 685, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor confined to mucosa of maxillary antrum (sinus) WITHOUT erosion or destruction of bone Stated as T1 with no other information on extension	T1	T1	L	L
300	Localized, NOS	T1	T1	L	L
400	Tumor causing bone erosion or destruction Excluding extension to: Posterior wall of maxillary sinus (see code 600) Pterygoid plates (see code 680) Including: Palatine bone, hard palate Middle nasal meatus Nasal cavity (floor, lateral wall, septum, turbinates) Stated as T2 with no other information on extension	T2	T2	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	Ethmoid sinus, anterior Floor or medial wall of orbit Floor or posterior wall of maxillary sinus Maxilla NOS Subcutaneous tissues	T3	T3	RE	RE
650	OBSOLETE DATA CONVERTED V0200 Remove redundant codes, see code 600 Bone of the posterior wall of maxillary sinus Invasion of maxilla, NOS	ERROR	ERROR	ERROR	ERROR
660	Ethmoid sinus, posterior Ethmoid sinus NOS Pterygoid fossa	T3	T3	RE	RE
665	Stated as T3 with no other information on extension	T3	T3	RE	RE
675	Base of skull NOS	T4a	T4a	RE	RE
680	Anterior orbital contents Skin of cheek Pterygoid plates Infratemporal fossa Cribriform plate Sphenoid sinus Frontal sinus	T4a	T4a	RE	RE
685	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
700	OBSOLETE DATA RETAINED V0200 Note: Base of skull moved to code 675, orbital contents to code 680	ERROR	T4b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Pterygomaxillary fossa Temporal fossa Soft palate	ERROR	T4b	RE	RE
710	Pterygomaxillary fossa Temporal fossa Soft palate	T4b	T4b	RE	RE
750	Further contiguous extension including: Orbital apex Dura Brain Middle cranial fossa Cranial nerves (other than V2, maxillary division of trigeminal nerve) Nasopharynx Clivus	T4b	T4b	RE	RE
800	Further contiguous extension	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	RE	RE
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

SinusMaxillary
CS Tumor Size/Ext Eval
See Standard Table

SinusMaxillary CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 6: Levels III and IV nodes moved from code 100 in CSV1 to code 120.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Other groups: Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
120	Single positive ipsilateral regional node: Level III node - Middle jugular	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	<p>Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid</p>	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Preparotid Parapharyngeal Retroauricular Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH or WITHOUT nodes listed in code 100)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes listed in code 100: Positive ipsilateral node(s), not stated if single or multiple or regional	^	*	RN	RN
320	Regional lymph nodes listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500	Regional lymph nodes listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
520	Regional lymph nodes listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2, NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100, 120, 200, 220, 300, 320, 400, 420, 500, 520 and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

* For codes 100, 120, 200, 220, 300, 320, 400, 420, 500, 520 and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

SinusMaxillary

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

SinusMaxillary

Reg LN Exam

See Standard Table

SinusMaxillary CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U