

**Supraglottic Larynx****C32.1**

## C32.1 Supraglottis

**Note:** Excludes Anterior Surface of Epiglottis - see separate schema (C10.1).

**LarynxSupraglottic****CS Tumor Size**

See Standard Table

**LarynxSupraglottic****CS Extension**

**Note 1:** Use code 450 for localized tumor ONLY if no information is available to assign codes 100 through 400.

**Note 2:** Use code 685, 735, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor with normal vocal cord mobility confined to: Supraglottis (one subsite): Aryepiglottic fold Arytenoid cartilage Corniculate cartilage Cuneiform cartilage Epilarynx, NOS False cords Ventricular bands Ventricular cavity Ventricular fold Infrahyoid epiglottis Laryngeal cartilage, NOS Laryngeal (posterior) surface of epiglottis Suprahyoid epiglottis (including tip, lingual {anterior} and laryngeal surfaces) Stated as T1 with no further information on extension	T1	T1	L	L
200	Tumor involves more than one	T2	T2	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200 cont'd	subsite of supraglottis as listed in code 100 WITHOUT fixation of larynx or NOS	T2	T2	L	L
230	Tumor involves glottis WITHOUT fixation of larynx or NOS	T2	T2	L	L
250	Involvement of any structures in supraglottic larynx (code 100) and larynx with impaired vocal cord mobility	T2	T2	L	L
300	OBSOLETE DATA RETAINED V0200  Tumor involves adjacent region(s) of larynx	ERROR	T2	L	L
320	Tumor involves regions outside supraglottis, including: Mucosa of base of tongue Vallecula Medial wall of pyriform sinus WITHOUT fixation of larynx or NOS	T2	T2	RE	RE
350	OBSOLETE DATA RETAINED V0200  Impaired mobility split between codes 250 and 360, improved mapping Impaired vocal cord mobility	T2	T2	L	L
360	Involvement of any structures in code 320 with impaired vocal cord mobility	T2	T2	RE	RE
375	Stated as T2 with no other	T2	T2	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
375 cont'd	information on extension	T2	T2	L	L
390	Involvement of subglottis WITHOUT vocal cord fixation	T3	T3	L	L
395	390 + 320 (Subglottis + any structure in code 320 WITHOUT vocal cord fixation)	T3	T3	RE	RE
400	Involvement of any structures in supraglottis (code 100), glottis, and subglottis WITH vocal cord fixation	T3	T3	L	L
450	Localized, NOS	T1	T1	L	L
520	Paraglottic space WITHOUT vocal cord fixation	T3	T3	RE	RE
600	OBSOLETE DATA RETAINED V0200 Improved mapping, see code 320  Tumor involves region outside the supraglottis WITHOUT fixation, including:  Medial wall pyriform sinus Mucosa of base of tongue Vallecula	ERROR	T2	RE	RE
620	OBSOLETE DATA RETAINED V0200  Code 600 WITH fixation	ERROR	T3	RE	RE
625	Involvement of any structures in codes 320 or 520 WITH vocal cord fixation	T3	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650	Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues	T3	T3	RE	RE
660	Deep base of tongue	T3	T3	RE	RE
670	OBSOLETE DATA CONVERTED V0200 See code 690 Cricoid cartilage	ERROR	ERROR	ERROR	ERROR
680	Minor thyroid cartilage erosion (e.g., inner cortex)	T3	T3	RE	D
685	Stated as T3 with no other information on extension	T3	T3	RE	RE
690	Cricoid cartilage	T4a	T4a	RE	RE
695	690 + 680 (Cricoid cartilage + Minor thyroid cartilage erosion)	T4a	T4a	RE	D
700	Extension to/through: Esophagus Oropharynx Soft tissues of neck Thyroid cartilage (except minor erosion, see code 680) Thyroid gland	T4a	T4a	D	D
720	Extension to/through: Strap muscle(s) Omohyoid Sternohyoid Sternothyroid Thyrohyoid Skin	T4a	T4a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
730	Extension to/through: Deep extrinsic muscle of tongue Trachea	T4a	T4a	D	D
735	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
800	Further contiguous extension, including: Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	ERROR	T4b	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**LarynxSupraglottic**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging. Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 6:** Level III nodes have been moved from code 100 in CSV1 to code 110. Level IV nodes have been added to code 120.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level II node-Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS: Regional lymph node, NOS	^	*	RN	RN
110	Single positive ipsilateral regional node: Level I Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level III - Middle jugular Middle deep cervical Retropharyngeal	^	*	D	RN
120	Single positive ipsilateral regional node: Level IV - Lower jugular	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	<p>Jugulo-omohyoid (supraomohyoid)</p> <p>Lower deep cervical Virchow node</p> <p>Level V node - Posterior triangle group</p> <p>Level VA - Spinal accessory</p> <p>Level VB - Transverse cervical, supraclavicular (see Note 4)</p> <p>Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX)</p> <p>Esophageal groove</p> <p>Paratracheal - below suprasternal notch</p> <p>Pretracheal - below suprasternal notch</p> <p>Other groups:</p> <p>Facial:</p> <p>Buccinator (buccal)</p> <p>Mandibular</p> <p>Nasolabial</p> <p>Parotid:</p> <p>Infraauricular</p> <p>Intraparotid</p> <p>Periparotid</p> <p>Preparotid</p> <p>Parapharyngeal</p> <p>Retroauricular (mastoid)</p> <p>Suboccipital</p>	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
210	Multiple positive ipsilateral nodes, any listed in code 110 (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	Regional lymph nodes listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN
320	Regional lymph nodes listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
410	Regional lymph nodes, any listed in code 110: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
420	Regional lymph nodes, any listed in	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420 cont'd	code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Regional lymph nodes, any listed in code 110: delete any Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Regional lymph nodes, any listed in code 120: delete any Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

---

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table Lymph Nodes Size Table, for this site.

\* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table Lymph Nodes Size Table, for this site.

**LarynxSupraglottic****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment

**See Standard Table**

**LarynxSupraglottic****Reg LN Exam**

**See Standard Table**

### LarynxSupraglottic CS Mets at DX

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U