

Malignant Melanoma of Supraglottic Larynx**C32.1**

(M-8720-8790)

C32.1 Supraglottis

MelanomaLarynxSupraglottic**CS Tumor Size****See Standard Table****MelanomaLarynxSupraglottic****CS Extension**

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use code 275 for localized tumor ONLY if no information is available to assign code 105, 205, 250, or 355.

Note 4: Use code 355, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	NA	NA	IS	IS
100	<p>OBSOLETE DATA RETAINED V0200 Invasive tumor with normal vocal cord mobility confined to:</p> <ul style="list-style-type: none"> Supraglottis (one subsite) <ul style="list-style-type: none"> Aryepiglottic fold Arytenoid cartilage Corniculate cartilage Cuneiform cartilage Epilarynx, NOS False cords <ul style="list-style-type: none"> Ventricular bands Ventricular cavity Ventricular fold Infrahyoid epiglottis Laryngeal cartilage, NOS Laryngeal (posterior) surface of epiglottis <ul style="list-style-type: none"> Suprahyoid epiglottis (including tip, lingual {anterior} and laryngeal surfaces) 	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105	Tumor confined to mucosa of supraglottis with normal vocal cord mobility Supraglottis (one subsite) Aryepiglottic fold Arytenoid cartilage Corniculate cartilage Cuneiform cartilage Epilarynx, NOS False cords Ventricular bands Ventricular cavity Ventricular fold Infrahyoid epiglottis Laryngeal cartilage, NOS Laryngeal (posterior) surface of epiglottis Suprahyoid epiglottis (including tip, lingual {anterior} and laryngeal surfaces)	T3	NA	L	L
200	OBSOLETE DATA RETAINED V0200 Tumor involves more than one subsite of supraglottis WITHOUT fixation or NOS	ERROR	NA	L	L
205	Tumor involves mucosa of more than one subsite of supraglottis as listed in code 100 without impaired vocal cord mobility or fixation of larynx or NOS	T3	NA	L	L
250	Tumor involves mucosa of glottic larynx or subglottis WITHOUT impaired vocal cord mobility or fixation of larynx or NOS	T3	NA	L	L
275	Localized NOS	T3	NA	L	L
300	OBSOLETE DATA RETAINED V0200	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	Tumor involves adjacent regions(s) of larynx	ERROR	NA	RE	RE
305	Tumor involves mucosa of adjacent regions(s) outside supraglottis including: Mucosa of base of tongue Vallecula Medial wall of pyriform sinus without impaired vocal cord mobility or fixation of larynx or NOS	T3	NA	RE	RE
340	Stated as T3 with no other information on extension	T3	NA	L	L
350	OBSOLETE DATA RETAINED V0200 Impaired vocal cord mobility	ERROR	NA	L	L
370	Involvement of deep tissues of any structure in code 105, 205, or 250	T4a	NA	L	L
375	Involvement of any structures in code 105, 205, or 250 with impaired vocal cord mobility	T4a	NA	L	L
400	OBSOLETE DATA RETAINED V0200 Tumor limited to larynx WITH vocal cord fixation	ERROR	NA	L	L
405	Involvement of any structures in supraglottic larynx (code 105), larynx, and subglottic larynx WITH vocal cord fixation	T4a	NA	L	L
410	(370, 375, 405) + 305 (Involvement of any structures in codes 370, 375, or 405, + Mucosal	T4a	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410 cont'd	involvement of any structure in code 305	T4a	NA	RE	RE
420	Involvement of deep tissue of any structure in code 305	T4a	NA	RE	RE
425	Involvement of any structure in code 305 with impaired vocal cord mobility	T4a	NA	RE	RE
450	OBSOLETE DATA RETAINED V0200 Localized, NOS	ERROR	NA	L	L
520	Paraglottic space WITHOUT vocal cord fixation	T4a	NA	RE	RE
530	Minor thyroid cartilage erosion (inner cortex) WITHOUT vocal cord fixation	T4a	NA	RE	D
600	OBSOLETE DATA RETAINED V0200 Tumor involves region outside the supraglottis WITHOUT fixation, including: Medial wall of pyriform sinus Mucosa of base of tongue Vallecula	ERROR	NA	RE	RE
605	Tumor involves further regions outside the supraglottis including deep tissues or musculature without vocal cord fixation: Base of tongue Medial wall pyriform sinus Vallecula Hypopharynx, NOS Pre-epiglottic tissues Postcricoid area Pyriform sinus, NOS	T4a	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
620	Involvement of any structures in codes 520, 530, and 605 WITH vocal cord fixation	T4a	NA	RE	RE
630	605 + 530 (Any structure in code 605+ Minor thyroid cartilage erosion)	T4a	NA	RE	D
650	OBSOLETE DATA CONVERTED V0200 Improved mapping, see code 605 Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues	ERROR	ERROR	ERROR	ERROR
660	OBSOLETE DATA CONVERTED V0200 Improve mapping, see code 605 Deep base of tongue	ERROR	ERROR	ERROR	ERROR
670	Cricoid cartilage	T4a	NA	RE	RE
680	OBSOLETE DATA CONVERTED V0200 Improve mapping, see code 530 Minor thyroid cartilage erosion (e.g., inner cortex)	ERROR	ERROR	ERROR	ERROR
700	Extension to/through Esophagus Oropharynx Soft tissues of neck Thyroid cartilage (except minor erosion, see code 530) Thyroid gland	T4a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
720	Extension to/through: Strap muscle(s) Omohyoid Sternohyoid Sternothyroid Thyrohyoid Skin	T4a	NA	D	D
730	Extension to/through Deep extrinsic muscles of tongue Trachea	T4a	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
800	Contiguous extension, including Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	NA	D	D
801	Further contiguous extension including: Brain Dura Skull base Lower cranial nerves (IX, X, XI, XII) Masticator space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

MelanomaLarynxSupraglottic
CS Tumor Size/Ext Eval
See Standard Table

MelanomaLarynxSupraglottic
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level II node- Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular NOS: Regional lymph node, NOS	N1	NA	RN	RN
110	Positive regional node(s): Level I	N1	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level III - Middle jugular Middle deep cervical Retropharyngeal	N1	NA	D	RN
120	Positive regional node(s): Level IV - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320 cont'd	120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS, no other information	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

MelanomaLarynxSupraglottic**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

MelanomaLarynxSupraglottic**Reg LN Exam**

See Standard Table

MelanomaLarynxSupraglottic**CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U