

**Malignant Melanoma of Subglottic Larynx****C32.2**

(M-8720-8790)

C32.2 Subglottis

**MelanomaLarynxSubglottic****CS Tumor Size**

See Standard Table

**MelanomaLarynxSubglottic****CS Extension**

**Note 1:** AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

**Note 2:** AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

**Note 3:** Use code 310 for localized tumor ONLY if no information is available to assign code 105, 115, 125, 305, or 320.

**Note 4:** Use code 355, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor with normal vocal cord mobility confined to subglottis	ERROR	NA	L	L
105	Tumor confined to mucosa of subglottis with normal vocal cord mobility	T3	NA	L	L
200	Tumor involves mucosa of adjacent region(s) or larynx with normal vocal cord mobility Supraglottis Glottis	T3	NA	L	L
300	OBSOLETE DATA RETAINED V0200 Tumor involves adjacent regions(s) of larynx Vocal cords with normal or impaired mobility	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
310	Localized, NOS	T3	NA	L	L
315	Involvement of mucosa of adjacent regions: Base of tongue Hypopharynx, NOS Pre-epiglottic tissues Postcricoid area Pyriform sinus Vallecula	T3	NA	RE	RE
320	Stated as T3 NOS with no other information on extension	T3	NA	L	L
340	Involvement of deep tissues of any structure in code 105 or 200	T4a	NA	L	L
345	Involvement of any structures in code 105 or 200 with impaired vocal cord mobility	T4a	NA	L	L
400	Tumor limited to larynx WITH vocal cord fixation	T4a	NA	L	L
450	OBSOLETE DATA RETAINED V0200 Localized, NOS	ERROR	NA	L	L
460	(340, 345, 400) + 315 (Involvement of any structures in codes 340, 345, or 400 + Involvement of any structure in code 315)	T4a	NA	RE	RE
500	Involvement of deep soft tissues or musculature of any structure in code 315 without or without vocal cord impairment or fixation of larynx or NOS	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	ERROR	NA	RE	RE
680	Extension to/through cricoid cartilage and thyroid cartilage	T4a	NA	RE	D
700	Extension to/through: Cervical esophagus Deep muscle of tongue (Strap) muscles Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea	T4a	NA	D	D
730	OBSOLETE DATA RETAINED V0200 Contiguous extension to other tissues beyond larynx not specified in codes 700 or 800	ERROR	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
800	Further contiguous extension Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	NA	D	D
801	Further contiguous extension including:	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
801 cont'd	Brain Dura Skull base Lower cranial nerves (IX, X, XI, XII) Masticator space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	NA	D	D
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**MelanomaLarynxSubglottic  
CS Tumor Size/Ext Eval  
See Standard Table**

**MelanomaLarynxSubglottic  
CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Positive regional node(s) Level VI - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS: Regional lymph node, NOS	N1	NA	RN	RN
105	Positive regional node(s): Level II - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical	N1	NA	RN	D
110	Positive regional node(s): Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Retropharyngeal	N1	NA	D	RN
120	Positive regional node(s): Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical,	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	supraclavicular (see Note 3) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes	ERROR	NA	D	RN

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
210 cont'd	listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED V0200  Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200  Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400 cont'd	Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200  Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN
520	OBSOLETE DATA RETAINED V0200  Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200  Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200  Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS, no other information	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**MelanomaLarynxSubglottic****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

**MelanomaLarynxSubglottic****Reg LN Exam**

**See Standard Table**

**MelanomaLarynxSubglottic****CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U