

**Malignant Melanoma of Skin, Vulva, Penis, Scrotum****C44.0-C44.9, C51.0-C51.2, C51.8-C51.9, C60.0-C60.2, C60.8-C60.9, C63.2**

(M-8720-8790)

C44.0 Skin of lip, NOS

C44.1 Eyelid

C44.2 External ear

C44.3 Skin of other and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis

C63.2 Scrotum, NOS

**Note 1:** Laterality must be coded for C44.1-C44.3, and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 5, midline, in the laterality field.

**Note 2:** For melanoma of sites other than those above, use the site-specific schema for the appropriate site.

**Note 3:** The level of invasion, as defined by Dr. Wallace Clark, is used when defining subcategories of T1 melanomas, but not for thicker melanoma (i.e., T2, T3 or T4).

**MelanomaSkin****CS Tumor Size****See Standard Table**

**MelanomaSkin****CS Extension**

**Note 1:** If there is a discrepancy between the Clark level and the pathologic description of extent, use the higher (more extensive) code.

**Note 2:** Satellite lesions/nodules or in-transit metastases are coded under CS Lymph Nodes.

**Note 3:** Ulceration of the melanoma is coded in Site-Specific Factor 2.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ: noninvasive; intraepidermal Clark's level I Basement membrane of the epidermis is intact	Tis	Tis	IS	IS
100	Papillary dermis invaded Clark's level II	^	*	L	L
200	Papillary-reticular dermal interface invaded Clark's level III	^	*	L	L
300	Reticular dermis invaded Clark's level IV	^	*	L	L
400	Skin/dermis, NOS Localized, NOS	^	*	L	L
500	Subcutaneous tissue invaded (through entire dermis) Clark's level V	^	*	L	RE
800	Further contiguous extension: Underlying cartilage, bone, skeletal muscle	^	*	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed (e.g., shave biopsy or regressed melanoma) Not documented in patient record	^	*	U	U

^ For Extension codes 100-800 and 999 ONLY, the T category for AJCC 7th Edition staging is assigned based on the values of CS Site-Specific Factor 1, Measured Thickness, CS Site-Specific Factor 2, Ulceration, and for certain cases CS Site-Specific Factor 7, Primary Tumor Mitotic Count/Rate, as shown in the Thickness and Ulceration AJCC 7 table.

\* For Extension codes 100-800, and 999 ONLY, the T category for AJCC 6th Edition staging is assigned based on the values of CS Site-Specific Factor 1, Measured Thickness, and CS Site-Specific Factor 2, Ulceration, as shown in the Thickness and Ulceration AJCC 6 table.

## MelanomaSkin

### CS Tumor Size/Ext Eval

See Standard Table

## MelanomaSkin

### CS Lymph Nodes

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

**Note 2:** Satellite lesions/nodules or in-transit metastases are coded under CS Lymph Nodes.

**Note 3:** Use codes 100-120 if there is regional node involvement without satellite nodule(s) or in-transit metastases. Use codes 130-150 if there are satellite nodule(s) or in-transit metastases but there is either no regional lymph node involvement, or involvement of regional nodes is not stated. Use codes 200-220 if satellite nodules(s)/in-transit metastases and regional lymph node(s) are present.

**Note 4:** According to AJCC, "there is no lower threshold of tumor burden defining the presence of regional nodal metastasis. Specifically, nodal tumor deposits less than 0.2 mm in diameter (previously used as the threshold for defining nodal metastasis), are included in the staging of nodal disease as a result of the consensus that smaller volumes of metastatic tumor are still clinically significant". This means that any finding of melanoma in lymph nodes, regardless of size and including Isolated Tumor Cells (ITCs) should be coded positive lymph nodes in this field.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes by primary site: (includes bilateral or contralateral nodes for head, neck, and trunk) HEAD AND NECK SITES: All subsites: Cervical, NOS Lip: Mandibular, NOS: Submandibular(submaxillary) Eyelid/canthus: Facial, NOS:	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular External ear/auditory canal: Mastoid (post-/retro-auricular) (occipital) Preauricular Face, Other (cheek, chin forehead, jaw, nose and temple): Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Scalp: Mastoid (post-/retro-auricular) (occipital) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Neck: Axillary Mandibular, NOS Mastoid (post-/retro-auricular) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) UPPER TRUNK:	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Axillary Cervical Internal mammary Supraclavicular LOWER TRUNK: Superficial inguinal (femoral) ARM/SHOULDER: Axillary Epitrochlear for hand/forearm Spinal accessory (posterior cervical) for shoulder LEG/HIP: Popliteal for heel and calf Superficial inguinal (femoral) VULVA/PENIS/SCROTUM: Deep inguinal: Rosenmuller or Cloquet node Superficial inguinal (femoral) ALL SITES: Regional lymph node(s), NOS	^	*	RN	RN
120	Regional lymph node(s) by primary site: HEAD AND NECK SITES: Lip: Facial, NOS Buccinator (buccal) Nasolabial Mandibular, NOS Submental Parotid, NOS Infra-auricular Preauricular Eyelid/canthus: Facial, NOS: Mandibular, NOS Submental Face, Other (cheek, chin, forehead, jaw, nose, and temple): Mandibular, NOS Submental Neck:	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Mandibular, NOS Submental	^	*	D	RN
125	Stated as N1 [NOS] with no other information on nodes	N1NOS	N1NOS	RN	RN
130	Satellite nodule(s) or in-transit metastases, NOS (distance from primary tumor not stated) WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	N2c	RE	RE
140	Satellite nodule(s) or in-transit metastases less than or equal to 2cm from primary tumor WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	N2c	RE	RE
150	Satellite nodule(s) or in-transit metastases greater than 2cm from primary tumor WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	N2c	RE	RN
155	Stated as N2 [NOS] with no other information on nodes	N2NOS	N2NOS	RN	RN
170	Matted lymph nodes in code 100	N3	N3	RN	RN
180	Matted lymph nodes in code 120	N3	N3	D	RN
200	Satellite nodule(s) or in-transit metastases WITH regional lymph nodes listed in code 100.	N3	N3	RE+RN	RE+RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220	Satellite nodule(s) or in-transit metastases WITH regional lymph nodes listed in code 120.	N3	N3	D	RE+RN
225	Stated as N3 with no other information on nodes	N3	N3	RN	RN
800	Lymph nodes, NOS	^	*	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100, 120, and 800 ONLY, the N category depends on the values in Reg LN Pos and SSF 3, as shown in the CS Nodes Pos and Clinical Status table.

\* For codes 100, 120, and 800 ONLY, the N category depends on the values in Reg LN Pos and SSF 3, as shown in the CS Nodes Pos and Clinical Status table.

### MelanomaSkin

#### Reg LN Pos

**Note 1:** Record this field even if there has been preoperative treatment.

**Note 2:** Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Pos in this field.

**See Standard Table**

### MelanomaSkin

#### Reg LN Exam

**Note:** Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Exam in this field.

**See Standard Table**

**MelanomaSkin  
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
05	Metastases to underlying cartilage, bone, skeletal muscle (excluding direct extension)	^	*	D	D
10	Distant lymph node(s)	^	*	D	D
40	OBSOLETE DATA CONVERTED V0200 See code 60 Distant metastasis, NOS	ERROR	ERROR	ERROR	ERROR
42	Metastases to skin or subcutaneous tissue beyond regional lymph nodes	^	*	D	D
43	Lung	^	*	D	D
44	All other visceral sites Carcinomatosis Other distant sites	M1c	M1c	D	D
52	10 + 42 (Metastases to distant nodes + Skin or subcutaneous tissue beyond nodes)	^	*	D	D
53	10 + 43 (Metastases to distant nodes + Lung)	^	*	D	D
54	10 + 44	M1c	M1c	D	D

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
54 cont'd	(Metastases to distant nodes + All other visceral sites)	M1c	M1c	D	D
60	Distant metastasis, NOS Stated as M1 [NOS] with no other information on metastasis	M1NOS	M1NOS	D	D
99	Unknown Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

^ For codes 05, 10, 40, 42, 43, 52 and 53 ONLY, the M category is assigned based on the status of serum LDH as coded in Site-Specific Factor 4 LDH table and shown in the Mets at DX and LDH table.

\* For codes 05, 10, 40, 42, 43, 52 and 53 ONLY, the M category is assigned based on the status of serum LDH as coded in Site-Specific Factor 4 LDH table and shown in the Mets at DX and LDH table.