

Vulva [Merkel Cell Carcinoma only]**C51.0-C51.2, C51.8-C51.9**

(M-8247)

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

Note 1: This schema is used for Merkel Cell.

Note 2: The AJCC 7th edition stages cancer of the perineum with vulva. Cancer of the perineum can be coded to several different primary site codes each of which includes sites other than perineum. In addition, basal and squamous cell carcinomas of the skin of the perineum would be coded to C44.5 and would not be reportable. Involvement of the vulva and perineum should be assigned to vulva as the primary site in the absence of a statement that the tumor extended from the perineum to the vulva. CS only includes C51.0-C51.9 (vulva) and does not include primaries of the perineum in this schema.

MerkelCellVulva**CS Tumor Size**

Note: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the physician's statement of the T category, assign code 992, 995 or 996.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"

Code	Description
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T2 with no other information on size
996	Described as "greater than 5 cm" Stated as T3 with no other information on size
999	Unknown; size not stated Not documented in patient record

MerkelCellVulva**CS Extension**

Note: The depth of invasion is defined as the measurement of the tumor from the epithelial-stromal junction of the adjacent most superficial dermal papilla to the deepest point of invasion.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ: Noninvasive; intraepithelial Bowen's disease, intraepidermal; preinvasive carcinoma	Tis	Tis	IS	IS
100	Invasive cancer (no stromal invasion) confined to: Musculature Submucosa Vulva including skin	^	*	L	L
105	Vulva only: Stromal invasion but level of invasion in mm not stated	^	*	L	L
110	Vulva only: Stromal invasion less than or equal to 1 mm	^	*	L	L
120	Vulva only: Stromal invasion greater than 1 mm	^	*	L	L
300	Localized, NOS	^	*	L	L
400	Vulva and perineum, level of	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400 cont'd	invasion in mm not stated	^	*	RE	RE
410	Vulva and perineum, stromal invasion less than or equal to 1 mm	^	*	RE	RE
420	Vulva and perineum, stromal invasion greater than 1 mm	^	*	RE	RE
600	OBSOLETE DATA RETAINED V0200 Anus Perianal skin Urethra (See code 750 for upper urethral mucosa) Vagina	ERROR	T3	RE	RE
605	Anus Perianal skin Urethra (lower/distal 1/3 urethra or not stated) (See code 750 for upper urethra)	T2	T3	RE	RE
610	Vagina (lower/distal 1/3 vagina)	T2	T3	RE	RE
612	Vagina NOS	T2	T3	RE	RE
618	Vagina (upper/proximal 2/3 vagina)	T3	T3	RE	RE
620	Bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	T3	D	RE
700	Perineal body Rectal mucosa	T4	T4	D	D
750	OBSOLETE DATA RETAINED V0200	ERROR	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	Bladder mucosa Fixed to pubic bone Upper urethral mucosa	ERROR	T4	D	D
760	Bladder mucosa Urethra (upper/proximal 2/3 urethra)	T4	T4	D	D
770	Fixed to pubic bone Underlying cartilage, bone, skeletal muscle	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

* For CS Extension codes 100, 105, 110, 120, 300, 400, 410, and 420 ONLY, the T category is assigned based on the value of Tumor Size and CS Extension, as shown in the AJCC 6th Extension Size Table for this schema.

^ For CS Extension codes 100, 105, 110, 120, 300, 400, 410, and 420 ONLY the T category is assigned based on the value of Tumor Size and CS Extension, as shown in the AJCC 7th Extension Size Table for this schema.

MerkelCellVulva
CS Tumor Size/Ext Eval
See Standard Table

MerkelCellVulva**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX. The regional nodes are inguinal or femoral: inguinal, NOS; deep inguinal, NOS; Node of Cloquet or Rosenmuller (highest deep inguinal); and superficial inguinal (femoral) and regional lymph nodes [NOS].

Note 2: In-transit metastasis is defined as a tumor distinct from the primary lesion and located either between the primary lesion and the draining regional lymph nodes or distal to the primary lesion. In-transit metastasis is coded in the CS Lymph Nodes field.

Note 3: According to AJCC, "there is no lower threshold of tumor burden defining the presence of regional nodal metastasis. Specifically, nodal tumor deposits less than 0.2 mm in diameter (previously used as the threshold for defining nodal metastasis), are included in the staging of nodal disease as a result of the consensus that smaller volumes of metastatic tumor are still clinically significant". This means that any finding of Merkel cell carcinoma in lymph nodes, regardless of size and including isolated tumor cells (ITCs), should be coded positive lymph nodes in this field.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Unilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS (unilateral) FIGO Stage III	ERROR	N1	RN	RN
105	Unilateral or bilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110	Stated as N1a with no other information on regional lymph nodes	N1a	N1	RN	RN
120	Stated as N1b with no other information on regional lymph nodes	N1b	N1	RN	RN
130	Stated as N1 [NOS] with no other information on regional lymph nodes	N1NOS	N1	RN	RN
500	OBSOLETE DATA RETAINED V0200 Bilateral or contralateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS (bilateral/contralateral) FIGO Stage IVA	ERROR	N2	RN	RN
520	In-transit metastasis WITHOUT regional lymph node involvement or involvement of regional lymph nodes not stated (see Note 2)	N2	*	RN	RN
540	In-transit metastasis WITH regional lymph nodes listed in code 105 (see Note 2)	N2	*	RN	RN
600	Regional lymph node(s), NOS	^	N1	RN	RN
800	Lymph nodes, NOS	^	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 105, 600, and 800 ONLY, the N category for AJCC 7th Edition is assigned based on the value of Site-Specific Factor 3, Clinical Status of Lymph Node Mets, as shown in the CS Lymph Nodes and Clinical Status table.

* CS Lymph node codes 105, 520, and 540 are used in conjunction with CS Site Specific Factor 11 (Regional Lymph Node - Laterality) to determine the N code for AJCC 6th edition - see CS AJCC 6th CS Lymph Nodes and SSF 11 Table.

MerkelCellVulva

Reg LN Pos

Note: Record this field even if there has been preoperative treatment

See Standard Table

MerkelCellVulva

Reg LN Exam

See Standard Table

MerkelCellVulva

CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1a	M1	D	D
11	Distant lymph node(s): External iliac	M1a	M1	RN	D
12	Distant lymph node(s): Internal iliac (hypogastric) Obturator Pelvic, NOS	M1a	M1	D	D
13	Distant lymph node(s) other than code 11 and 12, including common iliac	M1a	M1	D	D
15	Metastasis to skin or subcutaneous tissue	M1a	M1	D	D
20	Stated as M1a with no other information on distant metastases	M1a	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
30	Lung	M1b	M1	D	D
35	30 + (any of 10-15) Metastasis to lung plus distant lymph node(s) or skin or subcutaneous tissue	M1b	M1	D	D
37	Stated as M1b with no other information on distant metastases	M1b	M1	D	D
40	OBSOLETE DATA RETAINED V0200 Distant metastases other than distant lymph node(s)(codes 10 to 13) Distant metastasis, NOS Carcinomatosis	ERROR	M1	D	D
45	All other visceral sites Distant metastases other than distant lymph node(s), skin, subcutaneous tissue, or lung (codes 10-15, 30) Carcinomatosis	M1c	M1	D	D
50	OBSOLETE DATA RETAINED V0200 (40) + any of [(10) to (13)] Distant lymph node(s) plus other distant metastases	ERROR	M1	D	D
55	45 + (any of 10-15, 30) Metastasis to other visceral sites plus any of distant lymph node(s), skin, subcutaneous tissues, or lung	M1c	M1	D	D
57	Stated as M1c with no other information on distant metastases	M1c	M1	D	D
60	Distant metastasis, NOS Stated as M1 [NOS] with no other information on distant metastases	M1NOS	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U