

Vagina**C52.9**

C52.9 Vagina, NOS

Vagina**CS Tumor Size**

See Standard Table

Vagina**CS Extension**

Note 1: According to AJCC, pelvic wall is defined as muscle, fascia, neurovascular structures, or skeletal portions of the bony pelvis

Note 2: FIGO no longer includes Stage 0 (Tis) for this schema.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ: noninvasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive cancer confined to Submucosa (stroma) (vagina) FIGO Stage I	T1	T1	L	L
200	Musculature involved	T1	T1	L	L
300	Localized, NOS	T1	T1	L	L
400	OBSOLETE DATA RETAINED V0200 Cervix Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva FIGO Stage II	ERROR	T2	RE	RE
410	Cervix	T2	T2	RE	RE
420	Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva	T2	T2	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500	Cul de sac (rectouterine pouch)	T2	T2	RE	RE
510	FIGO Stage II	T2	T2	RE	RE
520	Extension to bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	T3	D	RE
600	Extension to pelvic wall Described clinically as "frozen pelvis", NOS FIGO Stage III	T3	T3	D	RE
700	Extension to bladder mucosa (excluding bullous edema) or rectal mucosa	T4	T4	D	D
800	Extension beyond true pelvis Extension to urethra	T4	T4	D	D
850	FIGO Stage IVA	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Vagina**CS Tumor Size/Ext Eval**

See Standard Table

Vagina**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field CS Mets at DX. For lower vagina, iliac (common, external, internal (hypogastric), and NOS), and pelvic, NOS lymph nodes are coded in CS Mets at DX. For upper two thirds of vagina, inguinal and femoral lymph nodes are coded in CS Mets at DX. Code 150 takes priority over 400.

Note 2: Code 100 needs to be reviewed and coded to 150 if the primary is in the upper two thirds; coded to 425 if it is unknown whether the primary is in the upper two thirds or lower one third; and coded to 20 in CS Mets at DX if it is in the lower one third.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA REVIEWED AND CHANGED V0200 All parts of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	ERROR	ERROR	ERROR	ERROR
150	Upper two thirds of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	N1	RN	RN
200	Lower third of vagina, regional nodes: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	D	RN
300	Lower third of vagina, regional nodes:	N1	N1	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	D	RN
400	Upper two-thirds of vagina, regional nodes: Pelvic lymph node(s), NOS	N1	N1	D	RN
425	Unknown whether primary is in upper or lower vagina: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	N1	RN	RN
430	Unknown whether primary is in upper or lower vagina: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	RN	RN
450	Unknown whether primary is in upper or lower vagina: Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	RN	RN
475	Unknown whether primary is in upper or lower vagina: Pelvic lymph nodes, NOS	N1	N1	D	RN
500	Unknown whether primary is in upper or lower vagina: Regional lymph node(s), unknown whether primary is in upper or lower vagina Regional lymph node(s), NOS Regional lymph node(s), NOS	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

Vagina**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

Vagina**Reg LN Exam**

See Standard Table

Vagina**CS Mets at DX**

Note: CS Lymph Node code 100 needs to be reviewed and coded to 150 if the primary is in the upper two thirds; coded to 425 if it is unknown whether the primary is in the upper two thirds or lower one third; and coded to 20 in CS Mets at DX if it is in the lower one third of the vagina. This is a correction in CS based on AJCC 6th and 7th editions.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	M1	D	D
11	OBSOLETE DATA RETAINED V0200 Distant lymph nodes: Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	ERROR	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
12	OBSOLETE DATA RETAINED V0200 Distant lymph node(s) other than code 11	ERROR	M1	D	D
20	Distant lymph nodes (for primary in lower third of vagina): Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	M1	M1	D	D
22	Distant lymph nodes (for primary in lower third of vagina): Pelvic lymph nodes, NOS	M1	M1	D	D
25	OBSOLETE DATA RETAINED V0200 Distant lymph nodes: Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	ERROR	M1	D	D
27	Distant lymph nodes (for primary in upper two-thirds of vagina): Ipsilateral or bilateral or laterality unknown: Inguinal, NOS: Superficial inguinal (femoral)	M1	M1	D	D
30	Distant lymph nodes: Aortic, NOS: Lateral (lumbar)	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
30 cont'd	Para-aortic Periaortic Retroperitoneal, NOS	M1	M1	D	D
35	Distant lymph node(s) other than code 11-30	M1	M1	D	D
40	Distant metastases except distant lymph nodes (Codes 10 to 35) FIGO Stage IVB Carcinomatosis	M1	M1	D	D
50	OBSOLETE DATA RETAINED V0200 (40) + any of [(10) to (12)] Distant lymph node(s) plus other distant metastases	ERROR	M1	D	D
55	(40) + any of [(10) to (35)] Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U