

**Ovary****C56.9**

C56.9 Ovary

**Note:** Laterality must be coded for this site.**Ovary****CS Tumor Size****See Standard Table****Ovary****CS Extension****Note 1:** Ascites WITH malignant cells changes FIGO stages I and II to IC and IIC, respectively. Ascites, NOS is considered negative.**Note 2:** Both extension to and discontinuous metastasis to any of the following pelvic organs is considered FIGO Stage II and coded in the range 500-650: adnexae, NOS; bladder, bladder serosa; broad ligament (mesovarium); cul-de-sac; fallopian tubes; parametrium; pelvic peritoneum; pelvic wall; rectum; sigmoid colon; sigmoid mesentery; ureter; uterus; uterine serosa.**Note 3:** Peritoneal implants outside the pelvis (codes 700-730) must be microscopically confirmed. Peritoneal implants may also be called seeding, salting, talcum powder appearance, or studding.**Note 4:** If implants are mentioned, determine whether they are in the pelvis or in the abdomen and code appropriately (600-640) or (700-730). If the location is not specified, code as 750.**Note 5:** Both extension to and discontinuous metastasis to any of the following abdominal organs is considered FIGO Stage III and coded in the range 700-750: abdominal mesentery; diaphragm; gallbladder; infracolic omentum; kidneys; large intestine except rectum and sigmoid colon; liver (peritoneal surface); omentum; pancreas; pericolic gutter; peritoneum, NOS; small intestine; spleen; stomach; ureters.**Note 6:** Excludes parenchymal liver nodules, which are coded in CS Mets at DX.**Note 7:** Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Stage Guide, it is unclear to which stage previous cases may have been coded.**Note 8:** In some registries benign/borderline ovarian tumors are reportable by agreement. If the tumor being reported is benign or borderline, code CS Extension to 999.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; pre-invasive; non-invasive; intraepithelial	TX	TX	IS	IS
100	Tumor limited to one ovary, capsule intact, no tumor on ovarian surface, no malignant cells in ascites or peritoneal washings	T1a	T1a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
150	FIGO Stage IA	T1a	T1a	L	L
200	Tumor limited to both ovaries, capsule(s) intact, no tumor on ovarian surface, no malignant cells in ascites or peritoneal washings	T1b	T1b	L	L
250	FIGO Stage IB	T1b	T1b	L	L
300	Tumor limited to ovaries, unknown if capsule(s) ruptured or if one or both ovaries involved Localized, NOS FIGO Stage I, NOS	T1NOS	T1NOS	L	L
350	Tumor limited to ovary(ies), capsule(s) ruptured	T1c	T1c	L	RE
360	Tumor on ovarian surface	T1c	T1c	D	RE
410	Tumor limited to ovary(ies) WITH malignant cells in ascites or peritoneal washings	T1c	T1c	RE	RE
430	410 + 350	T1c	T1c	RE	RE
440	(360) + any of [350 or 410]	T1c	T1c	D	RE
450	FIGO Stage IC	T1c	T1c	RE	RE
500	Extension to or implants on (but no malignant cells in ascites or peritoneal washings): Adnexa, NOS, ipsilateral or NOS Fallopian tube(s), ipsilateral or NOS	T2a	T2a	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520	Extension to or implants on (but no malignant cells in ascites or peritoneal washings): Adnexa, NOS, contralateral Fallopian tube(s), contralateral Uterus	T2a	T2a	D	RE
550	FIGO Stage IIA	T2a	T2a	RE	RE
600	Extension to or implants on other pelvic structures (but no malignant cells in ascites or peritoneal washings): Pelvic tissue: Adjacent peritoneum Ligament(s): Broad, ipsilateral, NOS Ovarian Round Suspensory Mesovarium, ipsilateral, NOS Pelvic wall	T2b	T2b	RE	RE
610	Extension to or implants on other pelvic structures (but no malignant cells in ascites or peritoneal washings): Broad ligament(s), contralateral Mesovarium, contralateral Bladder, Bladder serosa Cul-de-sac Parametrium Rectum Sigmoid colon Sigmoid mesentery Ureter	T2b	T2b	D	RE
615	FIGO Stage IIB	T2b	T2b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
620	[(500) and/or (600)] WITH malignant cells in ascites or peritoneal washings	T2c	T2c	RE	RE
630	[(520 and/or 600)] WITH malignant cells in ascites or peritoneal washings	T2c	T2c	D	RE
640	(610) WITH malignant cells in ascites or peritoneal washings	T2c	T2c	D	RE
645	FIGO Stage IIC	T2c	T2c	D	RE
650	Tumor involves one or both ovaries with pelvic extension, NOS	T2NOS	T2NOS	RE	RE
660	FIGO Stage II [NOS]	T2NOS	T2NOS	RE	RE
700	Microscopic peritoneal implants beyond pelvis, including peritoneal surface/capsule of liver FIGO Stage IIIA (See Note 5)	T3a	T3a	D	D
710	Macroscopic peritoneal implants beyond pelvis, less than or equal to 2 cm in diameter, including peritoneal surface of liver FIGO Stage IIIB (See Note 5)	T3b	T3b	D	D
720	Peritoneal implants beyond pelvis, greater than 2 cm in diameter, including peritoneal surface of liver (liver capsule) FIGO Stage IIIC (See Note 5)	T3c	T3c	D	D
730	Tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis, NOS (See Note 5)	T3NOS	T3NOS	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750	Peritoneal implants, NOS (See Note 5)	T3NOS	T3NOS	D	D
780	FIGO Stage III [NOS]	T3NOS	T3NOS	D	D
800	Further contiguous extension	T3NOS	T3NOS	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**Ovary****CS Tumor Size/Ext Eval**

See Standard Table

**Ovary****CS Lymph Nodes**

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

**Note 2:** If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved, code "000".

**Note 3:** If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.

**Note 4:** Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric), NOS Obturator Pelvic, NOS	N1	N1	RN	RN

120	Regional lymph node(s): Lateral sacral (laterosacral)	N1	N1	D	RN
200	Regional lymph node(s): Aortic (para-, peri-, lateral) Retroperitoneal, NOS	N1	N1	RN	RN
300	Regional lymph node(s): Inguinal	N1	N1	D	RN
400	(100) + (200)	N1	N1	RN	RN
420	[(120) or (300)] + [(100) or (200)]	N1	N1	D	RN
500	Regional lymph nodes, NOS Stated as N1	N1	N1	RN	RN
510	FIGO Stage IIIC based on lymph node involvement	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

**Ovary****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

**Ovary****Reg LN Exam**

**See Standard Table**

**Ovary**  
**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases, except distant lymph node(s) (code 10), including: Liver parenchymal metastasis Pleural effusion WITH positive cytology Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 [NOS] FIGO Stage IV [NOS]	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U