

Scrotum [excl. Malignant Melanoma, Merkel Cell Carcinoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]
C63.2
C63.2 Scrotum, NOS

Note: Melanoma (M-8720-8790) of scrotum is included in the melanoma schema. Merkel cell carcinoma (M-8247) of the scrotum is included in the Merkel cell of the scrotum schema. Mycosis Fungoides (M-9700) or Sezary disease (M-9701) of scrotum is included in the Mycosis Fungoides schema. Kaposi sarcoma (M-9140) of the scrotum is included in the Kaposi Sarcoma schema. Lymphoma of the scrotum is included in the lymphoma schema.

Scrotum
CS Tumor Size

Note: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the physician's statement of the T category, assign code 992. (Refer to the CS Extension table for instructions on coding extension).

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on tumor size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

Scrotum**CS Extension**

Note 1: ONLY assign code 300 (localized, NOS) when no further information is available to assign code 100, 310, or 320.

Note 2: If the ONLY information regarding the tumor extension is the physician's statement of the T category, assign code 310, 320 or 810. (Refer to CS Tumor Size table for instructions on coding tumor size if assigning code 310).

Note 3: AJCC 7th Edition T1 and T2 categories are based on size and high risk features and not extension. AJCC 7th Edition does not include a T3 category for scrotum.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepidermal	Tis	Tis	IS	IS
100	Confined to scrotum	^	*	L	L
300	Localized, NOS	^	*	L	L
310	Stated as T1 with no other information on extension	^	*	L	L
320	Stated as T2 with no other information on extension	T2	T2	L	L
400	Adjacent connective tissue (See definition of connective tissue in general instructions)	^	*	RE	RE
600	Adjacent organs/structures Male genital organs: Epididymis Penis Prostate Spermatic cord Testis	^	T4	RE	RE
800	Further contiguous extension Other organs and structures in male pelvis: Bladder Rectum Urethra	^	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
805	Bone	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 100, 300, 310, 400, 600 and 800 ONLY, the T category for AJCC 7th Edition is assigned based on the value of CS Tumor Size and Site-Specific Factor 12, High Risk Features, as shown in the Extension Size High Risk Table for this site.

* For CS Extension codes 100, 300, 310 and 400 ONLY, the T category for AJCC 6th Edition is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table AJCC 6 for this site.

Scrotum

CS Tumor Size/Ext Eval

See Standard Table

Scrotum

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Regional lymph nodes Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS	ERROR	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node(s), NOS	ERROR	N1	RN	RN
150	SINGLE IPSILATERAL regional lymph node: Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node, NOS	^	N1	RN	RN
180	Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
190	Stated as N2a with no other information on regional lymph nodes	N2a	N1	RN	RN
250	MULTIPLE IPSILATERAL regional lymph nodes as listed in code 150	^	N1	RN	RN
290	Stated as N2b with no other information on regional lymph nodes	N2b	N1	RN	RN
350	IPSILATERAL regional lymph nodes as listed in code 150, not stated if single or multiple	^	N1	RN	RN
450	BILATERAL or CONTRALATERAL regional lymph node(s) as listed in code 150	^	N1	RN	RN
490	Stated as N2c with no other information on regional lymph nodes	N2c	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
550	Regional lymph node(s) as listed in code 150, not stated if ipsilateral, bilateral or contralateral AND not stated single or multiple	^	N1	RN	RN
600	Stated as N2 [NOS] with no other information on regional lymph nodes	N2NOS	N1	RN	RN
700	Stated as N3 with no other information on regional lymph nodes	N3	N1	RN	RN
800	Lymph nodes, NOS	^	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 150, 250, 350, 450, 550, and 800 ONLY, the N category for AJCC 7th Edition is assigned based on the value of Site-Specific Factor 16, Size of Lymph Nodes, using the Lymph Nodes Size Table for this site.

Scrotum

Reg LN Pos

Note: Record this field even if there has been preoperative treatment

See Standard Table

Scrotum

Reg LN Exam

See Standard Table

Scrotum**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	40 + 10 Other distant metastases plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastases	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U