

**Renal Pelvis and Ureter****C65.9, C66.9**

C65.9 Renal pelvis

C66.9 Ureter

**Note:** Laterality must be coded for this site.**KidneyRenalPelvis****CS Tumor Size**

See Standard Table

**KidneyRenalPelvis****CS Extension****Note:** If Extension code is 000 or 050, Behavior Code must be 2. If Extension code is 100 or greater, Behavior Code must be 3.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	Carcinoma in situ, NOS Non-invasive, intraepithelial	Tis	Tis	IS	IS
050	Papillary noninvasive carcinoma	Ta	Ta	IS	IS
100	Subepithelial connective tissue (lamina propria, submucosa) invaded Stated as T1 with no other information on extension	T1	T1	L	L
200	Muscularis invaded	T2	T2	L	L
300	Localized, NOS	T1	T1	L	L
350	Extension to ureter from renal pelvis	T2	T2	RE	RE
370	Stated as T2 with no other information on extension	T2	T2	L	L
400	Extension to adjacent (connective) tissue: Peripelvic/periureteric tissue Retroperitoneal soft/connective tissue	T3	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	For renal pelvis only: Ipsilateral kidney parenchyma and kidney, NOS	T3	T3	RE	RE
610	Stated as T3 with no other information on extension	T3	T3	RE	RE
620	OBSOLETE DATA REVIEWED AND CHANGED V0102 This code was made obsolete in CS Version 1 and should no longer be used Extension to ureter from renal pelvis NOTE: cases were to be recoded to 350, 400 or 600	ERROR	ERROR	ERROR	ERROR
630	Psoas muscle from ureter	T4	T4	RE	RE
650	Extension to bladder from ureter Implants in ureter	T4	T4	RE	RE
660	Extension to major blood vessel(s): Aorta Renal artery/vein Vena cava (inferior) Tumor thrombus in a renal vein, NOS	T4	T4	RE	RE
670	Ipsilateral adrenal (suprarenal) gland from renal pelvis	T4	T4	RE	RE
680	Duodenum from right renal pelvis or right ureter	T4	T4	RE	RE
690	Ascending colon from right ureter Descending colon from left ureter	T4	T4	RE	D
700	Extension to: Ascending colon from right renal pelvis Bladder (wall or mucosa) from	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	renal pelvis Colon, NOS Descending colon from left renal pelvis Ipsilateral kidney parenchyma from ureter Liver Pancreas Perinephric fat via kidney Spleen	T4	T4	D	D
750	OBSOLETE DATA CONVERTED V0200 See code 690 Ascending colon from right ureter Descending colon from left ureter	ERROR	ERROR	ERROR	ERROR
800	Further contiguous extension, including: For ureter: Prostate Uterus	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**KidneyRenalPelvis**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**KidneyRenalPelvis****CS Lymph Nodes**

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

**Note 2:** Code the size of the metastasis in the lymph node as documented in the pathology report to determine codes 100-300, not the size of the lymph node itself. If the size of the metastasis is not documented, code the size of the involved lymph node itself as documented pathologically or clinically with pathology taking priority. Do not code the size of any node coded in CS Mets at DX.

**Note 3:** Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Single regional lymph node, less than or equal to 2 cm: Renal Pelvis: Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Paracaval Renal hilar Retroperitoneal, NOS Regional lymph node(s), NOS Ureter: Iliac, NOS: Common External Internal (hypogastric), NOS Obturator Lateral aortic (lumbar) Paracaval Pelvic, NOS Periureteral Renal hilar Retroperitoneal, NOS Regional lymph node(s), NOS  Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
200	Regional lymph nodes as listed in code	N2	N2	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200 cont'd	100: Single regional lymph node greater than 2 cm but less than or equal to 5 cm OR Multiple regional nodes, none greater than 5 cm  Stated as N2 with no other information on regional lymph nodes	N2	N2	RN	RN
300	Regional lymph nodes as listed in code 100: Regional lymph node(s), at least one greater than 5 cm  Stated as N3 with no other information on regional lymph nodes	N3	N3	RN	RN
500	Regional lymph node(s), NOS (size and/or number not stated)	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

**KidneyRenalPelvis****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment

**See Standard Table**

**KidneyRenalPelvis****Reg LN Exam**

**See Standard Table**

**KidneyRenalPelvis**  
**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	40 + 10 Other distant metastases plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastases	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U