

**Ocular Adnexal Lymphoma****C44.1, C69.0, C69.5-C69.6**

C44.1 Skin of Eyelid

C69.0 Conjunctiva

C69.5 Lacrimal Gland

C69.6 Orbit

M-9590-9734, 9762, 9820-9837, 9940

**Note 1:** Laterality must be coded for this site.**Note 2:** Ocular lymphomas are assigned a stage grouping but no TNM values in AJCC 6th Edition staging. Ocular lymphomas are assigned TNM values but no stage grouping in AJCC 7th Edition staging.**LymphomaOcularAdnexa****CS Tumor Size**

Code	Description
000	No mass/tumor found
001-979	001 - 979 millimeters (code exact size in millimeters)
980	980 millimeters or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

**LymphomaOcularAdnexa****CS Extension**

**Note 1:** Ocular adnexal lymphomas (OAL) originate in conjunctiva, eyelids, lacrimal gland, lacrimal drainage apparatus and other orbital tissues surrounding the eye. This schema should not be used for secondary lymphomatous involvement of ocular adnexa or for intraocular lymphomas.

**Note 2:** Preseptal eyelid involvement includes infiltration of the outer three layers of the eyelid: skin, subcutaneous connective tissue, and orbicularis oculi muscle.

**Note 3:** Unknown extension is coded 989. Code 999, used for lymphoma staging in CSv1, is an obsolete code for this schema.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of a single lymph node region Stage I	ERROR	*	L	L
105	Lymphoma involving bulbar conjunctiva only  Stated as T1a with no other information on extension	T1a	**	L	L
110	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Localized involvement of a single extralymphatic organ/site in the absence of any lymph node involvement Multifocal involvement of one extralymphatic organ/site Stage IE	ERROR	*	L	L
115	Palpebral conjunctiva With or without involvement of the fornix	T1b	**	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
115 cont'd	With or without involvement of the caruncle Stated as T1b with no other information on extension	T1b	**	L	L
120	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of spleen only Stage IS	ERROR	*	RNOS	RNOS
125	Extensive conjunctival involvement Stated as T1c with no other information on extension	T1c	**	L	L
150	Conjunctiva alone Without orbital involvement, NOS Stated as T1NOS with no other information on extension	T1NOS	**	L	L
200	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of two or more lymph node regions on the SAME side of the diaphragm Stage II	ERROR	*	RNOS	RNOS
210	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Localized involvement of a single extralymphatic organ/site WITH	ERROR	*	RNOS	RNOS

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
210 cont'd	involvement of its regional lymph node(s) or WITH or without involvement of other lymph node(s) on the SAME site of the diaphragm Direct extension to adjacent organs or tissues Stage IIE	ERROR	*	RNOS	RNOS
220	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of spleen PLUS lymph node(s) BELOW the diaphragm Stage IIS	ERROR	*	RNOS	RNOS
230	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of spleen PLUS involvement of a single extralymphatic organ/site BELOW the diaphragm WITH/WITHOUT involvement of lymph node(s) BELOW the diaphragm Stage IIES	ERROR	*	RNOS	RNOS
300	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of lymph node regions on BOTH sides of the diaphragm Stage III	ERROR	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
305	Anterior orbit With or without conjunctival involvement  Stated as T2a with no other information on extension	T2a	**	L	L
310	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of an extralymphatic organ/site PLUS involvement of lymph node(s) on the OPPOSITE side of the diaphragm Stage IIIE	ERROR	*	D	D
315	Anterior orbit With or without conjunctival involvement With lacrimal involvement  Stated as T2b with no other information on extension	T2b	**	L	L
320	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  Involvement of the spleen PLUS lymph node(s) ABOVE the diaphragm Involvement of spleen PLUS lymph nodes on both sides of the diaphragm Stage IIIS	ERROR	*	D	D
325	Posterior orbit With or without conjunctival	T2c	**	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
325 cont'd	involvement With or without anterior involvement With or without extraocular muscle involvement  Stated as T2c with no other information on extension	T2c	**	L	L
330	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200  (310 + 320) OR Involvement of the spleen PLUS a single extralymphatic site ABOVE the diaphragm WITH/WITHOUT involvement of lymph node(s) Involvement of the spleen PLUS involvement of lymph node region(s) ABOVE the diaphragm PLUS involvement of a single extralymphatic organ/site on either side of the diaphragm Stage IIIES	ERROR	*	D	D
335	Nasolacrimal drainage system With or without conjunctival involvement Without nasopharynx involvement  Stated as T2d with no other information on extension	T2d	**	L	L
350	Orbital involvement With or without conjunctival involvement	T2NOS	**	L	L

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
350 cont'd	Stated as T2NOS with no other information on extension	T2NOS	**	L	L
500	Pre-septal eyelid involvement With or without orbital involvement With or without any conjunctival involvement  Stated as T3NOS with no other information on extension	T3	**	L	L
700	Nasopharynx  Stated as T4a with no other information on extension	T4a	**	D	D
710	Osseous involvement including periosteum  Stated as T4b with no other information on extension	T4b	**	D	D
720	Maxillofacial, ethmoidal, and/or frontal sinuses  Stated as T4c with no other information on extension	T4c	**	D	D
730	Intracranial spread  Stated as T4d with no other information on extension	T4d	**	D	D
750	Extension beyond orbit to adjacent structures  Stated as T4NOS with no other information on extension	T4NOS	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	<p>OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200</p> <p>Diffuse or disseminated (multifocal) involvement of ONE OR MORE extralymphatic organ(s)/site(s) WITH OR WITHOUT associated lymph node involvement Multifocal involvement of MORE THAN ONE extralymphatic organ/site Involvement of isolated extralymphatic organ in absence of involvement of adjacent lymph nodes, but in conjunction with disease in distant sites Metastasis/involvement:   Bone marrow   Liver   Nodular involvement of lung(s) Stage IV</p>	ERROR	*	D	D
805	Further contiguous extension	T4NOS	**	D	D
950	No evidence of primary tumor	T0	**	U	U
989	<p>Unknown extension Primary tumor cannot be assessed Not documented in patient record</p>	TX	**	U	U
999	<p>OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200</p> <p>Unknown extension Primary tumor cannot be assessed Not documented in patient record</p>	ERROR	*	U	U

\* Stage grouping for AJCC 6 staging of ocular adnexal lymphoma for cases using obsolete codes is derived directly from the CS Extension code as shown in the AJCC TNM 6 Stage CSv1 table. "A" or "B" is appended to Stage I-IV based on coding of the data item CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

\*\*Stage grouping for AJCC 6 staging of ocular adnexal lymphoma is derived from a combination of CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table. "A" or "B" is appended to Stage I-IV based on coding of CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

### LymphomaOcularAdnexa CS Tumor Size/Ext Eval

**Note:** CS Tumor Size/Ext Eval for ocular adnexal lymphomas is based on the standard table for AJCC 7th Edition staging. Code 3 is appropriate ONLY for 2004-2009 cases where a staging laparotomy is performed. The AJCC 6th Edition noted: "Staging laparotomy and pathologic staging have been essentially abandoned as useful procedures."

Code	Description	Staging Basis 7	Staging Basis 6
0	Does not meet criteria for AJCC pathologic staging:  No surgical resection done. Evaluation based on physical examination, imaging examination, other non-invasive clinical evidence, endoscopic examination, fine-needle aspiration, or other invasive techniques including surgical observation without biopsy. No autopsy evidence used	c	c
1	Meets criteria for AJCC pathologic staging:  No surgical resection done. Evaluation based on diagnostic biopsy excluding fine-needle aspiration. No autopsy evidence used.	p	c
2	Meets criteria for AJCC pathologic staging:  No surgical resection done, but evidence derived from autopsy (tumor was suspected or diagnosed prior to autopsy).	p	c
3	Staging laparotomy done  Note: This code is retained for compatibility with lymphoma data collected under AJCC 6 definitions. The code is available for 2004-2009 cases where a	p	p

Code	Description	Staging Basis 7	Staging Basis 6
3 cont'd	staging laparotomy is performed. See code 4 for pathologic criteria for cases diagnosed in 2010 and later.	p	p
4	<p>Meets criteria for AJCC pathologic staging:</p> <p>Surgical resection performed WITHOUT pre-surgical systemic treatment or radiation,  OR surgical resection performed, unknown if pre-surgical systemic treatment or radiation performed,  AND evaluation based on evidence acquired before treatment, supplemented or modified by the additional evidence acquired during and from surgery,  particularly from pathologic examination of the resected specimen.</p> <p>No surgical resection done. Evaluation based on positive biopsy of highest T classification.</p>	p	c
5	<p>Does not meet criteria for AJCC y-pathologic (yp) staging:</p> <p>Surgical resection performed AFTER neoadjuvant therapy and tumor size/extension based on clinical evidence, unless the pathologic evidence at surgery (AFTER neoadjuvant treatment) is more extensive (see code 6).</p>	c	c
6	<p>Meets criteria for AJCC y-pathologic (yp) staging:</p> <p>Surgical resection performed AFTER neoadjuvant therapy AND tumor size/extension based on pathologic evidence, because pathologic evidence at surgery is more extensive than clinical evidence before treatment.</p>	yp	c
8	<p>Meets criteria for AJCC autopsy staging:</p> <p>Evidence from autopsy only (tumor was unsuspected or undiagnosed prior to autopsy).</p>	a	a

Code	Description	Staging Basis 7	Staging Basis 6
9	Unknown if surgical resection done Not assessed; cannot be assessed Unknown if assessed Not documented in patient record	c	c

**LymphomaOcularAdnexa****CS Lymph Nodes**

**Note:** Peripheral nodes are located in the upper and lower limbs, including axillary and inguinal nodes. Central lymph nodes are located in the trunk, including mediastinal, para-aortic, and mesenteric nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	*	NONE	NONE
100	Ipsilateral regional lymph nodes: Cervical NOS Submandibular (submaxillary) Parotid, NOS: Preauricular Regional lymph node(s), NOS  Stated as N1 with no other information	N1	*	RE	RE
300	Contralateral or bilateral regional nodes listed in code 100 Stated as N2 with no other information	N2	*	RE	RE
600	Peripheral lymph nodes not draining ocular adnexal region  Stated as N3 with no other information	N3	*	RE	RE
700	Central lymph nodes Stated as N4 with no other information	N4	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS	N1	*	RE	RE
888	OBSOLETE DATA CONVERTED V0200 See code 988  Not applicable	ERROR	ERROR	ERROR	ERROR
988	OBSOLETE DATA RETAINED V0200 New schema for site, histology V0200  Not applicable	ERROR	*	U	U
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	*	U	U

\*The selection of the stage table for AJCC 6 staging of ocular adnexal lymphoma depends on the value of the CS Extension code. If an obsolete CS Extension code is used, the stage grouping is derived directly from the CS Extension code as shown in the AJCC TNM 6 Stage CSv1 table. For all other CS Extension codes, the stage grouping is derived from a combination of the CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table. "A" or "B" is appended to Stage I-IV in both tables based on coding of the CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

### LymphomaOcularAdnexa

#### Reg LN Pos

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

### LymphomaOcularAdnexa

#### Reg LN Exam

**See Standard Table**

**LymphomaOcularAdnexa  
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No involvement of other extranodal sites	M0	*	NONE	NONE
20	Spleen	M1a	*	D	D
30	Non-contiguous involvement of other extranodal sites excluding bone marrow, including: Parotid glands Submandibular gland Lung Liver Kidney Breast	M1a	*	D	D
35	Stated as M1a with no other information on metastasis	M1a	*	D	D
40	Bone marrow Stated as M1b with no other information on metastasis	M1b	*	D	D
50	40 + (20, 30, or 35) (Bone marrow + Other extranodal site) Stated as M1c with no other information on metastasis	M1c	*	D	D
60	Distant metastasis NOS Stated as M1NOS with no other information on metastasis	M1NOS	*	D	D
88	OBSOLETE DATA CONVERTED V0200 See code 98	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
88 cont'd	Not applicable for this site	ERROR	ERROR	ERROR	ERROR
98	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Not applicable for this site	ERROR	*	U	U
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	M0	*	U	U

\* The selection of the stage table for AJCC 6 staging of ocular adnexal lymphoma depends on the value of the CS Extension code. If an obsolete CS Extension code is used, the stage grouping is derived directly from the CS Extension code as shown in the AJCC TNM 6 Stage CSv1 table. For all other CS Extension codes, the stage grouping is derived from a combination of CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table. "A" or "B" is appended to Stage I-IV in both tables based on coding of the CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.