

Malignant Melanoma of Iris [excl. Ciliary Body]**C69.4**

(M-8720-8790)

C69.4 Iris

Note 1: Site-Specific Factor 25 is used to discriminate between tumors arising in Ciliary Body and Iris, both coded to C69.4.

Note 2: Laterality must be coded for these sites.

MelanomaIris**OBSOLETE CS Tumor Size**

Note 1: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the clinician's statement of the "T" category, assign code 992 (T1, NOS) or 993 (T2, NOS). (Refer to the CS Extension table for instructions on coding extension).

Note 2: CS Tumor Size is obsolete beginning with CS Version 2 (codes and notes). Old data are retained, but new cases are not coded with CS Tumor Size. Use code 988 for this field.

Code	Description
000	OBSOLETE DATA RETAINED V0200 No mass/tumor found
001-979	OBSOLETE DATA RETAINED V0200 001 - 9.79 millimeters (code exact size in millimeters)
980	OBSOLETE DATA RETAINED V0200 9.80 millimeters or larger [includes cases converted from codes 981-989 during conversion to V0200]
981-987	OBSOLETE DATA CONVERTED V0200 Codes 981-988 converted to code 980 Code 988 redefined for use as not applicable in V0200 9.81-9.88 millimeters
988	Not applicable; information not collected for this case.
989	OBSOLETE DATA CONVERTED V0200 Code 989 converted to 980 989 millimeters or larger
990	OBSOLETE DATA RETAINED V0200

Code	Description
990 cont'd	Microscopic focus or foci only, no size of focus given
991	OBSOLETE DATA RETAINED V0200 Described as "less than 1 cm"
992	OBSOLETE DATA RETAINED V0200 Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1, NOS with no documentation of tumor size
993	OBSOLETE DATA RETAINED V0200 Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm" Stated as T2, NOS with no documentation of tumor size
994	OBSOLETE DATA RETAINED V0200 Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	OBSOLETE DATA RETAINED V0200 Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	OBSOLETE DATA RETAINED V0200 Unknown; size not stated Not documented in patient record

MelanomaIris**CS Extension**

Note 1: Ciliary body and Iris are both included in the ICD-O-3 site code of C69.4, but they are staged with different criteria by AJCC. The Schema Discriminator is used to select the CS schema appropriate for coding extension for melanoma of the iris.

Note 2: Iris melanomas originate from and are predominantly located in this region of the uvea. If less than half of the tumor volume is located within the iris, the tumor may have originated in the ciliary body and consideration should be given to classifying it accordingly.

Note 3: AJCC does not recognize in situ melanoma of the iris. Any case so coded will be mapped to unknown AJCC stage and in situ Summary Stage.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ Noninvasive Intraepithelial	TX	TX	IS	IS
100	OBSOLETE DATA RETAINED V0200 Confined to iris, NOS	ERROR	T1NOS	L	L
110	Limited to iris not more than 3 clock hours in size, WITHOUT melanomalytic (secondary) glaucoma, or not stated if melanomalytic (secondary) glaucoma Stated as T1a with no other information on extension	T1a	T1a	L	L
130	Limited to iris more than 3 clock hours in size, WITHOUT melanomalytic (secondary) glaucoma, or not stated if melanomalytic (secondary) glaucoma Stated as T1b with no other information on extension	T1b	T1b	L	L
140	Limited to iris	T1c	T1c	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
140 cont'd	WITH melanolytic (secondary) glaucoma Stated as T1c with no other information on extension	T1c	T1c	L	L
160	Limited to iris, NOS Stated as T1NOS with no other information on extension	T1NOS	T1NOS	L	L
210	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), not stated if extraocular extension present (See Note 1.)	ERROR	T1NOS	L	L
220	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5mm or less in greatest height (thickness) WITHOUT microscopic or macroscopic extraocular extension. (See Note 1.)	ERROR	T1b	L	L
230	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate	ERROR	T1b	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
230 cont'd	schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH microscopic extraocular extension. (See Note 1.)	ERROR	T1b	L	L
240	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5mm or less in greatest height (thickness), WITH macroscopic extraocular extension. (See Note 1.)	ERROR	T1c	L	L
300	Localized, NOS	T1NOS	T1NOS	L	L
410	Tumor confluent with or extending into the ciliary body and/or choroid WITHOUT melanolytic (secondary) glaucoma, or not stated if melanolytic (secondary) glaucoma Stated as T2NOS with no other information on extension	T2NOS	T2NOS	L	L
420	Tumor confluent with or extending into the ciliary body and/or choroid WITH melanolytic (secondary) glaucoma	T2a	T2a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420 cont'd	Stated as T2a with no other information on extension	T2a	T2a	L	L
510	<p>OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200</p> <p>FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5mm and 10 mm in maximum height (thickness), not stated if extraocular extension present. (See Note 1.)</p>	ERROR	T2NOS	L	L
520	<p>OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200</p> <p>FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic or macroscopic extraocular extension present. (See Note 1.)</p>	ERROR	T2a	L	L
530	<p>OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200</p> <p>FOR CILIARY BODY</p>	ERROR	T2b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
530 cont'd	PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular extension present. (See Note 1.)	ERROR	T2b	RE	RE
540	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH macroscopic extraocular extension present. (See Note 1.)	ERROR	T2c	RE	RE
600	Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, WITHOUT melanolytic (secondary) glaucoma, or not stated if melanolytic (secondary) glaucoma Stated as T3NOS with no other information on extension	T3NOS	T3NOS	L	L
610	Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension WITH melanolytic (secondary)	T3a	T3a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
610 cont'd	glaucoma Stated as T3a with no other information on extension	T3a	T3a	L	L
650	OBSOLETE DATA RETAINED V0200 Extraocular extension	ERROR	T4	RE	RE
660	Tumor with extrascleral (extraocular) extension less than or equal to 5mm in diameter Stated as T4a with no other information on extension	T4a	T4	RE	RE
670	Tumor with extrascleral (extraocular) extension greater than 5mm in diameter Stated as T4b with no other information on extension	T4b	T4	RE	RE
680	Extrascleral (extraocular) extension, measurement of diameter not specified	T4NOS	T4	RE	RE
710	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITHOUT extraocular extension or not stated if extraocular extension present.	ERROR	T3NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710 cont'd	(See Note 1.)	ERROR	T3NOS	L	L
750	OBSOLETE DATA RETAINED V0200 Ciliary Body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITH extraocular extension. (See Note 1.)	ERROR	T4	RE	RE
800	Further contiguous extension	T4b	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

MelanomaIris**CS Tumor Size/Ext Eval**

See Standard Table

MelanomaIris**CS Lymph Nodes**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes Cervical NOS	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

MelanomaIris**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

MelanomaIris**Reg LN Exam**

See Standard Table

MelanomaIris
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	^	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	^	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	^	M1	D	D
52	Stated as M1a with no other information on metastasis	^	M1	D	D
54	Stated as M1b with no other information on metastasis	^	M1	D	D
56	Stated as M1c with no other information on metastasis	^	M1	D	D
60	Distant Metastasis, NOS Stated as M1, NOS	^	M1	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	M0	MX	U	U

^ For Mets at DX codes 10 through 60, the M value is assigned based on the value of the size of largest metastasis, recorded in SSF4, for AJCC 7th Edition staging as shown in the Size Metastasis AJCC 7 Table.

MelanomaIris**CS Site-Specific Factor 25****Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris**

Note: For cases coded to melanoma of primary site code C694 [Ciliary Body], code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera Uveal tract Intraocular Eyeball	MelanomaCiliaryBody
020	Iris	MelanomaIris
100	OBSOLETE DATA RETAINED V0200 C69.4 - originally coded in CSv1	MelanomaCiliaryBody