

Lacrimal Gland**C69.5**

C69.5 Lacrimal gland

Note 1: Site-Specific Factor 25 is used to discriminate between lacrimal gland, staged by AJCC, and lacrimal sac, not staged by AJCC. Both sites are coded to ICD-O-3 code C69.5.

Note 2: Laterality must be coded for this site.

Lacrimal Gland**CS Tumor Size**

Note: Code the specific tumor size as stated in the medical record. Use code 992, 994, or 995 if the physician's statement about T value is the ONLY information available about the size of the tumor.

(Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T3 with no other information on size
996	Described as "greater than 5cm"
999	Unknown; size not stated

Code	Description
999 cont'd	Not documented in patient record

LacrimalGland**CS Extension**

Note 1: AJCC considers "in situ carcinoma of lacrimal gland" an impossible diagnosis. In CS Version 1 cases with extension code 000 were mapped to Tis in AJCC staging. In CS Version 2, cases with extension code 000 are mapped to TX in AJCC staging. Cases with extension code 000 are mapped to In Situ in Summary Stage 1977 and Summary Stage 2000 for CS Version 1 and CS Version 2.

Note 2: As noted by the AJCC, "As the maximum size of the lacrimal gland is 2cm, T2 and greater tumors will usually extend into the orbital soft tissue."

Note 3: Periosteum is a fibrous membrane that wraps the outer surface of bones.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	TX	TX	IS	IS
100	Tumor confined to lacrimal gland/duct	^	*	L	L
300	Localized, NOS	^	*	L	L
400	OBSOLETE DATA RETAINED V0200 See code 650 Invading periosteum of fossa of lacrimal gland	ERROR	T3	RE	RE
600	Extension to any of the following WITHOUT bone invasion: Globe (eyeball) Optic nerve Orbital soft tissues	^	T4	RE	RE
610	Stated as T1 with no other information on extension	^	*	L	L
620	Stated as T2 with no other information on extension	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
630	Stated as T3 with no other information on extension	^	*	L	L
650	Invasion of periosteum Stated as T4a with no other information on extension	T4a	*	RE	RE
700	Adjacent periorbital bone Stated as T4b with no other information on extension	T4b	T4	RE	RE
750	Adjacent structures: Brain Sinus Pterygoid fossa Temporal fossa	T4c	T4	D	D
800	Further contiguous extension	T4c	T4	D	D
810	Stated as T4c with no other information on extension	T4c	T4	D	D
815	Stated as T4NOS with no other information on extension	T4NOS	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For Extension codes 100, 300, 600, 610, 620, and 630 ONLY, the T category for AJCC 7th Edition staging is assigned based on the value of CS Tumor Size as shown in Extension Size Table AJCC 7. Tumors 2.0 cm or less are T1, tumors between 2.1 and 4.0 cm are T2, and tumors greater than 4 cm are T3.

* For Extension codes 100, 300, 610, 620, 630, and 650 ONLY, the T category for AJCC 6th Edition staging is assigned based on the value of CS Tumor Size as shown in Extension Size Table AJCC 6. For codes 100, 300, 610, 620, and 630, tumors 2.5 cm or less are T1, and tumors between 2.6 and 5 cm are T2. For Extension code 650 ONLY tumors 5 cm or less are T3a, and tumors more than 5 cm are T3b.

LacrimalGland
CS Tumor Size/Ext Eval
See Standard Table

LacrimalGland
CS Lymph Nodes

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes Cervical NOS Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

LacrimalGland

Reg LN Pos

Note: Record this field even if there has been preoperative treatment

LacrimalGland

Reg LN Exam

See Standard Table

LacrimalGland**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

LacrimalGland**CS Site-Specific Factor 25****Schema Discriminator: Lacrimal Gland/Lacrimal Sac**

Note: For cases coded to primary site code C69.5, code the site in which the tumor arose.

Code	Description	Schema
010	Lacrimal gland Lacrimal duct, NOS Nasal lacrimal duct Nasolacrimal duct Lacrimal, NOS	LacrimalGland
020	Lacrimal sac	LacrimalSac
100	OBSOLETE DATA RETAINED V0200 C69.5- originally coded in CSv1	LacrimalGland