

Pharynx Other**Pharynx, NOS, and Overlapping Lesion of Lip, Oral Cavity, and Pharynx (excluding Malignant Melanoma)****C14.0, C14.2, C14.8**

C14.0 Pharynx, NOS

C14.2 Waldeyer ring

C14.8 Overlapping lesion of lip, oral cavity

Note: AJCC does not define TNM staging for these sites.**Pharynx Other****CS Tumor Size****See Standard Table**

Note: Code the specific tumor size as stated in the medical record. Use code 992 or 994 if the physician's statement about T value is the ONLY information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Pharynx Other**CS Extension**

Note 1: Connective tissues large enough to be given a specific name are considered adjacent structures. For example, prevertebral fascia and jugular vein have names. Continuous tumor growth from one organ into an adjacent named structure is coded to 600.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	Invasive tumor confined to site of origin	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	More than one region of pharynx involved: Oropharynx Nasopharynx Hypopharynx	NA	NA	RE	RE
500	Pharynx and oral cavity involved	NA	NA	RE	RE
550	Any of codes 100-500 WITH fixation	NA	NA	RE	RE
600	Extension to adjacent structures (See note)	NA	NA	RE	RE
800	Further contiguous extension	NA	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
950	No evidence of primary tumor	NA	NA	U	U
999	Unknown; extension cannot be assessed Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Pharynx Other**CS Tumor Size/Ext Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Pharynx Other**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in CS Site-Specific Factors 1-6.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 5: All regional nodes except Supraclavicular nodes were coded 100 in CS Version 1; Supraclavicular nodes were coded 120. Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	NA	NA	NONE	NONE
100	Regional lymph node(s), unilateral, bilateral, or contralateral: Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior	NA	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Parapharyngeal Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	NA	NA	RN	RN
110	Regional lymph node(s), unilateral, bilateral, or contralateral: Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal	NA	NA	D	RN
120	Regional lymph node(s), unilateral, bilateral, or contralateral: Level VB - Transverse cervical, supraclavicular (see Note 4) Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX):	NA	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Retroauricular (Mastoid) Suboccipital	NA	NA	D	D
800	Lymph nodes, NOS	NA	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	NA	U	U

Pharynx Other**CS Lymph Nodes Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Pharynx Other**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment.

Pharynx Other
Regional Nodes Examined
See Standard Table

Pharynx Other
CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are now coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	NA	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph nodes, NOS	NA	NA	D	D
40	Distant metastases except distant lymph node(s) Carcinomatosis	NA	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	NA	NA	D	D
60	Distant Metastasis, NOS Stated as M1 with no other information on distant metastasis	NA	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U

Pharynx Other
CS Mets Eval

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Pharynx Other**CS Site-Specific Factor 1****Size of Lymph Nodes****Note: See page A-96****Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-979	001 - 979 millimeters (mm) (Exact size of lymph node to nearest mm)
980	980 mms or larger (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	OBSOLETE DATA CONVERTED V0200 See code 980 981 - 987 mms
988	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 988 will result in an edit error.) (Cases with code 988 in CSv1 converted to 980)
989	OBSOLETE DATA CONVERTED V0200 See code 980 989 mms or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1centimeter (cm)"
992	Described as "less than 2cm" or "greater than 1cm" or "between 1cm and 2cm"
993	Described as "less than 3cm" or "greater than 2cm" or "between 2cm and 3cm"
994	Described as "less than 4cm" or "greater than 3cm" or "between 3cm and 4cm"
995	Described as "less than 5cm" or "greater than 4cm" or "between 4cm and 5cm"
996	Described as "less than 6cm" or "greater than 5cm" or "between 5cm and 6cm"

Code	Description
997	Described as "more than 6cm"
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph nodes involved Not documented in patient record