

Ampulla Vater**Ampulla of Vater (excluding Neuroendocrine Tumor)****C24.1**

C24.1 Ampulla of Vater

Ampulla Vater**CS Tumor Size****See Standard Table****Ampulla Vater****CS Extension**

Note: High-grade dysplasia is generally not reportable in cancer registries, but, if a registry does collect this, code 000 should be used.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive;	Tis	Tis	IS	IS
100	Invasive tumor confined/limited to ampulla of Vater Invasive tumor extending to sphincter of Oddi	T1	T1	L	L
300	Localized, NOS Stated as T1 with no other information on extension	T1	T1	L	L
420	Duodenal wall Stated as T2 with no other information on extension	T2	T2	RE	RE
520	Pancreas Stated as T3 with no other information on extension	T3	T3	RE	RE
620	Common bile duct	T4	T4	RE	RE
650	Extrahepatic bile duct(s) (Other than common bile duct and sphincter of Oddi)	T4	T4	RE	RE
700	OBSOLETE DATA RETAINED	T4	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	AND REVIEWED V0203 See code 710 and 760 Extension to other adjacent organs or tissues: Blood vessel(s) (major): Hepatic artery Portal vein Gallbladder Hepatic flexure of colon Lesser omentum Liver, including porta hepatis Peripancreatic soft tissue Stomach, NOS: Distal Transverse colon	T4	T4	RE	RE
710	Extension to other adjacent organs or tissues: Blood vessel(s) (major): Hepatic artery Portal vein Gallbladder Hepatic flexure of colon Lesser omentum Liver, including porta hepatis Stomach, NOS: Distal Transverse colon	T4	T4	RE	RE
750	Stomach, proximal	T4	T4	D	RE
760	Peripancreatic soft tissue	T4	T4	D	D
765	760 + 750	T4	T4	D	D
780	Stated as T4 with no other information on extension	T4	T4	RE	RE
800	Further contiguous extension	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Ampulla Vater**CS Tumor Size/Ext Eval**

See Standard Table

Ampulla Vater**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

Note 2: Splenic lymph nodes and those located at the tail of the pancreas are not considered regional and should be coded in CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph node(s): Anterior to the ampulla of Vater Inferior to the ampulla of Vater Posterior to the ampulla of Vater Superior to the ampulla of Vater Hepatic Hepatic artery Node of the foramen of Winslow (epiploic) (omental) Pancreaticoduodenal Peripancreatic (EXCEPT nodes at tail of pancreas) Periportal (portal vein) Regional lymph node(s), NOS Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
110	Regional lymph node(s): Celiac	N1	N1	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	Infrapyloric (subpyloric) Lateral aortic (lumbar) Proximal mesenteric Retroperitoneal Superior mesenteric	N1	N1	D	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

Ampulla Vater
CS Lymph Nodes Eval
 See Standard Table

Ampulla Vater
Regional Nodes Positive
 See Standard Table

Note: Record this field even if there has been preoperative treatment.

Ampulla Vater
Regional Nodes Examined
 See Standard Table

Ampulla Vater
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s): At tail of pancreas Para-aortic Splenic Distant lymph node(s), NOS	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40	Distant metastasis(es) except distant lymph node(s) Carcinomatosis (Includes seeding of peritoneum, even if limited to the lesser sac region; positive peritoneal cytology)	M1	M1	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Ampulla Vater**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.