

Melanoma Larynx Subglottic
Malignant Melanoma of Subglottic Larynx
C32.2
M-8720-8790
C32.2 Subglottis

Melanoma Larynx Subglottic
CS Tumor Size
See Standard Table

Melanoma Larynx Subglottic
CS Extension

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use codes 200 and 315 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving deeper tissues of the primary or adjacent sites.

Note 4: Use code 310 for localized tumor only if no information is available to assign code 105, or 200, 340, 345, or 400.

Note 5: Use code 320, 775, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor with normal vocal cord mobility confined to subglottis	ERROR	NA	L	L
105	Tumor confined to mucosa of subglottis WITH normal vocal cord mobility	T3	NA	L	L
200	Extension involving mucosa only of adjacent region(s) or of larynx: Supraglottis Glottis WITH normal vocal cord mobility	T3	NA	L	L
300	OBSOLETE DATA RETAINED V0200	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	Tumor involves adjacent regions(s) of larynx Vocal cords with normal or impaired mobility	ERROR	NA	L	L
310	Localized , NOS	T3	NA	L	L
315	Extension involving mucosa only of adjacent regions: Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus Vallecula	T3	NA	RE	RE
320	Stated as T3 with no other information on extension	T3	NA	L	L
340	Involvement of deep tissues of any structure in code 105 or 200	T4a	NA	L	L
345	Involvement of any structures in code 105 or 200 WITH impaired vocal cord mobility	T4a	NA	L	L
400	Tumor limited to larynx WITH vocal cord fixation	T4a	NA	L	L
450	OBSOLETE DATA RETAINED V0200 Localized, NOS	ERROR	NA	L	L
460	(340, 345, 400) + 315 Involvement of any structures in code 340, 345, or 400 plus involvement of any structure in code 315	T4a	NA	RE	RE
500	Involvement of deep soft tissues or musculature of any structure in code	T4a	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	315 WITH or WITHOUT vocal cord impairment or fixation of larynx or NOS	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200 Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	ERROR	NA	RE	RE
680	Extension to/through: Cricoid cartilage Thyroid cartilage	T4a	NA	RE	D
700	Extension to/through: Cervical esophagus Deep muscle of tongue Strap muscles: Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea	T4a	NA	D	D
730	OBSOLETE DATA RETAINED V0200 Contiguous extension to other tissues beyond larynx not specified in codes 700 or 800	ERROR	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
800	Contiguous extension:	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800 cont'd	Carotid artery (encased) Mediastinal structures Prevertebral space	T4b	NA	D	D
801	Further contiguous extension including: Base of skull Brain Dura Lower cranial nerves (IX, X, XI, XII) Masticator space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	D	D
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Melanoma Larynx Subglottic**CS Tumor Size/Ext Eval**

See Standard Table

Melanoma Larynx Subglottic**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code

appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 5: Level II nodes have been moved from code 100 in CS Version 1 to code 120. Level III

nodes have been moved from code 100 to code 110. Level IV nodes have been added to code 100.

Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular NOS: Regional lymph node(s), NOS	N1	NA	RN	RN
105	OBSOLETE DATA CONVERTED V0203; See code 120 Positive regional node(s): Level II - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical	ERROR	ERROR	ERROR	ERROR
110	Positive regional node(s): Level I: Level IA - Submental	N1	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	Level IB - Submandibular (submaxillary), sublingual Level III node - Middle jugular Middle deep cervical Retropharyngeal	N1	NA	D	RN
120	Positive regional node(s): Level II Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level V - Posterior triangle group: Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial : Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320 cont'd	120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**Melanoma Larynx Subglottic
CS Lymph Nodes Eval
See Standard Table**

**Melanoma Larynx Subglottic
Regional Nodes Positive
See Standard Table**

Note: Record this field even if there has been preoperative treatment.

**Melanoma Larynx Subglottic
Regional Nodes Examined
See Standard Table**

**Melanoma Larynx Subglottic
CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

Melanoma Larynx Subglottic**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.