

**Melanoma Larynx Other**  
**Malignant Melanoma of Other Larynx**  
**C32.3, C32.8-C32.9**  
**M-8720-8790**  
**C32.3 Laryngeal cartilage**  
**C32.8 Overlapping lesion of larynx**  
**C32.9 Larynx, NOS**

**Melanoma Larynx Other**  
**CS Tumor Size**  
**See Standard Table**

**Melanoma Larynx Other**  
**CS Extension**

**Note 1:** AJCC does not include a T category or stage grouping for in situ melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA, and AJCC stage group is derived as NA.

**Note 2:** AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

**Note 3:** Use codes 305 and 315 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving deeper tissues of the primary or adjacent sites.

**Note 4:** Use code 310 for localized tumor only if no information is available to assign code 105, 205, 305, 340, 345, or 400.

**Note 5:** Use code 320, 775, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	<b>OBSOLETE DATA RETAINED V0200</b> Invasive tumor confined to site of origin	ERROR	NA	L	L
105	Tumor confined to mucosa of site of origin	T3	NA	L	L
200	<b>OBSOLETE DATA RETAINED V0200</b> Tumor involves more than one subsite, WITHOUT fixation or NOS	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
205	Extension involving mucosa only of more than one subsite of supraglottis, glottis, or subglottis WITHOUT impairment of vocal cord mobility or fixation of larynx or NOS	T3	NA	L	L
300	<b>OBSOLETE DATA RETAINED V0200</b> Tumor involves adjacent region(s) of larynx	ERROR	NA	L	L
305	Extension involving mucosa only of adjacent region(s) of larynx WITHOUT impairment of vocal cord mobility or fixation of larynx or NOS	T3	NA	L	L
310	Localized, NOS	T3	NA	L	L
315	Extension involving mucosa only of adjacent regions: Base of tongue Hypopharynx, NOS Pre-epiglottic tissues Postcricoid area Pyriiform sinus Vallecula	T3	NA	RE	RE
320	Stated as T3 with no other information on extension	T3	NA	L	L
340	Involvement of deep tissues of any structures in code 105, 205, or 305 Soft tissue, NOS	T4a	NA	L	L
345	Involvement of any structure in code 105, 205, or 305 WITH impaired vocal cord mobility	T4a	NA	L	L
350	<b>OBSOLETE DATA RETAINED V0200</b>	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
350 cont'd	Impaired vocal cord mobility	ERROR	NA	L	L
400	Tumor limited to larynx WITH vocal cord fixation	T4a	NA	L	L
450	<b>OBSOLETE DATA RETAINED V0200</b> Localized, NOS	ERROR	NA	L	L
460	(340, 345, or 400) + 315 Involvement of any structures in code 340, 345, or 400 plus mucosal involvement of any structures in code 315	T4a	NA	RE	RE
500	Involvement of deep tissue or musculature of any structure in code 315 WITH or WITHOUT vocal impairment or fixation of larynx or NOS	T4a	NA	RE	RE
600	<b>OBSOLETE DATA RETAINED V0200</b> Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	ERROR	NA	RE	RE
680	Extension to/through: Cricoid cartilage Thyroid cartilage	T4a	NA	RE	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	Extension to/through: Cervical esophagus Deep muscle of tongue Extrinsic (strap) muscles: Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea	T4a	NA	D	D
775	Stated as T4a with no other information on extension	T4a	NA	L	L
800	Contiguous extension, including: Carotid artery (encased) Mediastinal structures Prevertebral space	T4b	NA	D	D
801	Further contiguous extension including: Base of skull Brain Dura Lower cranial nerves (IX, X, XI, XII) Masticator space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	<b>OBSELETE DATA RETAINED V0200</b> No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated	NA	NA	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999 cont'd	Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**Melanoma Larynx Other**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**Melanoma Larynx Other**  
**CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoids cartilage) is coded in CS Site-Specific Factors 1-7.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 4:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging. Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 5:** Level III and Level IV nodes have been moved from code 100 in CS Version 1 to code 110. Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
110	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Retropharyngeal	N1	NA	D	RN
120	Positive regional node(s): Level V - Posterior triangle group: Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	<b>OBSOLETE DATA RETAINED V0200</b> Stated as N2a, no other information	ERROR	NA	RN	RN
200	<b>OBSOLETE DATA RETAINED V0200</b> ; Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	<b>OBSOLETE DATA RETAINED V0200</b> ; Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	<b>OBSOLETE DATA RETAINED V0200</b> ; Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	<b>OBSOLETE DATA RETAINED V0200</b> ; Stated as N2b, no other information	ERROR	NA	RN	RN
300	<b>OBSOLETE DATA RETAINED V0200</b> ; Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	<b>OBSOLETE DATA RETAINED V0200</b> ; Regional lymph nodes as	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
310	listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 110: Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N2c, no other information	ERROR	NA	RN	RN
500	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN
520	<b>OBSOLETE DATA RETAINED V0200</b> ; Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	<b>OBSOLETE DATA RETAINED V0200</b> ; Stated as N2, NOS	ERROR	NA	RN	RN
700	<b>OBSOLETE DATA RETAINED V0200</b> ; Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**Melanoma Larynx Other  
CS Lymph Nodes Eval  
See Standard Table**

**Melanoma Larynx Other  
Regional Nodes Positive  
See Standard Table**

**Note:** Record this field even if there has been preoperative treatment.

**Melanoma Larynx Other  
Regional Nodes Examined  
See Standard Table**

**Melanoma Larynx Other****CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

**Melanoma Larynx Other****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.