

Vulva

Vulva (including Skin of Vulva) (excluding Malignant Melanoma, Merkel Cell Carcinoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas)

C51.0-C51.2, C51.8-C51.9

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

Note 1: This schema includes skin of Vulva but is NOT used for Malignant Melanoma, Merkel Cell Carcinoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, or Other Lymphomas. Each of these diseases has a separate schema.

Note 2: Involvement of the vulva and perineum should be assigned to vulva as the primary site in the absence of a statement that the tumor extended from the perineum to the vulva. Collaborative Stage only includes C51.0-C51.9 (vulva) and does not include primaries of the perineum in this schema. Basal and squamous cell carcinomas of the skin of the vulva are coded to C51.9 and are reportable; basal and squamous carcinomas of the skin of the perineum would be coded to C44.5 and would not be reportable.

Note 3: AJCC TNM values correspond to the stages accepted by the Federation Internationale de Gynecologic et d'Obstetrique (FIGO). Note that FIGO uses a single stage value which corresponds to different groupings of T, N, and M values.

Vulva**CS Tumor Size**

See Standard Table

Vulva**CS Extension**

Note 1: When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and extension detail are available, record the code with extension detail in preference to a statement of FIGO stage. FIGO Stage IVA is assigned based on tumor extension and/or regional lymph node involvement. Code CS Extension based on a physician's statement of FIGO Stage IVA if it is based on tumor extension or the basis is unknown.

Note 2: FIGO no longer includes Stage 0 (Tis) for this site.

Note 3: FIGO Stage I, IA and IB are defined by size of tumor, involvement of vulva OR vulva and perineum, and depth of stromal invasion.

Note 4: The depth of invasion is defined as the measurement of the tumor from the epithelial-stromal junction of the adjacent most superficial dermal papilla to the deepest point of invasion.

Note 5: Use codes 110, and 120 in preference to 125 and 125 in preference to code 200.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepidermal, intraepithelial, preinvasive, noninvasive	Tis	Tis	IS	IS

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000 cont'd	Bowen disease	Tis	Tis	IS	IS
100	OBSOLETE DATA CONVERTED V0203; See code 200 Invasive cancer (no stromal invasion) confined to: Musculature Submucosa Vulva including skin	ERROR	ERROR	ERROR	ERROR
105	OBSOLETE DATA CONVERTED V0203; See code 125 Vulva only: Stromal invasion but level of invasion in mm not stated	ERROR	ERROR	ERROR	ERROR
110	Vulva only: Stromal invasion less than or equal to 1 mm	^	*	L	L
120	Vulva only: Stromal invasion greater than 1 mm	T1b	*	L	L
125	Vulva only: Stromal invasion but depth of invasion in mm not stated	^	*	L	L
200	Invasive carcinoma confined to: Musculature Submucosa Vulva including skin	^	*	L	L
300	Localized, NOS	^	*	L	L
320	OBSOLETE DATA CONVERTED V0203; See code 470 FIGO Stage I [NOS]	ERROR	ERROR	ERROR	ERROR
330	OBSOLETE DATA CONVERTED V0203; See code 450 FIGO Stage IA	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
340	OBSOLETE DATA CONVERTED V0203 ; See code 460 FIGO Stage IB	ERROR	ERROR	ERROR	ERROR
400	OBSOLETE DATA CONVERTED V0203 ; See code 425 Vulva and perineum, level of invasion in mm not stated	ERROR	ERROR	ERROR	ERROR
410	Vulva and perineum: Stromal invasion less than or equal to 1 mm	^	*	RE	RE
420	Vulva and perineum: Stromal invasion greater than 1 mm	T1b	*	RE	RE
425	Vulva and perineum: Stromal invasion but depth of invasion in millimeters not stated	^	*	RE	RE
450	FIGO Stage IA	^	*	L	L
460	FIGO Stage IB	T1b	*	L	L
470	FIGO Stage I [NOS]	^	*	L	L
600	OBSOLETE DATA RETAINED V0200 Anus Perianal skin Urethra (See code 750 for upper urethral mucosa) Vagina FIGO Stage III	ERROR	T3	RE	RE
605	Anus Perianal skin Urethra: Lower/distal one-third Urethra, NOS	T2	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
605 cont'd	(See code 750 for upper urethra)	T2	T3	RE	RE
610	Vagina (lower/distal 1/3 vagina)	T2	T3	RE	RE
612	Vagina NOS	T2	T3	RE	RE
615	FIGO Stage II	T2	T2	RE	RE
618	Vagina: Upper/proximal two-thirds	T3	T3	RE	RE
620	Bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	T3	D	RE
700	Perineal body Rectal mucosa	T3	T4	D	D
750	OBSOLETE DATA RETAINED V0200 Bladder mucosa Fixed to pubic bone Upper urethral mucosa FIGO Stage IVA	ERROR	T4	D	RE
760	Bladder mucosa Fixed to pubic bone Urethra Upper/proximal two-thirds	T3	T4	D	D
800	Further contiguous extension	T3	T4	D	D
850	FIGO Stage IVA based on extension or unknown whether based on extension or nodes	T3	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 110, 125-410, 425-450, and 470 ONLY, the T category for AJCC 7 staging is assigned based on the value of CS Tumor Size and CS Extension, as shown in the Extension Size AJCC 7 Table for this schema.

* For CS Extension codes 110-470 ONLY, the T category for AJCC 6 staging is assigned based on the value of CS Tumor Size and CS Extension, as shown in the Extension Size AJCC 6 Table for this schema.

Vulva

CS Tumor Size/Ext Eval

See Standard Table

Vulva

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

Note 2: The regional nodes are inguinal or femoral: inguinal, NOS; deep inguinal, NOS; Node of Cloquet or Rosenmuller (highest deep inguinal); and superficial inguinal (femoral) and regional lymph nodes [NOS].

Note 3: When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and regional lymph node detail are available, record the code with regional lymph node detail in preference to a statement of FIGO stage. FIGO Stage IVA is assigned based on tumor extension and/or regional lymph node involvement. Code CS Lymph Nodes based on a physician's statement of FIGO Stage IVA only if it is known that the stage value is assigned because of regional lymph node involvement.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Unilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral)	RE	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Regional lymph nodes, NOS (unilateral) FIGO Stage III	ERROR	N1	RN	RN
110	1 or 2 regional lymph node(s) positive and size of metastasis in each node less than 5 mm	N1a	*	RN	RN
120	1 lymph node metastasis equal to or greater than 5 mm	N1b	*	RN	RN
130	1 or 2 regional lymph node(s) positive (or number positive unknown) and size of metastasis not given	N1NOS	*	RN	RN
150	FIGO Stage IIIA	N1NOS	*	RN	RN
210	3 or more regional lymph nodes positive and size of metastasis in each node less than 5 mm	N2a	*	RN	RN
220	At least 2 lymph node metastases equal to or greater than 5 mm	N2b	*	RN	RN
230	3 or more regional lymph node(s) positive and size of metastases not given	N2NOS	*	RN	RN
250	FIGO Stage IIIB	N2NOS	*	RN	RN
300	Regional lymph node(s) with extracapsular spread	N2c	*	RN	RN
350	FIGO Stage IIIC	N2c	*	RN	RN
360	FIGO Stage III [NOS]	N1NOS	*	RN	RN
400	Fixed or ulcerated regional lymph nodes	N3	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
450	FIGO Stage IVA based on regional lymph node involvement	N3	*	RN	RN
500	OBSOLETE DATA RETAINED V0200 Bilateral or contralateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS (bilateral/contralateral) FIGO Stage IVA	ERROR	N2	RN	RN
600	Regional lymph node(s), NOS	N1NOS	N1	RN	RN
800	Lymph nodes, NOS	N1NOS	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

* CS Lymph Nodes codes 110-450 are used in conjunction with CS Site Specific Factor 11, Regional Lymph Node Laterality, to determine the N category for AJCC 6 staging as shown in the Lymph Nodes SSF 11 AJCC 6 Table.

Vulva

CS Lymph Nodes Eval

See Standard Table

Vulva

Regional Nodes Positive

See Standard Table

Note: Record this field even if there has been preoperative treatment.

Vulva**Regional Nodes Examined**

See Standard Table

Vulva**CS Mets at DX**

Note: When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and metastatic detail are available, record the code with metastatic detail in preference to a statement of FIGO stage.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	M1	D	D
11	Distant lymph node(s): External iliac	M1	M1	RN	D
12	Distant lymph node(s): Internal iliac (hypogastric) Obturator Pelvic, NOS	M1	M1	D	D
13	Distant lymph node(s) other than code 11 and 12, including common iliac	M1	M1	D	D
40	Distant metastases other than distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	(40 + any of (10-13)) Distant metastasis plus distant lymph nodes	M1	M1	D	D
55	FIGO Stage IVB	M1	M1	D	D
60	Distant metastasis, NOS	M1	M1	D	D
70	FIGO Stage IV [NOS] based on distant metastasis	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Vulva**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

Vulva**CS Site-Specific Factor 11****Regional Lymph Node - Laterality**

Note: See page A-132

Code	Description
000	All regional lymph nodes negative
010	Unilateral - all positive regional nodes with same laterality
020	Bilateral - positive bilateral regional lymph nodes
030	Regional lymph node(s) positive - laterality unknown
988	Not applicable: Information not collected for this case (If this information is required by your standard setter, use of code 988 may result in an edit error.)
998	Lymph nodes not assessed
999	Unknown or no information Not Documented in Patient's Record