

**Placenta****C58.9****C58.9 Placenta**

**Note 1:** This schema correlates to the AJCC's Gestational Trophoblastic Tumors scheme. In most cases, gestational trophoblastic tumors (ICD-O-3 morphology codes 9100-9105) are coded to placenta, C58.9.

**Note 2:** If a trophoblastic tumor is not associated with a pregnancy and arises in another site, such as ovary, use the primary site code and Collaborative Staging schema for that site.

**Note 3:** AJCC TNM values correspond to the stages accepted by the Federation Internationale de Gynecologic et d'Obstetrique (FIGO). Note that FIGO uses a single stage value which corresponds to different groupings of T, N, and M values.

**Placenta****CS Tumor Size**

See Standard Table

**Placenta****CS Extension**

**Note 1:** When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and extension detail are available, record the code with extension detail in preference to a statement of FIGO stage.

**Note 2:** According to AJCC, metastasis to genital structures for gestational trophoblastic tumors (GTT) is considered T2 and not M1. Metastasis to genital structures is coded in CS Extension and not in CS Mets at DX.

**Note 3:** For CS Extension codes 100-850, substaging is determined by the values in CS Site-Specific Factor 1, Prognostic Scoring Index.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	<b>OBSOLETE DATA CONVERTED V0203</b> See code 999 In situ: noninvasive; intraepithelial	ERROR	ERROR	ERROR	ERROR
100	Confined to placenta	T1	T1	L	L
300	Localized, NOS	T1	T1	L	L
320	Confined to uterus : cervix, corpus, and NOS	T1	T1	RE	RE
330	FIGO Stage IA	T1	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
340	FIGO Stage IB	T1	T1	L	L
350	FIGO Stage I [NOS]	T1	T1	L	L
400	Adjacent connective tissue, NOS	T2	T2	RE	RE
600	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 320, 620 Other genital structures by direct extension or NOS: Broad ligament Cervix Corpus uteri Fallopian tube(s) Genital structures, NOS Ovary(ies) Uterus, NOS Vagina	T2	T2	RE	RE
620	Other genital structures by direction extension or NOS: Broad ligament Fallopian tube(s) Genital structures, NOS Ovary(ies) Vagina	T2	T2	RE	RE
700	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 320, 720 Other genital structures, by metastasis: Broad ligament Cervix Corpus uteri Fallopian tube(s) Genital structures, NOS Ovary(ies) Uterus, NOS Vagina	T2	T2	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
720	Other genital structures by metastasis: Broad ligament Cervix Fallopian tube(s) Genital structures, NOS Ovary(ies) Vagina	T2	T2	D	D
800	Further contiguous extension	T2	T2	D	D
810	FIGO Stage IIA	T2	T2	RE	RE
820	FIGO Stage IIB	T2	T2	RE	RE
850	FIGO Stage II [NOS]	T2	T2	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**Placenta****CS Tumor Size/Ext Eval**

See Standard Table

**Placenta****CS Lymph Nodes**

**Note:** All lymph node involvement for gestational trophoblastic tumors (GTT) is considered M1b in TNM. All lymph node involvement, whether of regional or distant nodes, is coded in CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
888	<b>OBSOLETE DATA CONVERTED</b> <b>V0200</b> ; See code 988 Not applicable	ERROR	ERROR	ERROR	ERROR
988	Not applicable: Information not collected for this schema	NA	NA	U	U

**Placenta****CS Lymph Nodes Eval**

Code	Description	Staging Basis
9	Does not apply	

**Placenta****Regional Nodes Positive**

Code	Description
99	Not applicable

**Placenta****Regional Nodes Examined**

Code	Description
99	Not applicable

**Placenta****CS Mets at DX**

**Note 1:** According to AJCC, metastasis to genital structures for gestational trophoblastic tumors (GTT) is considered T2 and not M1. Metastasis to genital structures is coded in CS Extension.

**Note 2:** All lymph node involvement for GTT is considered M1b. Lymph node involvement, whether of regional or distant nodes, is coded in CS Mets at DX.

**Note 3:** When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and metastatic detail are available, record the code with metastatic detail in preference to a statement of FIGO stage.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Metastasis to lung(s) only, NOS	M1a	M1a	D	D
12	FIGO Stage IIIA	M1a	M1a	D	D
13	FIGO Stage IIIB	M1a	M1a	D	D
15	FIGO Stage III [NOS]	M1a	M1a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
20	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric): Obturator Parametrial Pelvic, NOS Sacral, NOS: Lateral Presacral Middle (promontorial) (Gerota's node) Uterosacral	M1b	M1b	RN	RN
30	Regional lymph node(s): Aortic, NOS: Lateral Para-aortic Periaortic	M1b	M1b	RN	RN
33	Regional lymph node(s), NOS	M1b	M1b	RN	RN
35	30 + 20	M1b	M1b	RN	RN
37	(20, 30, or 33) + (10) Metastasis to regional lymph node(s) plus lung	M1b	M1b	D	D
40	<b>OBSOLETE DATA CONVERTED V0203; See code 33</b> Regional lymph node(s), NOS	ERROR	ERROR	ERROR	ERROR
50	<b>OBSOLETE DATA CONVERTED V0203; See code 55</b> Distant lymph node(s), NOS	ERROR	ERROR	ERROR	ERROR
51	Distant lymph node(s): Superficial inguinal (femoral)	M1b	M1b	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
52	Specified distant lymph node(s) other than in code 51	M1b	M1b	D	D
55	Distant lymph node(s), NOS	M1b	M1b	D	D
60	Lymph nodes, NOS	M1b	M1b	RN	RN
70	Distant metastasis, other than lymph nodes or lung Carcinomatosis	M1b	M1b	D	D
80	70 + any of (10 to 60) Distant metastasis plus metastasis to lung and/or regional or distant lymph nodes	M1b	M1b	D	D
81	FIGO Stage IVA	M1b	M1b	D	D
82	<b>OBSOLETE DATA CONVERTED V0203</b> ; See code 85 Distant metastasis, NOS	ERROR	ERROR	ERROR	ERROR
83	FIGO Stage IVB	M1b	M1b	D	D
84	FIGO Stage IV [NOS] with no other information on metastasis	M1b	M1b	D	D
85	Distant metastasis, NOS	M1NOS	M1NOS	RN	RN
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**Placenta****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

**Placenta****CS Site-Specific Factor 1****Prognostic Scoring Index****Note:** See page A-133

**Note 1:** Stage for gestational trophoblastic tumors is anatomically defined, but the Prognostic Scoring Index is used to substage patients. Substage A (low risk) and Substage B (high risk) are assigned on the basis of a non-anatomic risk factor scoring system:

## Age:

Score 0: Age less than 40

Score 1: Age equal to or greater than 40

## Antecedent Pregnancy:

Score 0: Hydatidiform mole

Score 1: Abortion

Score 2: Term pregnancy

## Interval Months from Index Pregnancy:

Score 0: Less than 4 months

Score 1: 4-6 months

Score 2: 7-12 months

Score 4: More than 12 months

## Pretreatment Serum human chorionic gonadotropin (hCG) (IU/ml):

Score 0: Less than 10 to 3rd power (1,000)

Score 1: 10 to 3rd power to less than 10 to 4th power (1,000 to less than 10,000)

Score 2: 10 to 4th power to less than 10 to 5th power (10,000 to less than 100,000)

Score 4: Equal to or greater than 10 to 5th power (100,000 or greater)

## Largest Tumor Size, Including Uterus:

Score 0: Less than 3 cm

Score 1: 3 cm to 5 cm';

Score 2: Equal to or greater than 5 cm

## Sites of Metastases:

Score 0: Lung only or none

Score 1: Spleen, kidney

Score 2: Gastrointestinal tract

Score 4: Liver, brain

## Number of Metastases Identified:

Score 0: 0

Score 1: 1-4

Score 2: 5-8

Score 4: Greater than 8

## Previous Failed Chemotherapy:

Score 2: Single drug

Score 4: 2 or more drugs

**Note 2:** Clinician scoring is recommended, but the score may be assigned if clinician scoring is unavailable.

**Note 3:** Sum the score of the prognostic risk factors to determine the final Prognostic Scoring Index. If any one of the factors is unknown, do not assign score, unless low risk or high risk can be

determined with the information available.

Code	Description
000	Clinician stated no risk factors
001	<b>OBSOLETE DATA RETAINED V0200</b> Clinician stated low risk (sum score of 7 or less) Stated to be substage A, but score not specified
002	<b>OBSOLETE DATA RETAINED V0200</b> Clinician stated high risk (sum score of 8 or greater or NOS) Stated to be substage B, but score not specified
010	Clinician stated low risk (Prognostic score of 6 or less)
050	Stated to be substage A, but score not specified
110	Clinician stated high risk (Prognostic score of 7 or greater or NOS)
150	Stated to be substage B, but score not specified
200	Clinician stated risk factors present, but unknown whether low or high risk
988	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 988 will result in an edit error.)
999	Unknown or no information Not documented in patient record