

Penis

Penis (excludes Malignant Melanoma, Merkel Cell Carcinoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease and Other Lymphomas)

C60.0-C60.2, C60.8-C60.9

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis, NOS

Note 1: This schema is NOT used for Malignant Melanoma, Merkel Cell Carcinoma of Penis, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, or Other Lymphomas. Each of these diseases has a separate schema.

Note 2: Primary carcinoma of the urethra is to be coded C68.0 and assigned Collaborative Stage codes according to the urethra schema.

Penis

CS Tumor Size

See Standard Table

Penis

CS Extension

Note 1: Over 90% of penile cancers are squamous cell carcinomas arising in the skin. Other cancers arising in the skin include adenocarcinomas (5%) arising in sweat glands, melanomas (2%, included in the melanoma schema), and basal cell carcinoma (2%). About 1% of penile cancers are sarcomas, arising in subcutaneous connective tissues.

Note 2: Verrucous carcinoma (M-8051) is a locally aggressive, exophytic, low grade carcinoma with minimal metastatic potential.

Note 3: If verrucous carcinoma is described as noninvasive or as having a broad pushing border or penetration, assign code 050. If verrucous carcinoma is not so characterized, assign code 070, Verrucous carcinoma, NOS. If there is destructive invasion of verrucous carcinoma into structures in code 100 or greater, assign the appropriate higher code.

Note 4: Information about involvement of the corpus spongiosum or corpus cavernosum is collected in this field for anatomic staging. This information is also collected in CS Site-Specific Factor 1 because involvement of these structures may have an independent effect on prognosis.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepidermal, intraepithelial, noninvasive Bowen disease Erythroplasia of Queyrat	Tis	Tis	IS	IS
050	Noninvasive verrucous carcinoma	Ta	Ta	IS	IS

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
050 cont'd	(See Note 3)	Ta	Ta	IS	IS
070	Verrucous carcinoma, NOS (See Note 1)	Ta	Ta	L	L
100	Invasive tumor limited to subepithelial connective tissue, but not involving corpus spongiosum or cavernosum If primary is skin: invasive tumor limited to skin of penis, prepuce (foreskin) and/or glans Stated as T1 [NOS] with no other information on extension	^	T1	L	L
300	Localized, NOS	^	T1	L	L
305	Satellite nodules on prepuce or glans	^	T1	RE	RE
310	Stated as T1a with no other information on extension	^	T1	L	L
320	Stated as T1b with no other information on extension	^	T1	L	L
350	For body of penis ONLY: Corpus cavernosum Corpus spongiosum Tunica albuginea of corpus spongiosum	T2	T2	L	L
360	350 + 305 Tumors in body of penis plus satellite nodules on prepuce or glans	T2	T2	RE	RE
400	Corpus cavernosum except for tumor in body of penis Corpus spongiosum except for tumor in body of penis	T2	T2	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400 cont'd	Tunica albuginea of corpus spongiosum except for tumor in body of penis	T2	T2	RE	RE
460	400 + 305	T2	T2	RE	RE
500	OBSOLETE DATA CONVERTED V0203 See code 305 Satellite nodule(s) on prepuce or glans	ERROR	ERROR	ERROR	ERROR
550	OBSOLETE DATA REVIEWED V0203 ; See code 360 and 460 500 + (350 or 400)	T2	T2	RE	RE
560	Stated as T2 with no other information on extension	T2	T2	L	L
600	OBSOLETE DATA RETAINED V0200 Prostate reclassified as T4 in AJCC 7th Edition, see codes 620 and 650 Prostate Urethra	ERROR	T3	RE	RE
620	Urethra Stated as T3 with no other information on extension	T3	T3	RE	RE
650	Prostate	T4	T3	RE	RE
700	Adjacent structures: Muscle, NOS: Bulbospongiosus Ischiocavernosus Superficial transverse perineal Skin: Abdominal Perineum	T4	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Pubic Scrotal	T4	T4	RE	RE
800	Further contiguous extension Testis	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 100-320 ONLY, the T category is assigned based on Grade and Lymphovascular Invasion, as shown in the Extension Grade LVI Table for this schema.

Penis

CS Tumor Size/Ext Eval

See Standard Table

Penis

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	SINGLE regional lymph node: Superficial inguinal (femoral) regional lymph node Inguinal node, NOS (unknown if superficial or deep) Stated as N1 with no other information on regional lymph nodes	^	N1	RN	RN
200	MULTIPLE or BILATERAL regional	^	N2	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200 cont'd	lymph nodes: Superficial inguinal (femoral) regional lymph nodes Inguinal nodes, NOS (unknown if superficial or deep) Stated as N2 with no other information on regional lymph nodes	^	N2	RN	RN
250	Regional lymph nodes, not stated if single or multiple or bilateral: Superficial inguinal (femoral) regional lymph nodes Inguinal nodes, NOS (unknown if superficial or deep)	^	N1	RN	RN
260	SINGLE regional lymph nodes, NOS Not stated if inguinal or pelvic	^	N1	RN	RN
270	MULTIPLE or BILATERAL regional lymph nodes, NOS: Not stated if inguinal or pelvic	^	N2	RN	RN
300	OBSOLETE DATA RETAINED V0200 Deep inguinal node(s) reclassified in AJCC 7th Edition, see codes 310 and 350 Regional lymph node: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)	ERROR	N3	RN	RN
310	SINGLE regional node: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)	^	N3	RN	RN
350	MULTIPLE or BILATERAL regional nodes: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)	^	N3	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
370	OBSOLETE DATA REVIEWED V0203 ; See codes 250 and 380 Inguinal nodes, NOS (unknown if single, multiple, unilateral or bilateral)	^	N1	RN	RN
380	Regional lymph nodes, not stated if single, multiple or bilateral: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)	^	N1	RN	RN
400	Single, multiple, unilateral or bilateral regional nodes: Pelvic lymph nodes, NOS: External iliac Internal iliac (hypogastric) Obturator	N3	N3	RN	RN
450	Stated as N3 with no other information on regional lymph nodes	N3	N3	RN	RN
500	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 260, 270 and 505 Regional lymph node(s), NOS	^	N1	RN	RN
505	Regional lymph node(s), NOS: Not stated if single or multiple AND not stated if inguinal or pelvic	^	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For CS Lymph nodes codes 100-270, 310-380, 500 and 505 ONLY, the N category for AJCC 7 staging is assigned based on the value of CS Site-Specific Factor 17, Extranodal Extension of Regional Lymph Nodes, as shown in the Lymph Node Extranodal Extension table for this schema.

Penis**CS Lymph Nodes Eval****See Standard Table****Penis****Regional Nodes Positive****See Standard Table****Note:** Record this field even if there has been preoperative treatment.**Penis****Regional Nodes Examined****See Standard Table****Penis****CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Penis**CS Mets Eval****See Standard Table****Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

Penis**CS Site-Specific Factor 17****Extranodal Extension of Regional Lymph Nodes****Note:** See page A-135

Note 1: Code the status of extranodal extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in CS Lymph Nodes. Do not code extranodal extension for any nodes coded in CS Mets at DX.

Note 2: A statement of the presence or absence of extranodal extension in a pathology report takes priority over clinical assessment.

Note 3: If nodes are involved but the clinical documentation and/or pathologic documentation does not indicate extranodal extension, assign code 010 (no extranodal extension documented on available reports).

Note 4: If the only documentation is a reference to clinically or pathologically involved nodes with no reference to extranodal extension, assign code 030 (no physical examination/imaging report and/or no pathology report available).

Code	Description
000	No regional lymph nodes involved
010	Extranodal extension not present Regional nodes described as mobile
020	Extranodal extension present Regional nodes described as fixed or matted
030	Regional nodes involved, unknown if extranodal extension
988	Not applicable: Information not collected for this case (If this information is required by your standard setter, use of code 988 may result in an edit error.)
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record