

Genital Male Other**Other and Unspecified Male Genital Organs (excluding Scrotum, Kaposi Sarcoma and Lymphoma)****C63.0-C63.1, C63.7-C63.9****C63.0 Epididymis****C63.1 Spermatic cord****C63.7 Other specified parts of male genital organs****C63.8 Overlapping lesion of male genital organs****C63.9 Male genital organs, NOS****Note 1:** AJCC does not define TNM staging for this site.**Note 2:** Laterality must be coded for C63.0-C63.1.**Note 3:** Melanoma, mycosis fungoides, or Sezary disease of all sites listed is coded using this schema. Kaposi sarcoma of all sites is included in the Kaposi sarcoma schema, and lymphomas of all sites are included in the lymphoma schema.**Genital Male Other****CS Tumor Size**

See Standard Table

Genital Male Other**CS Extension**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	Confined to site of origin	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	Adjacent connective tissue (See definition of connective tissue in General Rules, Part I)	NA	NA	RE	RE
600	Adjacent organs/structures: Male genital organs: Epididymis (from other site) Penis Prostate Seminal vesicle (from other site) Spermatic cord (vas deferens) (from other site) Testis	NA	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Tunica vaginalis (from other site)	NA	NA	RE	RE
800	Further contiguous extension including: Other organs and structures in male pelvis: Bladder Rectum Urethra	NA	NA	D	D
950	No evidence of primary tumor	NA	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Genital Male Other**CS Tumor Size/Ext Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Genital Male Other**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

Note 2: Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	NA	NA	NONE	NONE
100	Regional lymph node(s): Iliac, NOS: External Internal (hypogastric), NOS: Obturator	NA	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Inguinal , NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Pelvic , NOS Regional lymph node(s), NOS	NA	NA	RN	RN
800	Lymph nodes, NOS	NA	NA	RN	RN
999	Unknown; regional lymph nodes not stated; Regional lymph nodes cannot be assessed; Not documented in patient record	NA	NA	U	U

Genital Male Other**CS Lymph Nodes Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Genital Male Other**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment.

Genital Male Other**Regional Nodes Examined****See Standard Table****Genital Male Other****CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	NA	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40	Distant metastasis except distant lymph node(s) Carcinomatosis	NA	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	NA	NA	D	D
60	Distant metastasis, NOS	NA	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U

Genital Male Other**CS Mets Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	