

Melanoma Iris**Malignant Melanoma of Iris (excluding Ciliary Body)****C69.4****M-8720-8790****C69.4 Iris**

Note 1: CS Site-Specific Factor 25 is used to discriminate between tumors arising in the ciliary body and the iris, both coded to C69.4.

Note 2: Laterality must be coded for this site.

Melanoma Iris**OBSOLETE - CS Tumor Size**

Note: CS Tumor Size is obsolete beginning with CS Version 2 (codes and notes). Old data are retained, but new cases are not coded with CS Tumor Size. Use code 988 for this field.

OBSOLETE V0200: Note: Record the size of the tumor in the CS Tumor size table below, not depth or thickness. Depth or thickness is recorded in CS Site-Specific Factor 1 in the Measured Thickness (Depth), Breslow's Measurement table.

Code	Description
000	OBSOLETE DATA RETAINED V0200 No mass/tumor found
001-979	OBSOLETE DATA RETAINED V0200 001 - 979 millimeters (code exact size in millimeters)
980	OBSOLETE DATA RETAINED V0200 980 millimeters or larger (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	OBSOLETE DATA CONVERTED V0200; See code 980 981-987 millimeters
988	Not applicable: Information not collected for this schema (Cases with code 988 in CSv1 converted to 980)
989	OBSOLETE DATA CONVERTED V0200; See code 980 989 millimeters or larger
990	OBSOLETE DATA RETAINED V0200 Microscopic focus or foci only, no size of focus given
991	OBSOLETE DATA RETAINED V0200 Described as "less than 1 cm"

Code	Description
992	OBSOLETE DATA RETAINED V0200 Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	OBSOLETE DATA RETAINED V0200 Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	OBSOLETE DATA RETAINED V0200 Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	OBSOLETE DATA RETAINED V0200 Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	OBSOLETE DATA RETAINED V0200 Unknown; size not stated; Not documented in patient record

Melanoma Iris

CS Extension

Note 1: Ciliary body and Iris are both included in the ICD-O-3 site code of C69.4, but they are staged with different criteria by AJCC. The Schema Discriminator is used to select the CS schema appropriate for coding extension for melanoma of the iris. Obsolete codes identified for primaries of the ciliary body are found in this schema because melanomas of ciliary body and iris were included in a single schema in CS Version 1.

Note 2: Uveal melanomas arise most commonly in the choroid, less frequently in the ciliary body, and least often in the iris. Melanomas of the iris tend to be small, and those arising from or extending to the ciliary body typically are large.

Note 3: AJCC does not recognize in situ melanoma of the iris. Any case so coded will be mapped to unknown AJCC stage and in situ Summary Stage.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	TX	TX	IS	IS
100	OBSOLETE DATA RETAINED V0200 FOR IRIS PRIMARY ONLY: Confined to iris, NOS	ERROR	T1N0S	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110	Limited to iris not more than 3 clock hours in size, WITHOUT melanomalytic (secondary) glaucoma, or not stated if melanomalytic (secondary) glaucoma Stated as T1a with no other information on extension	T1a	T1a	L	L
130	Limited to iris more than 3 clock hours in size, WITHOUT melanomalytic (secondary) glaucoma, or not stated if melanomalytic (secondary) glaucoma Stated as T1b with no other information on extension	T1b	T1b	L	L
140	Limited to iris WITH melanomalytic (secondary) glaucoma Stated as T1c with no other information on extension	T1c	T1c	L	L
160	Limited to iris, NOS Stated as T1 [NOS] with no other information on extension	T1NOS	T1NOS	L	L
210	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), not stated if extraocular extension present	ERROR	T1NOS	L	L
220	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic or	ERROR	T1b	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220 cont'd	macroscopic extraocular extension.	ERROR	T1b	L	L
230	OBSELETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH microscopic extraocular extension.	ERROR	T1b	L	L
240	OBSELETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH macroscopic extraocular extension.	ERROR	T1c	L	L
300	Localized, NOS	T1NOS	T1NOS	L	L
410	Tumor confluent with or extending into the ciliary body and/or choroid WITHOUT melanomalytic (secondary) glaucoma, or not stated if melanomalytic (secondary) glaucoma Stated as T2 [NOS] with no other information on extension	T2NOS	T2NOS	L	L
420	Tumor confluent with or extending into the ciliary body and/or choroid WITH melanomalytic (secondary) glaucoma Stated as T2a with no other information on extension	T2a	T2a	L	L
510	OBSELETE DATA RETAINED V0200	ERROR	T2NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), not stated if extraocular extension present.	ERROR	T2NOS	L	L
520	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic or macroscopic extraocular extension present.	ERROR	T2a	L	L
530	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular extension present.	ERROR	T2b	RE	RE
540	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum	ERROR	T2c	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
540 cont'd	height (thickness), WITH macroscopic extraocular extension present.	ERROR	T2c	RE	RE
600	Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, WITHOUT melanolytic (secondary) glaucoma, or not stated if melanolytic (secondary) glaucoma Stated as T3 [NOS] with no other information on extension	T3NOS	T3NOS	L	L
610	Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension WITH melanolytic (secondary) glaucoma Stated as T3a with no other information on extension	T3a	T3a	L	L
650	OBSELETE DATA RETAINED V0200 FOR IRIS PRIMARY ONLY: Extraocular extension	ERROR	T4	RE	RE
660	Tumor with extrascleral (extraocular) extension less than or equal to 5mm in diameter Stated as T4a with no other information on extension	T4a	T4	RE	RE
670	Tumor with extrascleral (extraocular) extension greater than 5mm in diameter Stated as T4b with no other information on extension	T4b	T4	RE	RE
680	Extrascleral (extraocular) extension, measurement of diameter not specified	T4NOS	T4	RE	RE
710	OBSELETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY	ERROR	T3NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710 cont'd	ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITHOUT extraocular extension or not stated if extraocular extension present.	ERROR	T3NOS	L	L
750	OBSOLETE DATA RETAINED V0200 Ciliary body moved to separate schema V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITH extraocular extension.	ERROR	T4	RE	RE
800	Further contiguous extension	T4b	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Melanoma Iris**CS Tumor Size/Ext Eval**

See Standard Table

Melanoma Iris**CS Lymph Nodes**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Cervical, NOS Submandibular (submaxillary)	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

Melanoma Iris**CS Lymph Nodes Eval**

See Standard Table

Melanoma Iris**Regional Nodes Positive**

See Standard Table

Note: Record this field even if there has been preoperative treatment.**Melanoma Iris****Regional Nodes Examined**

See Standard Table

Melanoma Iris**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	^	M1	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	^	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
50	40 + 10 Distant metastasis plus distant lymph node(s)	^	M1	D	D
52	Stated as M1a with no other information on distant metastasis	^	M1	D	D
54	Stated as M1b with no other information on distant metastasis	^	M1	D	D
56	Stated as M1c with no other information on distant metastasis	^	M1	D	D
60	Distant Metastasis, NOS Stated as M1 [NOS] with no other information on distant metastasis	^	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

^ For CS Mets at DX codes 10-60, the M category for AJCC 7 staging is assigned based on the size of largest metastasis, recorded in CS Site-Specific Factor 4, as shown in the Size Metastasis AJCC 7 Table.

Melanoma Iris
CS Mets Eval
See Standard Table

Melanoma Iris
CS Site-Specific Factor 4
Size of Largest Metastasis
Note: See page A-162

Note 1: Record the size of the largest diameter of the largest metastasis in any site, including distant lymph node or distant organ. Do not record the size of the metastasis in a regional lymph node.

Note 2: The metastasis may be measured either clinically or pathologically.

Code	Description
000	No metastatic disease.

Code	Description
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case; (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 cm"
992	Described as "less than 8 cm," or "greater than 3 cm," or "between 3 cm and 8 cm"
993	Described as "greater than 8 cm"
999	Unknown or no information Not documented in patient record

Melanoma Iris**CS Site-Specific Factor 25****Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris****Note: See page A-155**

Note: For cases coded to melanoma of primary site code C694 Ciliary Body/Iris, code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera Uveal tract Intraocular Eyeball	Melanoma Ciliary Body
020	Iris	Melanoma Iris
100	OBSOLETE DATA RETAINED V0200 C69.4 - originally coded in CSv1 and case diagnosed before 1/1/2010	Melanoma Ciliary Body