

Melanoma Ciliary Body**Malignant Melanoma of Ciliary Body (excluding Iris)****C69.4****M-8720-8790****C69.4 Ciliary body**

Note 1: CS Site-Specific Factor 25 is used to discriminate between tumors arising in the ciliary body and the iris, both coded to C69.4.

Note 2: Laterality must be coded for this site.

Melanoma Ciliary Body**OBSOLETE - CS Tumor Size**

Note: CS Tumor Size is obsolete beginning with CS Version 2 (codes and notes). Old data are retained, but new cases are not coded with CS Tumor Size. Use code 988 for this field.

OBSOLETE V0200: Note: Record the size of the tumor in the CS Tumor size table below, not depth or thickness. Depth or thickness is recorded in CS Site-Specific Factor 1 in the Measured Thickness (Depth), Breslow's Measurement table.

Code	Description
000	OBSOLETE DATA RETAINED V0200 No mass/tumor found
001-979	OBSOLETE DATA RETAINED V0200 001 - 979 millimeters (code exact size in millimeters)
980	OBSOLETE DATA RETAINED V0200 980 millimeters or larger (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	OBSOLETE DATA CONVERTED V0200; See code 980 981-987 millimeters
988	Not applicable: Information not collected for this schema (Cases with code 988 in CSv1 converted to 980)
989	OBSOLETE DATA CONVERTED V0200; See code 980 989 millimeters or larger
990	OBSOLETE DATA RETAINED V0200 Microscopic focus or foci only, no size of focus given
991	OBSOLETE DATA RETAINED V0200 Described as "less than 1 cm"

Code	Description
992	OBSOLETE DATA RETAINED V0200 Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	OBSOLETE DATA RETAINED V0200 Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	OBSOLETE DATA RETAINED V0200 Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	OBSOLETE DATA RETAINED V0200 Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	OBSOLETE DATA RETAINED V0200 Unknown; size not stated Not documented in patient record

Melanoma Ciliary Body

CS Extension

Note 1: Ciliary body and Iris are both included in the ICD-O-3 site code of C69.4, but they are staged with different criteria by AJCC. The Schema Discriminator is used to select the CS schema appropriate for coding extension for melanoma of the ciliary body. Obsolete codes identified for primaries of the iris are found in this schema because melanomas of ciliary body and iris were included in a single schema in CS Version 1.

Note 2: Uveal melanomas arise most commonly in the choroid, less frequently in the ciliary body, and least often in the iris. Melanomas of the iris tend to be small, and those arising from or extending to the ciliary body typically are large.

Note 3: AJCC does not recognize in situ melanoma of the ciliary body. Any case so coded will be mapped to unknown AJCC stage, in situ Summary Stage.

Note 4: The AJCC 7th Edition assigns a T value to combinations of measurements for basal diameter and thickness of tumor divided into four Tumor Size Categories in a charted format. The AJCC 6th Edition assigns T values based on three pairs of measurements for basal diameter and thickness, using the basal diameter for classification when the two measurements do not fit into the defined pairs.

Note 5: According to the AJCC, "In clinical practice the largest tumor basal diameter may be estimated in optic disc diameters (dd) (average: 1 dd = 1.5mm). Tumor thickness may be estimated in diopters (average: 2.5 diopters = 1 mm). Other techniques, such as ultrasonography and fundus photography may provide a more accurate measurement.

Note 6: Use codes 160 and 180 if measurements are available to record the largest tumor basal

diameter and tumor thickness. Use codes 215-445 only if tumor measurements are not available for coding. Note that code 635, mapped to T4e is not based on a Tumor Size Category assignment.

Note 7: Use codes 245, 295, 345, and 445 only if the Tumor Size Category is the only information available about the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	TX	TX	IS	IS
100	OBSOLETE DATA RETAINED V0200; Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Confined to iris, NOS	ERROR	T1NOS	L	L
110	OBSOLETE DATA RETAINED V0200; Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris not more than 3 clock hours in size, WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	ERROR	T1a	L	L
130	OBSOLETE DATA RETAINED V0200; Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris more than 3 clock hours in size, WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	ERROR	T1b	L	L
140	OBSOLETE DATA RETAINED V0200; Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris WITH melanomalytic glaucoma	ERROR	T1c	L	L
160	Tumor WITHOUT extraocular extension (Or extraocular extension not stated)	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
180	Tumor WITH extraocular extension less than or equal to 5mm in diameter	^	*	RE	RE
210	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5m or less in greatest height (thickness), not stated if extraocular extension present	ERROR	T1NOS	L	L
215	Tumor WITHOUT extraocular extension (Or extraocular extension not stated) AND stated as Tumor Size Category 1 Stated as T1b with no other information on extension	T1b	T1a	L	L
220	OBSOLETE DATA RETAINED V0200; FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic or macroscopic extraocular extension	ERROR	T1a	L	L
230	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.4mm or less in greatest height (thickness), WITH microscopic extraocular extension	ERROR	T1b	RE	RE
235	Tumor WITH extraocular extension less than or equal to 5 mm in diameter AND stated as Tumor Size Category 1 Stated as T1d with no other information on extension	T1d	T1b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
240	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH macroscopic extraocular extension	ERROR	T1c	RE	RE
245	Tumor Size Category 1 , NOS Stated as T1 [NOS] with no other information on extension	T1NOS	T1NOS	L	L
265	Tumor WITHOUT extraocular extension (Or extraocular extension not stated) AND stated as Tumor Size Category 2 Stated as T2b with no other information on extension	T2b	T2a	L	L
285	Tumor WITH extraocular extension less than or equal to 5 mm in diameter AND stated as Tumor Size Category 2 Stated as T2d with no other information on extension	T2d	T2b	RE	RE
295	Tumor Size Category 2 , NOS Stated as T2 [NOS] with no other information on extension	T2NOS	T2NOS	L	L
300	Localized, NOS	T1NOS	T1NOS	L	L
315	Tumor WITHOUT extraocular extension (Or extraocular extension not stated) AND stated as Tumor Size Category 3 Stated as T3b with no other information on extension	T3b	T3	L	L
335	Tumor WITH extraocular extension less than or equal to 5mm in diameter	T3d	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
335 cont'd	AND stated as Tumor Size Category 3 Stated as T3d with no other information on extension	T3d	T4	RE	RE
345	Tumor Size Category 3 , NOS Stated as T3 [NOS] with no other information on extension	T3NOS	T3	L	L
410	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	ERROR	T2NOS	L	L
415	Tumor WITHOUT extraocular extension (Or extraocular extension not stated) AND stated as Tumor Size Category 4 Stated as T4b with no other information on extension	T4b	T3	L	L
420	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH melanomalytic glaucoma	ERROR	T2a	L	L
435	Tumor WITH extraocular extension less than or equal to 5mm in diameter AND stated as Tumor Size Category 4 Stated as T4d with no other information on extension	T4d	T4	RE	RE
445	Stated as Tumor Size Category 4 , NOS	T4NOS	T3	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), not stated if extraocular extension present.	ERROR	T2NOS	L	L
520	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic or macroscopic extraocular extension present.	ERROR	T2a	L	L
530	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular extension present.	ERROR	T2b	RE	RE
540	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH macroscopic extraocular extension present.	ERROR	T2c	RE	RE
600	OBSOLETE DATA RETAINED	ERROR	T3NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	ERROR	T3NOS	L	L
610	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, AND melanomalytic glaucoma	ERROR	T3a	L	L
635	Tumor WITH extraocular extension greater than 5mm in diameter Stated as T4e with no other information on extension	T4e	*	RE	RE
640	Stated as T4 [NOS] with no other information on extension	T4NOS	*	L	L
650	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Extraocular extension	ERROR	T4	RE	RE
710	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITHOUT extraocular extension or not stated if extraocular extension present.	ERROR	T3NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750	OBSOLETE DATA RETAINED V0200 FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITH extraocular extension.	ERROR	T4	RE	RE
800	Further contiguous extension	T4NOS	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 160 and 180, the T for AJCC 7 staging is assigned based on the values of tumor basal diameter, recorded in CS Site-Specific Factor 2, and thickness, recorded in CS Site-Specific Factor 3. Basal diameter and thickness are mapped to Tumor Size Categories in the Tumor Size Category AJCC 7 Table, and the CS Extension codes and Tumor Size Categories are mapped to T in the Extension Size Category AJCC 7 Table.

* For CS Extension codes 160, 180, 635, and 640, the T for AJCC 6 staging is assigned based on the values of tumor basal diameter, recorded in CS Site-Specific Factor 2, and thickness, recorded in CS Site-Specific Factor 3. Basal diameter and thickness are mapped to tumor size pairs in the Tumor Size Pair AJCC 6 Table, and the CS Extension codes and tumor size pairs are mapped to T in the Extension Size Pair AJCC 6 Table.

**Melanoma Ciliary Body
CS Tumor Size/Ext Eval
See Standard Table**

**Melanoma Ciliary Body
CS Lymph Nodes**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Cervical, NOS	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information on regional lymph nodes	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

**Melanoma Ciliary Body
CS Lymph Nodes Eval
See Standard Table**

**Melanoma Ciliary Body
Regional Nodes Positive
See Standard Table**

Note: Record this field even if there has been preoperative treatment.

**Melanoma Ciliary Body
Regional Nodes Examined
See Standard Table**

**Melanoma Ciliary Body
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	^	M1	D	D
40	Distant metastasis except distant lymph node(s)	^	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40 cont'd	Carcinomatosis	^	M1	D	D
50	40 + 10; Distant metastasis plus distant lymph node(s)	^	M1	D	D
52	Stated as M1a with no other information on distant metastasis	^	M1	D	D
54	Stated as M1b with no other information on distant metastasis	^	M1	D	D
56	Stated as M1c with no other information on distant metastasis	^	M1	D	D
60	Distant Metastasis, NOS Stated as M1 [NOS] with no other information on distant metastasis	^	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

^ For CS Mets at DX codes 10-60, the M category for AJCC 7 staging is assigned based on the size of largest metastasis, recorded in CS Site-Specific Factor 4, as shown in the Size Metastasis AJCC 7 Table.

Melanoma Ciliary Body

CS Mets Eval

See Standard Table

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

Melanoma Ciliary Body

CS Site-Specific Factor 2

Measured Basal Diameter

Note: See page A-160

Note: Code **MEASURED BASAL DIAMETER** of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm); (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9 mm
980	98.0 mm or larger
988	Not applicable: Information not collected for this case; (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm" or "less than 18 mm"
997	Described as "greater than 18 mm"
999	Unknown or no information; Not documented in patient record

Melanoma Ciliary Body**CS Site-Specific Factor 3****Measured Thickness (Depth)****Note: See page A-161**

Note: Code **MEASURED THICKNESS** (Depth) of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm); (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9millimeters
980	98.0 mm or larger
988	Not applicable: Information not collected for this site-specific factor (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microinvasion; microscopic focus or foci only and no size given
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm"
999	Unknown or no information Not documented in patient record

Melanoma Ciliary Body
CS Site-Specific Factor 4
Size of Largest Metastasis
Note: See page A-162

Note 1: Record the size of the largest diameter of the largest metastasis in any site, including distant lymph node or distant organ. Do not record the size of the metastasis in a regional lymph node.

Note 2: The metastasis may be measured either clinically or pathologically.

Code	Description
000	No metastatic disease.
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 cm"
992	Described as "less than 8 cm," or "greater than 3 cm," or "between 3 cm and 8 cm"
993	Described as "greater than 8 cm"
999	Unknown or no information Not documented in patient record

Melanoma Ciliary Body

CS Site-Specific Factor 25

Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris

Note: See page A-155

Note: For cases coded to melanoma of primary site code C694 Ciliary Body/Iris, code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera Uveal tract Intraocular Eyeball	Melanoma Ciliary Body
020	Iris	Melanoma Iris

Code	Description	Schema
100	OBSOLETE DATA RETAINED V0200 C69.4 - originally coded in CSV1 and case diagnosed before 1/1/2010	Melanoma Ciliary Body