

**Lymphoma****Hodgkin and Non-Hodgkin Lymphomas of All Sites (excluding Mycosis Fungoides and Sezary Disease)****M-9590-9729 (EXCEPT 9700/3 and 9701/3)****M-9823, 9827 (EXCEPT C42.0, C42.1, C42.4)****Lymphoma****CS Tumor Size**

Code	Description
888	<b>OBSOLETE DATA CONVERTED V0200;</b> See code 988; Not applicable
988	Not applicable: Information not collected for this schema

**Lymphoma****CS Extension**

**Note 1:** An E lesion is defined as disease that involves extralymphatic site(s), or sites other than lymph nodes and other lymphatic structures. Other lymphatic structures include spleen (see note 4), thymus gland (C37.9), and Waldeyer's ring (tonsils) (C02.4, C09.0-C09.9, C11.1, C14.2),. Any lymphatic structure (other than spleen) is coded the same as a lymph node region (codes 100, 200, 300).

**Note 2:** While spleen is considered a lymphatic structure, it is coded separately (see codes 120, 220, 230, 320, 330). S equals spleen involvement.

**Note 3:** If there is no mention of lymphatic or extralymphatic involvement but several diagnostic procedures were done, interpret as no involvement.

**Note 4:** Involvement of adjacent soft tissue does not alter the classification.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Involvement of a single lymph node region Stated as Stage I	^	*	L	L
110	Localized involvement of a single extralymphatic organ/site in the absence of any lymph node involvement Multifocal involvement of one extralymphatic organ/site Stated as Stage IE	^	*	L	L
120	Involvement of spleen only Stated as Stage IS	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200	Involvement of two or more lymph node regions on the <b>SAME</b> side of the diaphragm Stated as Stage II	^	*	RNOS	RNOS
210	Localized involvement of a single extralymphatic organ/site <b>WITH</b> involvement of its regional lymph node(s) <b>WITH</b> or <b>WITHOUT</b> involvement of other lymph node(s) on the <b>SAME</b> side of the diaphragm Direct extension to adjacent organs or tissues Stated as Stage IIE	^	*	RNOS	RNOS
220	Involvement of spleen <b>PLUS</b> lymph node(s) <b>BELOW</b> the diaphragm Stated as Stage IIS	^	*	RNOS	RNOS
230	Involvement of spleen <b>PLUS</b> involvement of a single extralymphatic organ/site <b>BELOW</b> the diaphragm <b>WITH/WITHOUT</b> involvement of lymph node(s) <b>BELOW</b> the diaphragm Stated as Stage IIES	^	*	RNOS	RNOS
300	Involvement of lymph node regions on <b>BOTH</b> sides of the diaphragm Stated as Stage III	^	*	D	D
310	Involvement of an extralymphatic organ/site <b>PLUS</b> involvement of lymph node(s) on the <b>OPPOSITE</b> side of the diaphragm Stated as Stage IIIE	^	*	D	D
320	Involvement of the spleen <b>PLUS</b> lymph node(s) <b>ABOVE</b> the diaphragm Involvement of spleen <b>PLUS</b> lymph nodes on both sides of the diaphragm.	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320 cont'd	Stated as Stage IIIS	^	*	D	D
330	320 + 310 Involvement of the spleen <b>PLUS</b> a single extralymphatic site <b>ABOVE</b> the diaphragm <b>WITH</b> or <b>WITHOUT</b> involvement of lymph node(s) Involvement of the spleen <b>PLUS</b> involvement of lymph node region(s) <b>ABOVE</b> the diaphragm <b>PLUS</b> involvement of a single extralymphatic organ/site on either side of the diaphragm Stated as Stage IIIES	^	*	D	D
800	Diffuse or disseminated (multifocal) involvement of <b>ONE OR MORE</b> extralymphatic organ(s)/site(s) <b>WITH OR WITHOUT</b> associated lymph node involvement Multifocal involvement of <b>MORE THAN ONE</b> extralymphatic organ/site Involvement of isolated extralymphatic organ in absence of involvement of adjacent lymph nodes, but in conjunction with disease in distant sites Metastasis/involvement: Bone marrow Liver Nodular involvement of lung(s) Stated as Stage IV	^	*	D	D
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	^	*	U	U

^ AJCC stage group for this schema is derived directly from CS Extension and CS Site-Specific Factor 2, as shown in the AJCC TNM 7 Stage table. The AJCC Stage Groups I-IV are subdivided into A and B based on the presence or absence of symptoms coded in CS Site-Specific Factor 2.

\* AJCC stage group for this schema is derived directly from CS Extension and CS Site-Specific

Factor 2, as shown in the AJCC TNM 6 Stage table. The AJCC Stage Groups I-IV are subdivided into A and B based on the presence or absence of symptoms as coded in CS Site-Specific Factor 2.

## Lymphoma

### CS Tumor Size/Ext Eval

**Note:** According to AJCC, "The use of the term pathologic staging is reserved for patients who undergo staging laparotomy with an explicit intent to assess the presence of abdominal disease or to define histologic microscopic disease extent in the abdomen. Staging laparotomy and pathological staging have been essentially abandoned as useful procedures." (7th ed., page ) Therefore, Collaborative Staging uses a modified evaluation scheme for lymphomas, and it applies to the CS Tumor Size/Ext-Eval field only. The other Eval fields are coded as "not applicable" for this schema.

Code	Description	Staging Basis
0	<b>Does not meet criteria for AJCC pathologic staging:</b> No staging laparotomy done. No autopsy evidence used	c
2	<b>Meets criteria for AJCC pathologic staging:</b> No surgical resection done, but evidence derived from autopsy (tumor was suspected or diagnosed prior to autopsy)	p
3	<b>Meets criteria for AJCC pathologic staging:</b> Staging laparotomy done	p
8	<b>Meets criteria for autopsy (a) staging:</b> Evidence from autopsy only (tumor was unsuspected or undiagnosed prior to autopsy).	a
9	Unknown if staging laparotomy done Not assessed; cannot be assessed Unknown if assessed Not documented in patient record	c

## Lymphoma

### CS Lymph Nodes

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
888	<b>OBSOLETE DATA CONVERTED V0200;</b> See code 988 Not applicable for this site	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
988	Not applicable: Information not collected for this schema	NA	NA	U	U

**Lymphoma****CS Lymph Nodes Eval**

Code	Description	Staging Basis
9	Not applicable for this site.	

**Lymphoma****Regional Nodes Positive**

Code	Description
99	Not applicable

**Lymphoma****Regional Nodes Examined**

Code	Description
99	Not applicable

**Lymphoma****CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
88	<b>OBSOLETE DATA CONVERTED V0200</b> ; See code 98 Not applicable for this site	ERROR	ERROR	ERROR	ERROR
98	Not applicable: Information not collected for this schema	NA	NA	U	U

**Lymphoma**  
**CS Mets Eval**

Code	Description	Staging Basis
9	Not applicable for this site.	

**Lymphoma**  
**CS Site-Specific Factor 2**  
**Systemic Symptoms at Diagnosis**

**Note: See page A-152**

**Note 1:** Each stage should be classified as either A or B according to the absence or presence of defined constitutional symptoms, such as:

1. Fevers: Unexplained fever with temperature above 38 degrees C;
2. Night sweats: Drenching sweats that require change of bedclothes;
3. Weight loss: Unexplained weight loss of more than 10% of the usual body weight in the 6 months prior to diagnosis.

**Note 2:** Pruritus alone does not qualify for B classification, nor does alcohol intolerance, fatigue, or a short, febrile illness associated with suspected infections.

**Note 3:** Use code 000 if the History and Physical, progress notes, or consultations make no mention of B symptoms.

Code	Description	Stage Classification
000	No B symptoms (asymptomatic)	A
010	Any B symptom(s): Night sweats Unexplained fever (above 38 degrees C) Unexplained weight loss (generally greater than 10% of body weight in the six months before admission) B symptoms, NOS	B
020	Pruritis (recurrent and unexplained)	A
030	020 + 010 Pruritis plus any B symptom(s)	B
988	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 988 will result in an edit error.)	ERROR

<b>Code</b>	<b>Description</b>	<b>Stage Classification</b>
999	Unknown or no information Not documented in patient record	BLANK

The A or B stage classification is appended to the stage I-IV as shown in the AJCC TNM 6 Stage and AJCC TNM 6 Stage CSv1 tables.