

**Conjunctiva C69.0****CS Site-Specific Factor 1****Tumor Size**

**Note 1:** Code the largest dimension of the tumor. Record the actual measurement in tenths of millimeters. Refer to the General Instructions in Part I for coding CS Tumor Size, when coding tumor size in this field.

**Note 2:** Code the specific tumor size as stated in the medical record. Use code 991 or 992 if the physician's statement about T value is the only information available about the size of the tumor.

See page A-59

Code	Description
000	No mass/tumor found
001-979	00.1 - 98.8 millimeters (mm) (Largest tumor dimension to nearest tenth of mm) Examples: 001 0.1 mm 010 1 mm 042 4.2 mm 100 10 mm, 1 cm 103 10.3 mm
980	98.0 mm or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected . If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microinvasion Microscopic focus or foci only and no size of focus given
991	Described as "less than 5 mm" Stated as T1 with no other information on size
992	Described as "greater than 5 mm" Stated as T2 with no other information on size
999	Unknown; size not stated Size of tumor cannot be assessed Not documented in patient record

**Melanoma Conjunctiva C69.0****CS Site-Specific Factor 1****Measured Thickness (Depth)**

**Note 1:** Code measured thickness (depth) of tumor, not size or diameter. Record actual measurement in hundredths of millimeter (mm) from the pathology report.

**Note 2:** Use code 991, 993, or 996 if the tumor is resected and the only information about depth is the physician's assignment of a stage value.

**Note 3:** Use code 998 if there is no resection of the primary site tumor.

See page A-60

Code	Description
000	No mass/tumor found
001-979	0.01 - 9.79 millimeters (mm) (Exact measurement to nearest hundredth of mm) Examples: 001 0.01 mm 002 0.02 mm 010 0.10 mm 074 0.74 mm 100 1.00 mm 105 1.05 mm 979 9.79 mm
980	9.80 mm or larger
988	Not applicable: Information not collected for this case (Cases with code 988 in CSv1 converted to 980)
991	Less than 0.5 mm Microinvasion; microscopic focus or foci only Stated as pathologic T1a with no other information on size, tumor resected Stated as pathologic T2a with no other information on size, tumor resected
992	Described as "less than 0.8 mm"
993	Described as "greater than 0.5 mm" Stated as pathologic T1b with no other information on size, tumor resected Stated as pathologic T2b with no other information on size, tumor resected
994	Described as "greater than 0.8 mm"

Code	Description
995	Described as "less than 1.5 mm"
996	Described as "greater than 1.5 mm" Stated as pathologic T1c with no other information on size, tumor resected Stated as pathologic T2c with no other information on size, tumor resected
998	No resection of primary site tumor
999	Unknown; size not stated Not documented in patient record Microinvasion; microscopic focus or foci only V0102-V0104 Note: Microinvasion, microscopic focus or foci only included in code 991 V0200

### Melanoma Conjunctiva C69.0

#### CS Site-Specific Factor 2

##### Quadrants

**Note 1:** Code the number of quadrants clinically involved with melanoma of the conjunctiva as stated in the medical record. If the stated number of quadrants involved conflicts with the T category assigned by the physician, code the stated number of quadrants.

**Note 2:** If the number of involved quadrants is not stated but a clinical stage is assigned, use the code that matches the clinical T category as indicated in the code descriptions in the table.

See page A-61

Code	Description
010	Less than or equal to one quadrant involved
015	Stated as clinical T1a with no other information on quadrants Stated as clinical T2a with no other information on quadrants Stated as clinical T2c with no other information on quadrants
020	More than one but less than or equal to two quadrants involved
025	Stated as clinical T1b with no other information on quadrants Stated as clinical T2b with no other information on quadrants Stated as clinical T2d with no other information on quadrants
030	More than two but less than or equal to three quadrants involved
035	Stated as clinical T1c with no other information on quadrants

Code	Description
040	Greater than three quadrants involved
045	Stated as clinical T1d with no other information on quadrants
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
999	Unknown or no information Not documented in patient record

**Melanoma Iris C69.4****CS Site-Specific Factor 4****Size of Largest Metastasis**

**Note 1:** Record the size of the largest diameter of the largest metastasis in any site, including distant lymph node or distant organ. Do not record the size of the metastasis in a regional lymph node.

**Note 2:** The metastasis may be measured either clinically or pathologically.

See page A-64

Code	Description
000	No metastatic disease.
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case; (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 cm"
992	Described as "less than 8 cm," or "greater than 3 cm," or "between 3 cm and 8 cm"
993	Described as "greater than 8 cm"
999	Unknown or no information Not documented in patient record

**Melanoma Iris C69.4****CS Site-Specific Factor 25****Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris**

**Note:** For cases coded to melanoma of primary site code C694 Ciliary Body/Iris, code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

See page A-58

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera	Melanoma Ciliary Body

Code	Description	Schema
	Uveal tract Intraocular Eyeball	Melanoma Ciliary Body
020	Iris	Melanoma Iris

**Melanoma Ciliary Body C69.4****CS Site-Specific Factor 2****Measured Basal Diameter**

**Note:** Code **MEASURED BASAL DIAMETER** of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

**See page A-62**

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm); (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9 mm
980	98.0 mm or larger
988	Not applicable: Information not collected for this case; (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm" or "less than 18 mm"
997	Described as "greater than 18 mm"
999	Unknown or no information; Not documented in patient record

**Melanoma Ciliary Body C69.4****CS Site-Specific Factor 3****Measured Thickness (Depth)**

**Note:** Code **MEASURED THICKNESS** (Depth) of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

See page A-63

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm); (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9millimeters
980	98.0 mm or larger
988	Not applicable: Information not collected for this site-specific factor (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microinvasion; microscopic focus or foci only and no size given
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm"
999	Unknown or no information

Code	Description
	Not documented in patient record

**Melanoma Ciliary Body C69.4****CS Site-Specific Factor 4****Size of Largest Metastasis**

**Note 1:** Record the size of the largest diameter of the largest metastasis in any site, including distant lymph node or distant organ. Do not record the size of the metastasis in a regional lymph node.

**Note 2:** The metastasis may be measured either clinically or pathologically.

**See page A-64**

Code	Description
000	No metastatic disease.
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 cm"
992	Described as "less than 8 cm," or "greater than 3 cm," or "between 3 cm and 8 cm"
993	Described as "greater than 8 cm"
999	Unknown or no information Not documented in patient record

**Melanoma Ciliary Body C69.4****CS Site-Specific Factor 25****Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris**

**Note:** For cases coded to melanoma of primary site code C694 Ciliary Body/Iris, code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

**See page A-58**

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera Uveal tract Intraocular Eyeball	Melanoma Ciliary Body
020	Iris	Melanoma Iris

**Melanoma Choroid C69.3****CS Site-Specific Factor 2****Measured Basal Diameter**

**Note:** Code **MEASURED BASAL DIAMETER** of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

See page A-62

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm) (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9 mm
980	98.0 mm or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm" or "less than 18 mm"
997	Described as "greater than 18 mm"

Code	Description
999	Unknown or no information Not documented in patient record

**Melanoma Choroid C69.3****CS Site-Specific Factor 3****Measured Thickness (Depth)**

**Note:** Code **MEASURED THICKNESS** (Depth) of tumor not size. Record actual measurement in tenths of millimeters (mm) from clinical documentation, or from a pathology report if surgery performed.

See page A-63

Code	Description
000	No mass/tumor found
001-979	00.1 - 97.9 millimeters (mm) (Exact measurement to nearest tenth of mm) Examples: 001 00.1 mm 002 00.2 mm 010 01.0 mm 074 07.4 mm 100 10.0 mm 105 10.5 mm 979 97.9millimeters
980	98.0 mm or larger
988	Not applicable: Information not collected for this site-specific factor (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microinvasion; microscopic focus or foci only and no size given
991	Described as "less than 3 mm"
992	Described as "greater than 3 mm" or "less than or equal to 6mm"
993	Described as "greater than 6 mm" or "less than or equal to 9mm"

Code	Description
994	Described as "greater than 9 mm" or "less than or equal to 12 mm"
995	Described as "greater than 12 mm" or "less than or equal to 15 mm"
996	Described as "greater than 15 mm"
999	Unknown or no information; Not documented in patient record

**Melanoma Choroid C69.3****CS Site-Specific Factor 4****Size of Largest Metastasis**

**Note 1:** Record the size of the largest diameter of the largest metastasis in any site, including distant lymph node or distant organ. Do not record the size of the metastasis in a regional lymph node.

**Note 2:** The metastasis may be measured either clinically or pathologically.

See page A-64

Code	Description
000	No metastatic disease.
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case; (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
991	Described as "less than 3 cm"
992	Described as "less than 8 cm," or "greater than 3 cm," or "between 3 cm and 8 cm"
993	Described as "greater than 8 cm"
999	Unknown or no information; Not documented in patient record

**Lacrimal Gland C69.5****CS Site-Specific Factor 25****Schema Discriminator: Lacrimal Gland/Lacrimal Sac**

**Note:** For cases coded to primary site code C69.5 (lacrimal gland/lacrimal sac), code the site in which the tumor arose.

**See page A-58**

Code	Description	Schema
015	Lacrimal gland Lacrimal, NOS	Lacrimal Gland
025	Lacrimal sac Lacrimal duct, NOS Nasal lacrimal duct Nasolacrimal duct	Lacrimal Sac

**Lacrimal Sac C69.5****CS Site-Specific Factor 25****Schema Discriminator: Lacrimal Gland/Lacrimal Sac**

**Note:** For cases coded to primary site code C69.5 (lacrimal gland/lacrimal sac), code the site in which the tumor arose.

**See page A-58**

Code	Description	Schema
015	Lacrimal gland Lacrimal, NOS	Lacrimal Gland
025	Lacrimal sac Lacrimal duct, NOS Nasal lacrimal duct Nasolacrimal duct	Lacrimal Sac

**Retinoblastoma C69.0-C69.6, C69.8-C69.9****CS Site-Specific Factor 1****Extension Evaluated at Enucleation**

**Note 1:** True invasion of the choroid is defined as one or more solid nests of tumor cells that fills or replaces the choroid and has pushing borders. This is distinguished from artifactual invasion, or groups of tumor cells in the open spaces between intraocular structures, extraocular tissues, and/or subarachnoid space. Focal choroidal invasion is a solid nest of tumor measuring less than 3 millimeter (mm) in maximum diameter. Massive choroidal invasion is a solid tumor nest 3 mm or more in maximum diameter.

**Note 2:** For correct calculation of derived staging fields for this schema, CS Extension and CS Site-Specific Factor 1, Extension Evaluated at Enucleation, must both be coded, whether or not an enucleation was performed. Information from enucleation is excluded from CS Extension and coded only in CS Site-Specific Factor 1.

See page A-65

Code	Description	TNM 7 Map	TNM 6 Map	SS77	SS2000
300	Tumor(s) confined to retina, NOS	T1	T1	L	L
410	Tumor cells in the vitreous body <b>WITHOUT</b> optic nerve invasion and <b>WITHOUT</b> choroidal invasion	T1	T1	L	L
430	Tumor(s) confined to subretinal space <b>WITHOUT</b> optic nerve invasion and <b>WITHOUT</b> choroidal invasion	T1	T1	L	L
435	Tumor confined to eye NOS <b>WITHOUT</b> optic nerve and <b>WITHOUT</b> choroidal invasion Stated as pT1 with no other information on extension	T1	T1	L	L
440	Tumor invades optic nerve up to, but not through, level of lamina cribrosa <b>WITHOUT</b> invasion of choroid	T2a T2a	T2a	L	L
460	Tumor invades choroid focally <b>WITHOUT</b> invasion of optic nerve	T2a	T2b	L	L
465	Stated as pT2a with no other	T2a	T2a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77	SS2000
	information on extension				
470	Tumor invades optic nerve up to, but not through, level of lamina cribrosa <b>WITH</b> focal invasion of the choroid Stated as pT2b with no other information on extension	T2b	T2c	L	L
490	Tumor with minimal optic nerve and/or choroidal invasion, NOS Stated as pT2 [NOS] with no other information on extension	T2NOS	T2NOS	L	L
540	Tumor invades optic nerve through the level of lamina cribrosa but not to line of resection <b>WITHOUT</b> massive invasion of choroid	T3a	T3a	RE	RE
550	Tumor massively invades choroid <b>WITHOUT</b> invasion of optic nerve through level of lamina cribrosa	T3a	T3b	RE	RE
560	Tumor with significant optic nerve and/or choroidal invasion Stated as pT3a with no other information on extension	T3a	T3a	RE	RE
570	Tumor invades optic nerve through level of lamina cribrosa but not to line of resection <b>WITH</b> massive invasion of choroid Stated as pT3b with no other information on extension	T3b	T3c	RE	RE
590	Tumor with significant optic nerve and/or choroidal invasion, NOS Stated as pT3 [NOS] with no other	T3NOS	T3NOS	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77	SS2000
	information				
725	Invasion of optic nerve to resection line <b>WITHOUT</b> extraocular extension Stated as pT4a with no other information on extension	T4a	T4	RE	RE
745	Extraocular extension <b>WITHOUT</b> invasion of optic nerve to resection line including: Invasion of orbit through sclera Extension anteriorly or posteriorly into orbit Extension into subarachnoidal space of optic nerve Extension to apex of orbit	T4NOS	T4	RE	RE
755	Extraocular extension <b>WITHOUT</b> invasion of optic nerve to resection line including: Extension to brain Extension to brain beyond chiasm	T4NOS	T4	D	D
765	Invasion of optic nerve to resection line <b>WITH</b> extraocular extension including: Invasion of orbit through sclera Extension anteriorly or posteriorly into orbit Extension into subarachnoidal space of optic nerve Extension to apex of orbit	T4b T4b	T4 T4	RE RE	RE RE
775	Invasion of optic nerve to resection line <b>WITH</b> extraocular extension including: Extension to brain Extension to brain beyond chiasm	T4b	T4	D	D
790	Stated as pT4b with no other information on extension	T4b	T4	RE	RE

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77</b>	<b>SS2000</b>
810	Stated as pT4 [NOS] with no other information on extension	T4NOS	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
960	Unknown if enucleation performed	TX	TX	U	U
970	No enucleation performed	TX	TX	U	U
999	Enucleation performed: Extension unknown	TX	TX	U	U

For the CS Extension fields for this site, the mapping values for TNM, SS77, and SS2000 and the associated c, p, y, or a indicator are assigned based on the values in CS Extension, CS TS/Ext Eval, and Site-Specific Factor 1 as shown in the Special Calculation Table for AJCC Stage and Special Calculation Table for SEER Summary Stage.

**Lymphoma Ocular Adnexa C44.1, C69.0, C69.5-C69.6****CS Site-Specific Factor 2****Systemic Symptoms at Diagnosis**

**Note 1:** Each stage should be classified as either A or B according to the absence or presence of defined constitutional symptoms, such as:

1. Fevers: Unexplained fever with temperature above 38 degrees C;
2. Night sweats: Drenching sweats that require change of bedclothes;
3. Weight loss: Unexplained weight loss of more than 10% of the usual body weight in the 6 months prior to diagnosis.

**Note 2:** Pruritus alone does not qualify for B classification, nor does alcohol intolerance, fatigue, or a short, febrile illness associated with suspected infections.

**Note 3:** Use code 000 if the History and Physical, progress notes, or consultations make no mention of B symptoms.

See page A-65

Code	Description	Stage Class
000	No B symptoms (asymptomatic)	A
010	Any B symptom(s): Night sweats Unexplained fever (above 38 degrees C) Unexplained weight loss (generally greater than 10% of body weight in the six months before admission) B symptoms, NOS	B
020	Pruritis (recurrent and unexplained)	A
030	020 + 010 Pruritis plus any B symptom(s)	B
988	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 988 will result in an edit error.)	ERROR
999	Unknown or no information Not documented in patient record	BLANK

The A or B stage classification is appended to the Stage I-IV as shown in the AJCC TNM 6 Stage and AJCC TNM 6 Stage CSv1 tables.