


## Pediatric Diabetes Short-term Complications Admission Risk-Adjusted-Rate, 2014

Diabetes is a disease in which the body does not produce or properly use insulin. Insulin is a hormone that is needed to convert sugar into energy needed for daily life. Short-term complications are a result of extreme fluctuations in blood sugar levels and can be quite serious. Extreme dizziness and fainting can indicate hypoglycemia (low blood sugar) or hyperglycemia (high blood sugar), and if not brought under control, seizures, shock or coma can occur. Blood sugar levels of diabetic children need to be monitored carefully and their diet and/or medications adjusted accordingly. Regular and careful monitoring and management of diabetes in the outpatient setting can often reduce the risk of developing complications from the disease. Patient compliance with treatment plans is essential to the preventive management of diabetes. Cultural and linguistic factors may affect interactions with health care providers and the system.



**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
State of Texas	1,230	4,774,626	25.76	25.89	4.49	(4.23, 4.74)	\$24,655
Anderson	Less than 5						
Andrews	Less than 5						
Angelina	Less than 5						
Aransas	Less than 5						
Archer	Less than 5						
Armstrong	Less than 5						
Atascosa	Less than 5						
Austin	Less than 5						
Bailey	Less than 5						
Bandera	Less than 5						
Bastrop	Less than 5						
Baylor	Less than 5						
Bee	Less than 5						
Bell	14	58,973	23.74	25.40	4.22	(1.93, 6.50)	\$22,448
Bexar	106	328,191	32.30	26.05	5.59**	(4.64, 6.55)	\$20,895
Blanco	Less than 5						
Borden	Less than 5						
Bosque	Less than 5						
Bowie	6	15,034	39.91	26.06	6.91	(2.44, 11.37)	\$14,885
Brazoria	14	60,574	23.11	25.60	4.07	(1.83, 6.32)	\$21,698
Brazos	Less than 5						
Brewster	Less than 5						
Briscoe	Less than 5						
Brooks	Less than 5						
Brown	Less than 5						
Burleson	Less than 5						
Burnet	Less than 5						
Caldwell	Less than 5						
Calhoun	Less than 5						
Callahan	Less than 5						
Cameron	19	93,271	20.37	25.96	3.54	(1.74, 5.33)	\$19,266
Camp	Less than 5						
Carson	Less than 5						
Cass	Less than 5						
Castro	Less than 5						
Chambers	Less than 5						
Cherokee	Less than 5						
Childress	Less than 5						
Clay	Less than 5						
Cochran	Less than 5						

**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
Coke	Less than 5						
Coleman	Less than 5						
Collin	48	171,343	28.01	25.61	4.93	(3.60, 6.27)	\$26,501
Collingsworth	Less than 5						
Colorado	Less than 5						
Comal	Less than 5						
Comanche	Less than 5						
Concho	Less than 5						
Cooke	Less than 5						
Coryell	Less than 5						
Cottle	Less than 5						
Crane	Less than 5						
Crockett	Less than 5						
Crosby	5	1,041	480.12	25.92	83.52**	(66.51, 100.53)	\$16,187
Culberson	Less than 5						
Dallam	Less than 5						
Dallas	165	432,847	38.12	25.66	6.70**	(5.86, 7.54)	\$25,151
Dawson	Less than 5						
Deaf Smith	Less than 5						
Delta	Less than 5						
Denton	32	138,555	23.10	25.70	4.05	(2.57, 5.53)	\$23,259
Dewitt	Less than 5						
Dickens	Less than 5						
Dimmit	Less than 5						
Donley	Less than 5						
Duval	Less than 5						
Eastland	Less than 5						
Ector	6	26,922	22.29	25.37	3.96	(0.58, 7.34)	\$13,047
Edwards	Less than 5						
Ellis	14	31,332	44.68	26.18	7.70**	(4.61, 10.78)	\$25,787
El Paso	41	164,559	24.92	26.32	4.27	(2.93, 5.61)	\$35,113
Erath	Less than 5						
Falls	Less than 5						
Fannin	Less than 5						
Fayette	Less than 5						
Fisher	Less than 5						
Floyd	Less than 5						
Foard	Less than 5						
Fort Bend	36	131,737	27.33	25.90	4.76	(3.25, 6.27)	\$18,306
Franklin	Less than 5						
Freestone	Less than 5						

**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
Frio	Less than 5						
Gaines	Less than 5						
Galveston	15	51,731	29.00	26.08	5.01	(2.61, 7.42)	\$20,578
Garza	Less than 5						
Gillespie	Less than 5						
Glasscock	Less than 5						
Goliad	Less than 5						
Gonzales	Less than 5						
Gray	Less than 5						
Grayson	Less than 5						
Gregg	7	20,564	34.04	25.76	5.96	(2.12, 9.80)	\$14,681
Grimes	Less than 5						
Guadalupe	5	27,539	18.16	26.30	3.11	(0.00, 6.40)	\$17,824
Hale	Less than 5						
Hall	Less than 5						
Hamilton	Less than 5						
Hansford	Less than 5						
Hardeman	Less than 5						
Hardin	Less than 5						
Harris	171	780,506	21.91	25.73	3.84*	(3.22, 4.46)	\$21,653
Harrison	Less than 5						
Hartley	Less than 5						
Haskell	Less than 5						
Hays	6	31,852	18.84	26.69	3.18	(0.15, 6.21)	\$52,360
Hemphill	Less than 5						
Henderson	8	12,182	65.67	26.24	11.29**	(6.34, 16.23)	\$23,272
Hidalgo	38	191,316	19.86	25.81	3.47	(2.21, 4.73)	\$23,198
Hill	Less than 5						
Hockley	Less than 5						
Hood	Less than 5						
Hopkins	Less than 5						
Houston	Less than 5						
Howard	Less than 5						
Hudspeth	Less than 5						
Hunt	Less than 5						
Hutchinson	Less than 5						
Irion	Less than 5						
Jack	Less than 5						
Jackson	Less than 5						
Jasper	Less than 5						
Jeff Davis	Less than 5						

**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
Jefferson	6	38,611	15.54	26.28	2.67	(0.00, 5.44)	\$16,042
Jim Hogg	Less than 5						
Jim Wells	Less than 5						
Johnson	16	28,471	56.20	25.90	9.78**	(6.53, 13.04)	\$18,898
Jones	Less than 5						
Karnes	Less than 5						
Kaufman	14	21,716	64.47	25.76	11.28**	(7.55, 15.02)	\$24,932
Kendall	Less than 5						
Kenedy	Less than 5						
Kent	Less than 5						
Kerr	Less than 5						
Kimble	Less than 5						
King	Less than 5						
Kinney	Less than 5						
Kleberg	Less than 5						
Knox	Less than 5						
Lamar	Less than 5						
Lamb	Less than 5						
Lampasas	Less than 5						
La Salle	Less than 5						
Lavaca	Less than 5						
Lee	Less than 5						
Leon	Less than 5						
Liberty	Less than 5						
Limestone	Less than 5						
Lipscomb	Less than 5						
Live Oak	Less than 5						
Llano	Less than 5						
Loving	Less than 5						
Lubbock	20	48,789	40.99	26.51	6.97**	(4.51, 9.43)	\$23,155
Lynn	Less than 5						
McCulloch	Less than 5						
McLennan	6	42,216	14.21	26.74	2.40	(0.00, 5.03)	\$10,699
McMullen	Less than 5						
Madison	Less than 5						
Marion	Less than 5						
Martin	Less than 5						
Mason	Less than 5						
Matagorda	Less than 5						
Maverick	Less than 5						
Medina	Less than 5						

**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
Menard	Less than 5						
Midland	10	25,648	38.99	25.63	6.86	(3.41, 10.31)	\$10,436
Milam	Less than 5						
Mills	Less than 5						
Mitchell	Less than 5						
Montague	Less than 5						
Montgomery	21	94,076	22.32	25.85	3.89	(2.10, 5.69)	\$22,399
Moore	Less than 5						
Morris	Less than 5						
Motley	Less than 5						
Nacogdoches	Less than 5						
Navarro	Less than 5						
Newton	Less than 5						
Nolan	Less than 5						
Nueces	28	59,566	47.01	26.00	8.15**	(5.91, 10.40)	\$38,832
Ochiltree	Less than 5						
Oldham	Less than 5						
Orange	Less than 5						
Palo Pinto	Less than 5						
Panola	Less than 5						
Parker	7	21,486	32.58	26.43	5.56	(1.85, 9.27)	\$29,032
Parmer	Less than 5						
Pecos	Less than 5						
Polk	Less than 5						
Potter	12	21,491	55.84	25.29	9.96**	(6.17, 13.75)	\$17,863
Presidio	Less than 5						
Rains	Less than 5						
Randall	9	21,242	42.37	26.14	7.31	(3.56, 11.06)	\$10,549
Reagan	Less than 5						
Real	Less than 5						
Red River	Less than 5						
Reeves	Less than 5						
Refugio	Less than 5						
Roberts	Less than 5						
Robertson	Less than 5						
Rockwall	6	18,372	32.66	25.88	5.69	(1.64, 9.74)	\$23,765
Runnels	Less than 5						
Rusk	Less than 5						
Sabine	Less than 5						
San Augustine	Less than 5						
San Jacinto	Less than 5						

**Texas Health Care Information Collection**  
**Pediatric Diabetes Short-Term Complications Admission Rate, 2014**

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
San Patricio	8	11,797	67.81	26.00	11.76**	(6.72, 16.81)	\$31,171
San Saba	Less than 5						
Schleicher	Less than 5						
Scurry	Less than 5						
Shackelford	Less than 5						
Shelby	Less than 5						
Sherman	Less than 5						
Smith	10	37,536	26.64	26.03	4.62	(1.79, 7.44)	\$21,100
Somervell	Less than 5						
Starr	5	13,740	36.39	26.48	6.20	(1.56, 10.83)	\$14,969
Stephens	Less than 5						
Sterling	Less than 5						
Stonewall	Less than 5						
Sutton	Less than 5						
Swisher	Less than 5						
Tarrant	88	356,805	24.66	25.71	4.33	(3.40, 5.25)	\$24,486
Taylor	7	21,339	32.80	26.23	5.64	(1.90, 9.37)	\$12,928
Terrell	Less than 5						
Terry	Less than 5						
Throckmorton	Less than 5						
Titus	Less than 5						
Tom Green	Less than 5						
Travis	45	173,501	25.94	25.58	4.57	(3.24, 5.90)	\$45,494
Trinity	Less than 5						
Tyler	Less than 5						
Upshur	Less than 5						
Upton	Less than 5						
Uvalde	Less than 5						
Val Verde	Less than 5						
Van Zandt	5	8,667	57.69	26.33	9.88	(4.03, 15.73)	\$26,179
Victoria	Less than 5						
Walker	Less than 5						
Waller	Less than 5						
Ward	Less than 5						
Washington	Less than 5						
Webb	Less than 5						
Wharton	Less than 5						
Wheeler	Less than 5						
Wichita	7	20,298	34.49	26.39	5.89	(2.07, 9.71)	\$26,649
Wilbarger	Less than 5						
Willacy	Less than 5						

**Texas Health Care Information Collection**  
***Pediatric Diabetes Short-Term Complications Admission Rate, 2014***

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Rate	Mean Charge per Admission
Williamson	16	91,149	17.55	25.44	3.11	(1.28, 4.95)	\$44,856
Wilson	Less than 5						
Winkler	Less than 5						
Wise	Less than 5						
Wood	Less than 5						
Yoakum	Less than 5						
Young	Less than 5						
Zapata	Less than 5						
Zavala	Less than 5						