

Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital

page=1



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=2



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=3



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=4



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=5



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=6



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=7



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=8



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013


Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital

page=9



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=10



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=11



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=12



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=13



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=14



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=15



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=16



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=17



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=18



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=19



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=20



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital


page=21



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital


page=22



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded
 Hospital patients 18 years and older
 Better quality may be associated with lower rates
 * Significantly below the State Rate; ** Significantly above the State Rate
 (C) Comment submitted by hospital

page=23



Accidental Puncture or Laceration: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded

Hospital patients 18 years and older

Better quality may be associated with lower rates

* Significantly below the State Rate; ** Significantly above the State Rate

(C) Comment submitted by hospital

page=24

